


NEBRASKA FOOD CODE



Nebraska Department of Agriculture
Bureau of Dairies and Foods
State Office Building
P.O. Box 95064
Lincoln, Nebraska 68509
(402) 471-2536
www.agr.ne.gov

TABLE OF CONTENTS

Chapter 1 - Purpose and Definitions

1-101.10	Food Code	1
1-102.10	Food Safety, Illness Prevention, and Honest Presentation.....	1
1-103.10	Statement	1
1-201.10	Statement of Application and Listing of Terms	1

Chapter 2 - Management and Personnel

2-101.11*	Assignment.....	17
81-2,272.02*	Knowledge (Replaces 2005 Food Code 2-102.11 Demonstration).....	17
2-102.20	Food Protection Manager Certifications	17
2-103.11	Person in Charge.	17
2-201.11	Responsibility of Permit Holder, Person in Charge, and Conditional Employees	18
2-201.12*	Exclusions and Restrictions.....	20
2-201.13	Removal, Adjustment, or Retention of Exclusions and Restrictions.....	21
2-301.11*	Clean Condition.....	24
2-301.12*	Cleaning Procedure.....	25
2-301.13*	Special Handwash Procedures.	25
2-301.14*	When to Wash.	25
2-301.15	Where to Wash.	26
2-301.16	Hand Sanitizers.	26
81-2,272.32	Fingernails (Replaces 2005 Food Code 2-302.11 Maintenance).....	27
2-302.11	Fingernail Maintenance.....	27
2-303.11	Jewelry, Prohibition	27
2-304.11	Outer Clothing, Clean Condition.	27
2-401.11*	Food Contamination, Prevention Eating, Drinking, or Using Tobacco.	27
2-401.12*	Discharges from the Eyes, Nose, and Mouth.	27
2-402.11	Hair Restraints, Effectiveness.	28
2-403.11*	Handling Prohibition.	28

Chapter 3 - Food

3-101.11*	Safe, Unadulterated, and Honestly Presented.....	28
3-201.11*	Compliance with Food Law.	28
3-201.12*	Food in a Hermetically Sealed Container.	29
3-201.13*	Fluid Milk and Milk Products.....	29
3-201.14*	Fish.....	29
3-201.15*	Molluscan Shellfish.....	29
3-201.16*	Wild Mushrooms.....	29
3-201.17*	Game Animals.....	29
3-202.11*	Temperature.....	30
3-202.12*	Additives.	31
3-202.13*	Shell Eggs.	31
3-202.14*	Eggs and Milk Products, Pasteurized.....	31
3-202.15*	Package Integrity.....	31
3-202.16*	Ice.....	31
3-202.17	Shucked Shellfish, Packaging and Identification.	32
3-202.18*	Shellstock Identification.	32
3-202.19	Shellstock, Condition.....	33
3-202.110	Juice Treated.....	33
3-203.11	Original Containers and Records, Molluscan Shellfish, Original Container	33
3-203.12*	Shellstock, Maintaining Identification.....	34
81-2,272.10*	Preventing Contamination by Employees (Replaces 2005 Food Code 3-301.11 Preventing Contamination from Hands).....	34
3-301.12*	Preventing Contamination when Tasting.	34
3-302.11*	Packaged and Unpackaged Food - Separation, Packaging, and Segregation.....	34
3-302.12	Food Storage Containers, Identified with Common Name of Food.....	35
3-302.13*	Pasteurized Eggs, Substitute for Raw Shell Eggs for Certain Recipes.....	35
3-302.14*	Protection from Unapproved Additives.	35
3-302.15	Washing Fruits and Vegetables.....	36

3-303.11	Ice Used as Exterior Coolant, Prohibited as Ingredient.	36
3-303.12	Storage or Display of Food in Contact with Water or Ice.	36
3-304.11*	Food Contact with Equipment and Utensils.	36
3-304.12	In-Use Utensils, Between-Use Storage.	36
81-2,272.34	(Replaces 2005 Food Code 3-304.13 Linens and Napkins, Use Limitation)	37
3-304.14	Wiping Cloths, Use Limitation.	37
3-304.15	Gloves, Use Limitation.	37
3-304.16	Using Clean Tableware for Second Portions and Refills.	38
3-304.17	Refilling Returnables.	38
3-305.11	Food Storage.	38
3-305.12	Food Storage, Prohibited Areas.	39
3-305.13	Vended Potentially Hazardous Food, Original Container.	39
3-305.14	Food Preparation.	39
3-306.11	Food Display.	39
3-306.12	Condiments, Protection.	39
3-306.13*	Consumer Self-Service Operations.	39
3-306.14*	Returned Food and Reservice of Food.	40
3-307.11	Miscellaneous Sources of Contamination.	40
3-401.11*	Raw Animal Foods.	40
3-401.12*	Microwave Cooking.	42
3-401.13	Plant Food Cooking for Hot Holding.	42
3-402.11*	Parasite Destruction.	42
3-402.12	Records, Creation and Retention.	43
3-403.10	Preparation for Immediate Service.	43
3-403.11*	Reheating for Hot Holding.	43
3-404.11	Treating Juice.	44
3-501.11	Frozen Foods.	44
3-501.12	Potentially Hazardous Food, Slacking.	44
3-501.13	Thawing.	44
3-501.14*	Cooling.	45
3-501.15	Cooling Methods.	45
3-501.16*	Potentially Hazardous Food, Hot Cold Holding.	46
81-2,272.24*	(Replaces 2005 Food Code 3-501.17 Ready-to-Eat, Potentially Hazardous Food, Date Marking)	46
81-2,272.25*	(Replaces 2005 Food Code 3-501.18 Ready-to-Eat, Potentially Hazardous Food, Disposition)	48
3-501.19*	Time as a Public Health Control.	48
81-2,272.27*	(Replaces 2005 Food Code 3-502.12 Reduced Oxygen Packaging, Criteria)	49
3-601.11	Standards of Identity.	50
3-601.12	Honestly Presented.	50
3-602.11	Food Labels.	50
3-602.12	Other Forms of Information.	51
81-2,272.17*	(Replaces 2005 Food Code 3-603.11 Consumption of Animal Foods that are Raw, Undercooked, or Not Otherwise Processed to Eliminate Pathogens)	51
3-701.11*	Discarding or Reconditioning Unsafe, Adulterated, or Contaminated Food.	51
3-801.11*	Pasteurized Foods, Prohibited Reservice, and Prohibited Food.	52

Chapter 4 - Equipment, Utensils, and Linens

4-101.11*	Multiuse, Characteristics.	53
4-101.12	Cast Iron, Use Limitation.	53
4-101.13	Lead in Ceramic, China, and Crystal Utensils, Use Limitation.	54
4-101.14*	Copper, Use Limitation.	54
4-101.15*	Galvanized Metal, Use Limitation.	54
4-101.16	Sponges, Use Limitation.	54
4-101.17	Wood, Use Limitations.	54
4-101.18	Nonstick Coatings, Use Limitation.	55
4-101.19	Nonfood-Contact Surfaces.	55

Single-Service and Single-Use

4-102.11*	Characteristics.	55
4-201.11	Durability and Strength, Equipment and Utensils.	55
4-201.12*	Food Temperature Measuring Devices.	55
4-202.11*	Food-Contact Surfaces.	55

4-202.12	CIP Equipment.	56
4-202.13	"V" Threads, Use Limitation.	56
4-202.14	Hot Oil Filtering Equipment.	56
4-202.15	Can Openers.	56
4-202.16	Nonfood-Contact Surfaces.	56
4-202.17	Kick Plates, Removable.	56
4-202.18	Ventilation Hood Systems, Filters.	56
4-203.11	Temperature Measuring Devices, Food.	57
4-203.12	Temperature Measuring Devices, Ambient Air and Water.	57
4-203.13	Pressure Measuring Devices, Mechanical Warewashing Equipment.	57
4-204.11	Ventilation Hood Systems, Drip Prevention.	57
4-204.12	Equipment Openings, Closures and Deflectors.	57
4-204.13	Dispensing Equipment, Protection of Equipment and Food.	57
4-204.14	Vending Machine, Vending Stage Closure.	58
4-204.15	Bearings and Gear Boxes, Leakproof.	58
4-204.16	Beverage Tubing, Separation.	58
4-204.17	Ice Units, Separation of Drains.	58
4-204.18	Condenser Unit, Separation.	58
4-204.19	Can Openers on Vending Machines.	59
4-204.110	Molluscan Shellfish Tanks.	59
81-2,272.36*	(Replaces 2005 Food Code 4-204.111 Vending Machines, Automatic Shutoff)	59
4-204.112	Temperature Measuring Devices.	59
4-204.113	Warewashing Machine, Data Plate Operating Specifications.	60
4-204.114	Warewashing Machines, Internal Baffles.	60
4-204.115	Warewashing Machines, Temperature Measuring Devices.	60
4-204.116	Manual Warewashing Equipment, Heaters and Baskets.	60
4-204.118	Warewashing Machines, Flow Pressure Device.	60
4-204.119	Warewashing Sinks and Drainboards, Self-Draining.	61
4-204.120	Equipment Compartments, Drainage.	61
4-204.121	Vending Machines, Liquid Waste Products.	61
4-204.122	Case Lot Handling Equipment, Moveability.	61
4-204.123	Vending Machine Doors and Openings.	61
4-205.10	Food Equipment, Certification and Classification.	62
4-301.11	Equipment, Cooling, Heating, and Holding Capacities.	62
4-301.12	Manual Warewashing, Sink Compartment Requirements.	62
4-301.13	Drainboards.	62
4-301.14	Ventilation Hood Systems, Adequacy.	62
4-301.15	Clothes Washers and Dryers.	62

Utensils, Temperature Measuring Devices, and Testing Devices

4-302.11	Utensils, Consumer Self-Service.	63
4-302.12	Food Temperature Measuring Devices.	63
4-302.13	Temperature Measuring Devices, Manual Warewashing.	63
4-302.14	Sanitizing Solutions, Testing Devices.	63
4-401.11	Equipment, Clothes Washers and Dryers, and Storage Cabinets, Contamination Prevention.	63
4-402.11	Fixed Equipment, Spacing or Sealing.	63
4-402.12	Fixed Equipment, Elevation or Sealing.	64
4-501.11	Good Repair and Proper Adjustment.	64
4-501.12	Cutting Surfaces.	64
4-501.13	Microwave Ovens.	64
4-501.14	Warewashing equipment, Cleaning Frequency.	65
4-501.15	Warewashing Machines, Manufacturers' Operating Instructions.	65
4-501.16	Warewashing Sinks, Use Limitation.	65
4-501.17	Warewashing Equipment, Cleaning Agents.	65
4-501.18	Warewashing Equipment, Clean Solutions.	65
4-501.19	Manual Warewashing Equipment, Wash Solution Temperature.	65
4-501.110	Mechanical Warewashing Equipment, Wash Solution Temperature.	65
4-501.111*	Manual Warewashing Equipment, Hot Water Sanitization Temperatures.	66
4-501.112	Mechanical Warewashing Equipment, Hot Water Sanitization Temperatures.	66
4-501.113	Mechanical Warewashing Equipment, Sanitization Pressure.	66
4-501.114*	Manual and Mechanical Warewashing Equipment, Chemical Sanitization - Temperature, pH, Concentration, and Hardness.	66
4-501.115	Manual Warewashing Equipment, Chemical Sanitization Using Detergent-Sanitizers.	67
4-501.116	Warewashing Equipment, Determining Chemical Sanitizer Concentration.	67

4-502.11	Good Repair and Calibration.	67
4-502.12*	Single-Service and Single-Use Articles, Required Use.	67
4-502.13	Single-Service and Single-Use Articles, Use Limitation.	67
4-502.14	Shells, Use Limitation.	67
4-601.11*	Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils.	67
4-602.11*	Equipment Food-Contact Surfaces and Utensils.	68
4-602.12	Cooking and Baking Equipment.	70
4-602.13	Nonfood-Contact Surfaces.	70
4-603.11	Dry Cleaning.	70
4-603.12	Precleaning.	70
4-603.13	Loading of Soiled Items, Warewashing Machines.	70
4-603.14	Wet Cleaning.	70
4-603.15	Washing, Procedures for Alternative Manual Warewashing Equipment.	70
4-603.16	Rinsing Procedures.	71
4-603.17*	Returnables, Cleaning for Refilling)	71
4-701.10	Food-Contact Surfaces and Utensils.	72
4-702.11*	Before Use After Cleaning.	72
4-703.11*	Hot Water and Chemical.	72
4-801.11	Clean Linens.	72
4-802.11	Frequency, Specifications.	72
4-803.11	Storage of Soiled Linens.	73
4-803.12	Mechanical Washing.	73
4-803.13	Use of Laundry Facilities.	73
4-901.11	Equipment and Utensils, Air-Drying Required.	73
4-901.12	Wiping Cloths, Air-Drying Locations.	73
4-902.11	Food-Contact Surfaces.	74
4-902.12	Equipment.	74
4-903.11	Equipment, Utensils, Linens, and Single-Service and Single-Use Articles.	74
4-903.12	Prohibitions.	74
4-904.11	Kitchenware and Tableware.	74
4-904.12	Soiled and Clean Tableware.	75
4-904.13	Preset Tableware.	75

Chapter 5 - Water, Plumbing, and Waste

5-101.11*	Approved System.	75
5-101.12*	System Flushing and Disinfection.....	75
5-101.13*	Bottled Drinking Water.....	75
5-102.11*	Standards.	75
5-102.12*	Nondrinking Water.....	76
5-102.13	Sampling.	76
5-102.14	Sample Report.	76
5-103.11*	Capacity.	76
81-2,272.31	(Replaces 2005 Food Code 5-103.12 Pressure)	76
5-104.12	Alternative Water Supply.....	76
5-201.11*	Approved.	77
5-202.11*	Approved System and Cleanable Fixtures.	77
5-202.12	Handwashing Facility, Installation.	77
5-202.13*	Backflow Prevention, Air Gap.	77
5-202.14	Backflow Prevention Device, Design Standard.	77
5-202.15	Conditioning Device, Design.	77

Numbers and Capacities

5-203.11*	Handwashing Sinks	77
5-203.12*	Toilets and Urinals.....	78
5-203.13	Service Sink.	78
5-203.14*	Backflow Prevention Device, When Required.	78
5-203.15*	Backflow Prevention Device, Carbonator.....	78
5-204.11*	Location and Placement, Handwashing Facilities.	78
5-204.12	Backflow Prevention Device, Location.	78
5-204.13	Conditioning Device, Location.	78
5-205.11	Using a Handwashing Facility.	79
5-205.12*	Prohibiting a Cross Connection.	79
5-205.13	Scheduling Inspection and Service for a Water System Device.	79

5-205.14*	Water Reservoir of Fogging Devices, Cleaning.	79
5-205.15*	System Maintained in Good Repair.	79

5-3 Mobile Water Tank and Mobile Food Establishment Water Tank

5-301.11	Materials, Approved.	79
5-302.11	Design and Construction, Enclosed System, Sloped to Drain.	80
5-302.12	Inspection and Cleaning Port, Protected and Secured.	80
5-302.13	"V" Type Threads, Use Limitation.	80
5-302.14	Tank Vent, Protected.	80
5-302.15	Inlet and Outlet, Sloped to Drain.	80
5-302.16	Hose, Construction and Identification.	80

Numbers and Capacities

5-303.11	Filter, Compressed Air.	81
5-303.12	Protective Cover or Device.	81
5-303.13	Mobile Food Establishment Tank Inlet.	81
5-304.11*	System Flushing and Disinfection.	81
5-304.12	Using a Pump and Hoses, Backflow Prevention.	81
5-304.13	Protecting Inlet, Outlet, and Hose Fitting.	81
5-304.14	Tank, Pump, and Hoses, Dedication.	81

Mobile Holding Tank

5-401.11	Capacity and Drainage.	81
5-402.10	Retention, Drainage, and Delivery Design, Construction, and Installation, Establishment Drainage System.	82
5-402.11*	Backflow Prevention.	82
5-402.12	Grease Trap.	82
5-402.13*	Conveying Sewage.	82
5-402.14	Removing Mobile Food Establishment Wastes.	82
5-402.15	Flushing a Waste Retention Tank.	82
5-403.11*	Approved Sewage Disposal System.	82
5-403.12	Other Liquid Wastes and Rainwater.	83

5-5 Refuse, Recyclables, and Returnables

5-501.10	Indoor Storage Area.	83
5-501.11	Outdoor Storage Surface.	83
5-501.12	Outdoor Enclosure.	83
5-501.13	Receptacles.	83
5-501.14	Receptacles in Vending Machines.	83
5-501.15	Outside Receptacles.	83
5-501.16	Storage Areas, Rooms, and Receptacles, Capacity and Availability.	83
5-501.17	Toilet Room Receptacle, Covered.	84
5-501.18	Cleaning Implements and Supplies.	84
5-501.19	Storage Areas, Redeeming Machines, Receptacles and Waste Handling Units, Location.	84
5-501.110	Storing Refuse, Recyclables, and Returnables.	84
5-501.111	Areas, Enclosures, and Receptacles, Good Repair.	84
5-501.112	Outside Storage Prohibitions.	84
5-501.113	Covering Receptacles.	84
5-501.114	Using Drain Plugs.	85
5-501.115	Maintaining Refuse Areas and Enclosures.	85
5-501.116	Cleaning Receptacles.	85
5-502.11	Frequency.	85
5-502.12	Receptacles or Vehicles.	85
5-503.11	Facilities for Disposal and Recycling, Community or Individual Facility.	85

Chapter 6 - Physical Facilities

6-101.11	Indoor Areas, Surface Characteristics.	85
6-102.11	Outdoor Areas, Surface Characteristics.	86
6-201.11	Cleanability, Floors, Walls, and Ceilings.	86
6-201.12	Floors, Walls, and Ceilings, Utility Lines.	86

6-201.13	Floor and Wall Junctures, Coved, and Enclosed or Sealed.	86
6-201.14	Floor Carpeting, Restrictions and Installation.	87
6-201.15	Floor Covering, Mats and Duckboards.	87
6-201.16	Wall and Ceiling Coverings and Coatings.	87
6-201.17	Walls and Ceilings, Attachments.	87
6-201.18	Walls and Ceilings, Studs, Joists, and Rafters.	87
6-202.11	Light Bulbs, Protective Shielding.	87
6-202.12	Heating, Ventilating, Air Conditioning System Vents.	88
6-202.13	Insect Control Devices, Design and Installation.	88
6-202.14	Toilet Rooms, Enclosed.	88
6-202.15	Outer Openings, Protected.	88
6-202.16	Exterior Walls and Roofs, Protective Barrier.	89
6-202.17	Outdoor Food Vending Areas, Overhead Protection.	89
6-202.18	Outdoor Servicing Areas, Overhead Protection.	89
6-202.19	Outdoor Walking and Driving Surfaces, Graded to Drain.	89
6-202.110	Outdoor Refuse Areas, Curbed and Graded to Drain.	89
6-202.111	Private Homes and Living or Sleeping Quarters, Use Prohibition.	89
6-202.112	Living or Sleeping Quarters, Separation.	89

6-3 Numbers and Capacities

6-301.10	Handwashing Facilities, Minimum Number.....	89
6-301.11	Handwashing Cleanser, Availability.	89
6-301.12	Hand Drying Provision.	89
6-301.13	Handwashing Aids and Devices, Use restrictions.	90
6-301.20	Disposable Towels, Waste Receptacle.	90
6-302.10	Toilets and Urinals, Minimum Number.....	90
6-302.11	Toilets and Urinals, Toilet Tissue, Availability.	90
6-303.11	Lighting, Intensity.	90
6-304.11	Ventilation, Mechanical.	90
6-305.11	Dressing Areas and Lockers, Designation.	90
6-306.10	Service Sinks, Availability.	91

6-4 Location and Placement

6-401.10	Handwashing Facilities, Conveniently Located.....	91
6-402.11	Toilet Rooms, Convenience and Accessibility.	91
6-403.11	Employee Accommodations, Designated Areas.	91
6-404.11	Distressed Merchandise, Segregation and Location.	91
6-405.10	Refuse, Recyclables, and Returnables Receptacles, Waste Handling Units, and Designated Storage Areas.	91

6-5 Maintenance and Operation

6-501.11	Repairing.	91
6-501.12	Cleaning, Frequency and restrictions.	91
6-501.13	Cleaning Floors, Dustless Methods.	92
6-501.14	Cleaning Ventilation Systems, Nuisance and Discharge Prohibition.	92
6-501.15*	Cleaning Maintenance Tools, Preventing Contamination.	92
6-501.16	Drying Mops.	92
6-501.17	Absorbent Materials on Floors, Use Limitation.	92
6-501.18	Maintaining and Using Handwashing Facilities.	92
6-501.19	Closing Toilet Room Doors.	92
6-501.110	Using Dressing Rooms and Lockers.	92
6-501.111*	Controlling Pests.	93
6-501.112	Removing Dead or Trapped Birds, Insects, Rodents, and Other Pests.	93
6-501.113	Storing Maintenance Tools.	93
6-501.114	Maintaining Premises, Unnecessary Items and Litter.	93
6-501.115*	Prohibiting Animals.	93

Chapter 7 - Poisonous or Toxic Materials

7-101.11*	Original Containers, Identifying Information, Prominence.	94
7-102.11*	Working Containers, Common Name.	94
7-201.11*	Storage, Separation.	94

7-202.11*	Restriction.	94
7-202.12*	Conditions of Use	95
7-203.11*	Container Prohibitions, Poisonous or Toxic Material Containers.	95
7-204.11*	Chemicals, Sanitizers, Criteria.....	95
7-204.12*	Chemicals for Washing Fruits and Vegetables, Criteria.	95
7-204.13*	Boiler Water Additives, Criteria.....	95
7-204.14*	Drying Agents, Criteria.	95
7-205.11*	Lubricants, Incidental Food Contact, Criteria.	96
7-206.11*	Pesticides, Restricted Use Pesticides, Criteria.	96
7-206.12*	Rodent Bait Stations.....	96
7-206.13*	Tracking Powders, Pest Control and Monitoring.....	96
7-207.11*	Medicines, Restriction and Storage.....	96
7-207.12*	Refrigerated Medicines, Storage.....	97
7-208.11*	First Aid Supplies, Storage.	97
7-209.11	Other Personal Care Items, Storage.	97
7-301.11*	Storage and Display, Separation.	97

Chapter 8 - Compliance and Enforcement

8-103.10	Variances, Modifications and Waivers.	97
8-103.11	Documentation of Proposed Variance and Justification.	97
8-103.12*	Conformance with Approved Procedures.	98
81-2,267	Facility and Operating Plans, (Replaces 2005 Food Code 8-201.11 When Plans Are Required).....	98
8-201.13	When a HACCP Plan is Required.	98
8-201.14	Contents of a HACCP Plan.	98
8-401.10	Establishing Inspection Interval.	99
8-401.20	Performance- and Risk-Based.	100
8-402.10	Competency of Inspectors.....	100
8-402.11	Allowed at Reasonable Times after Due Notice.	100
81-2,288.01	(Replaces 2005 Food Code 8-403.10 Documenting Information and Observations).....	100
8-403.30	Issuing Report and Obtaining Acknowledgment of Receipt.	101
8-403.40	Refusal to Sign Acknowledgment.	101
8-405.11	Timely Correction.	101
8-405.20	Verification and Documentation of Correction.	101
8-406.11	Time Frame for Correction.	101
8-501.10	Obtaining Information: Personal History of Illness, Medical Examination, and Specimen Analysis.	102
8-501.20	Restriction or Exclusion of Food Employee, or Summary Suspension of Permit.	102
8-501.30	Restriction or Exclusion Order: Warning or Hearing Not Required, Information Required in Order.	102
8-501.40	Removal of Exclusions and Restriction	102
81-2,273	Permit Holder; duties; disciplinary action; effect; hearing; reinstatement of permit.....	103

* Critical violation

**REQUIREMENTS FOR
FOOD ESTABLISHMENTS IN NEBRASKA**

Including the

FOOD CODE

as adopted by reference pursuant to
Nebraska Revised Statutes, section 81-2,257.01

and

selected sections of the

NEBRASKA PURE FOOD ACT

Nebraska Revised Statutes, section 81-2,239, et seq.

The Food Code is taken from the 2005 Recommendations of the United States Public Health Service, Food and Drug Administration. The Code sections are designated by the number 1-101.10 to 8-501.40

The sections taken from the Pure Food Act are designated by the numbers 81-2,272.02 to 81-2,292.

Effective Date July 1, 2007

Chapter 1 - Purpose and Definitions

Title

1-101.10 Food Code.

These provisions shall be known as the Food Code, hereinafter referred to as “this Code.”

Intent

1-102.10 Food Safety, Illness Prevention, and Honest Presentation.

The purpose of this Code is to safeguard public health and provide to consumers food that is safe, unadulterated, and honestly presented.

Scope

1-103.10 Statement.

This Code establishes definitions; sets standards for management and personnel, food operations, and equipment and facilities; and provides for food establishment plan review, permit issuance, inspection, employee restriction, and permit suspension.

Applicability and Terms Defined

1-201.10 Statement of Application and Listing of Terms.

- (A) The following definitions shall apply in the interpretation and application of this Code.
- (B) Terms Defined. As used in this Code, each of the terms listed in ¶ 1-201.10(B) shall have the meaning stated below.

Accredited Program.

(1) “Accredited program” means a food protection manager certification program that has been evaluated and listed by an accrediting agency as conforming to national standards for organizations that certify individuals.

(2) “Accredited program” refers to the certification process and is a designation based upon an independent evaluation of factors such as the sponsor's mission; organizational structure; staff resources; revenue sources; policies; public information regarding program scope, eligibility requirements, re-certification, discipline and grievance procedures; and test development and administration.

(3) “Accredited program” does not refer to training functions or educational programs.

Additive.

(1) “Food additive” has the meaning stated in the Federal Food, Drug, and Cosmetic Act, § 201(s) and 21 CFR 170.3(e)(1).

(2) “Color additive” has the meaning stated in the Federal Food, Drug, and Cosmetic Act, § 201(t) and 21 CFR 70.3(f).

“Adulterated” has the meaning stated in the Nebraska Pure Food Act , 81-2,282.

“Approved” means acceptable to the regulatory authority based on a determination of conformity with principles, practices, and generally recognized standards that protect public health.

Asymptomatic.

(1) “Asymptomatic” means without obvious symptoms; not showing or producing indications of a disease or other medical condition, such as an individual infected with a pathogen but not exhibiting or producing any signs or symptoms of vomiting, diarrhea, or jaundice.

(2) “Asymptomatic” includes not showing symptoms because symptoms have resolved or subsided, or because symptoms never manifested.

“ a_w ” means water activity which is a measure of the free moisture in a food, is the quotient of the water vapor pressure of the substance divided by the vapor pressure of pure water at the same temperature, and is indicated by the symbol a_w .

“Balut” means an embryo inside a fertile egg that has been incubated for a period sufficient for the embryo to reach a specific stage of development after which it is removed from incubation before hatching.

“Beverage” means a liquid for drinking, including water.

“Bottled drinking water” means water that is sealed in bottles, packages, or other containers and offered for sale for human consumption, including bottled mineral water.

“Casing” means a tubular container for sausage products made of either natural or artificial (synthetic) material.

81-2,242.01. “Caterer” shall mean a person in the business of providing food to a customer for parties, banquets, or other similar functions at a location owned, rented, or otherwise controlled by the customer.

“Certification number” means a unique combination of letters and numbers assigned by a shellfish control authority to a molluscan shellfish dealer according to the provisions of the National Shellfish Sanitation Program.

“CFR” means Code of Federal Regulations. Citations in this Code to the CFR refer sequentially to the Title, Part, and Section numbers, such as 40 CFR 180.194 refers to Title 40, Part 180, Section 194.

CIP.

(1) “CIP” means cleaned in place by the circulation or flowing by mechanical means through a piping system of a detergent solution, water rinse, and sanitizing solution onto or over equipment surfaces that require cleaning, such as the method used, in part, to clean and sanitize a frozen dessert machine.

(2) “CIP” does not include the cleaning of equipment such as band saws, slicers, or mixers that are subjected to in-place manual cleaning without the use of a CIP system.

81-2,242.04. “Commercial food establishment” means an operation with a permanent sales location and such location has more than one hundred cubic feet of area containing food.

“Comingle” means:

(1) To combine shellstock harvested on different days or from different growing areas as identified on the tag or label, or

(2) To combine shucked shellfish from containers with different container codes or different shucking dates.

Comminuted.

(1) “Comminuted” means reduced in size by methods including chopping, flaking, grinding, or mincing.

(2) “Comminuted” includes fish or meat products that are reduced in size and restructured or reformulated such as gefilte fish, gyros, ground beef, and sausage; and a mixture of 2 or more types of meat that have been reduced in size and combined, such as sausages made from 2 or more meats.

81-2,242.02. “Commissary” shall mean a food establishment where food, food containers, or food supplies are kept, handled, prepared, packaged, or stored for use in mobile food units, pushcarts, or vending machines.

“Conditional employee” means a potential food employee to whom a job offer is made, conditional on responses to subsequent medical questions or examinations designed to identify potential food employees who may be suffering from a disease that can be transmitted through food and done in compliance with Title 1 of the Americans with Disabilities Act of 1990.

“Confirmed disease outbreak” means a foodborne disease outbreak in which laboratory analysis of appropriate specimens identifies a causative agent and epidemiological analysis implicates the food as the source of the illness.

“Consumer” means a person who is a member of the public, takes possession of food, is not functioning in the capacity of an operator of a food establishment or food processing plant, and does not offer the food for resale.

81-2,242.03. “Convenience store” shall mean a food establishment or section of an establishment where the food offered to the consumer is intended for off-premise consumption and there are no meat processing or produce processing areas.

“Corrosion-resistant material” means a material that maintains acceptable surface cleanability characteristics under prolonged influence of the food to be contacted, the normal use of cleaning compounds and sanitizing solutions, and other conditions of the use environment.

“Counter-mounted equipment” means equipment that is not portable and is designed to be mounted off the floor on a table, counter, or shelf.

“Critical control point” means a point or procedure in a specific food system where loss of control may result in an unacceptable health risk.

Critical Item.

(1) “Critical item” means a provision of this Code, that, if in noncompliance, is more likely than other violations to contribute to food contamination, illness, or environmental health hazard.

(2) “Critical item” is an item that is denoted in this Code with an asterisk *.

“Critical limit” means the maximum or minimum value to which a physical, biological, or chemical parameter must be controlled at a critical control point to minimize the risk that the identified food safety hazard may occur.

“Disclosure” means a written statement that clearly identifies the animal-derived foods which are, or can be ordered, raw, undercooked, or without otherwise being processed to eliminate pathogens, or items that contain an ingredient that is raw, undercooked, or without otherwise being processed to eliminate pathogens.

Drinking Water.

- (1) “Drinking water” means water that meets criteria as specified in 40 CFR 141 National Primary Drinking Water Regulations.
- (2) “Drinking water” is traditionally known as “potable water.”
- (3) “Drinking water” includes the term “water” except where the term used connotes that the water is not potable, such as “boiler water,” “mop water,” “rainwater,” “wastewater,” and “nondrinking” water.

“Dry storage area” means a room or area designated for the storage of packaged or containerized bulk food that is not potentially hazardous (time/temperature control for safety food) and dry goods such as single-service items.

Easily Cleanable.

- (1) “Easily cleanable” means a characteristic of a surface that:
 - (a) Allows effective removal of soil by normal cleaning methods;
 - (b) Is dependent on the material, design, construction, and installation of the surface; and
 - (c) Varies with the likelihood of the surface's role in introducing pathogenic or toxigenic agents or other contaminants into food based on the surface's approved placement, purpose, and use.
- (2) “Easily cleanable” includes a tiered application of the criteria that qualify the surface as easily cleanable as specified in Subparagraph (1) of this definition to different situations in which varying degrees of cleanability are required such as:
 - (a) The appropriateness of stainless steel for a food preparation surface as opposed to the lack of need for stainless steel to be used for floors or for tables used for consumer dining; or
 - (b) The need for a different degree of cleanability for a utilitarian attachment or accessory in the kitchen as opposed to a decorative attachment or accessory in the consumer dining area.

“Easily movable” means:

- (1) Portable; mounted on casters, gliders, or rollers; or provided with a mechanical means to safely tilt a unit of equipment for cleaning; and
- (2) Having no utility connection, a utility connection that disconnects quickly, or a flexible utility connection line of sufficient length to allow the equipment to be moved for cleaning of the equipment and adjacent area.

Egg.

- (1) "Egg" means the shell egg of avian species such as chicken, duck, goose, guinea, quail, ratites or turkey.
- (2) "Egg" does not include:
 - (a) A balut;
 - (b) The egg of reptile species such as alligator; or
 - (c) An egg product.

Egg Product.

- (1) "Egg Product" means all, or a portion of, the contents found inside eggs separated from the shell and pasteurized in a food processing plant, with or without added ingredients, intended for human consumption, such as dried, frozen or liquid eggs.
- (2) "Egg Product" does not include food which contains eggs only in a relatively small proportion such as cake mixes.

"Employee" means the permit holder, person in charge, food employee, person having supervisory or management duties, person on the payroll, family member, volunteer, person performing work under contractual agreement, or other person working in a food establishment.

"Enterohemorrhagic Escherichia coli" (EHEC) means E. coli which cause hemorrhagic colitis, meaning bleeding enterically or bleeding from the intestine. The term is typically used in association with E. coli that have the capacity to produce Shiga toxins and to cause attaching and effacing lesions in the intestine. EHEC is a subset of STEC, who members produce additional virulence factors. Infections with EHEC may be asymptomatic but are classically associated with bloody diarrhea (hemorrhagic colitis) and hemolytic uremic syndrome (HUS) or thrombotic thrombocytopenic purpura (TTP). Examples of serotypes of EHEC include: E. coli O157:H7; E. coli O157:NM; E. coli 026:H11; E.coli 0145:NM; E. coli O103:H2; or E.coli O111:NM. Also see Shiga Toxin-Producing E. coli.

"EPA" means the U.S. Environmental Protection Agency.

Equipment.

- (1) "Equipment" means an article that is used in the operation of a food establishment such as a freezer, grinder, hood, ice maker, meat block, mixer, oven, reach-in refrigerator, scale, sink, slicer, stove, table, temperature measuring device for ambient air, vending machine, or warewashing machine.
- (2) "Equipment" does not include apparatuses used for handling or storing large quantities of packaged foods that are received from a supplier in a cased or overwrapped lot, such as hand trucks, forklifts, dollies, pallets, racks, and skids.

"Exclude" means to prevent a person from working as an employee in a food establishment or entering a food establishment as an employee.

"FDA" means the U.S. Food and Drug Administration.

Fish.

(1) "Fish" means fresh or saltwater finfish, crustaceans and other forms of aquatic life (including alligator, frog, aquatic turtle, jellyfish, sea cucumber, and sea urchin and the roe of such animals) other than birds or mammals, and all mollusks, if such animal life is intended for human consumption.

(2) "Fish" includes an edible human food product derived in whole or in part from fish, including fish that have been processed in any manner.

"Food" means a raw, cooked, or processed edible substance, ice, beverage, or ingredient used or intended for use or for sale in whole or in part for human consumption, or chewing gum.

"Foodborne disease outbreak" means the occurrence of two or more cases of a similar illness resulting from the ingestion of a common food.

"Food-contact surface" means:

- (1) A surface of equipment or a utensil with which food normally comes into contact; or
- (2) A surface of equipment or a utensil from which food may drain, drip, or splash:
 - (a) Into a food, or
 - (b) Onto a surface normally in contact with food.

"Food employee" means an individual working with unpackaged food, food equipment or utensils, or food-contact surfaces.

81-2,245.01. "Food establishment" shall mean an operation that stores, prepares, packages, serves, vends, or otherwise provides food for human consumption. The term does not include:

- (1) An establishment or vending machine operation that offers only prepackaged soft drinks, carbonated or noncarbonated; canned or bottled fruit and vegetable juices; prepackaged ice; candy; chewing gum; potato or corn chips; pretzels; cheese puffs and curls; crackers; popped popcorn; nuts and edible seeds; and cookies, cake, pies, and other pastries, that are not potentially hazardous;
- (2) A produce stand that only offers whole, uncut fresh fruits and vegetables;
- (3) A food processing plant;
- (4) A salvage operation;
- (5) A private home where food is prepared or served for personal use, a small day care in the home, or a hunting lodge, guest ranch, or other operation where no more than ten paying guests eat meals in the home;
- (6) A private home or other area where food that is not potentially hazardous food is prepared:
 - (a) For sale or service at a religious, charitable, or fraternal organization's bake sale or similar function; or
 - (b) for sale directly to the consumer at a farmers market if the consumer is informed by a clearly visible placard at the sale location that the food was prepared in a kitchen that is not subject to regulation and inspection by the regulatory authority;
- (7) A private home or other area where food is prepared for distribution at a fundraising event for a charitable purpose if the consumer is informed by a clearly visible placard at the

serving location that the food was prepared in a kitchen that is not subject to regulation and inspection by the regulatory authority. This subdivision does not apply to a caterer or other establishment providing food for the event if the caterer or establishment receives compensation for providing the food;

(8) The location where food prepared by a caterer is served so long as the caterer only minimally handles the food at the serving location;

(9) Educational institutions, health care facilities, nursing homes, and governmental organizations which are inspected by a state agency or a political subdivision other than the regulatory authority for sanitation in the food preparation area;

(10) A pharmacy as defined in section 71-425 if the pharmacy only sells prepackaged pharmaceutical, medicinal, or health supplement foods that are not potentially hazardous or foods described in subdivision (1) of this section; and

(11) An establishment which is not a commercial food establishment and which sells only commercially packaged foods that are not potentially hazardous foods.

81-2,246.01. "Food Processing Plant" shall mean a commercial operation that manufactures, packages, labels, or stores food for human consumption and does not provide food directly to a consumer.

Game Animal.

(1) "Game animal" means an animal, the products of which are food, that is not classified as livestock, sheep, swine, goat, horse, mule, or other equine in 9 CFR 301.2 Definitions, or as Poultry, or Fish.

(2) "Game animal" includes mammals such as reindeer, elk, deer, antelope, water buffalo, bison, rabbit, squirrel, opossum, raccoon, nutria, or muskrat, and nonaquatic reptiles such as land snakes.

(3) "Game animal" does not include ratites.

"General use pesticide" means a pesticide that is not classified by EPA for restricted use as specified in 40 CFR 152.175 Pesticides classified for restricted use.

"Grade A standards" means the requirements of the United States Public Health Service/FDA "Grade A Pasteurized Milk Ordinance" with which certain fluid and dry milk and milk products comply.

"HACCP plan" means a written document that delineates the formal procedures for following the Hazard Analysis Critical Control Point principles developed by The National Advisory Committee on Microbiological Criteria for Foods.

Handwashing Sink.

(1) "Handwashing sink" means a lavatory, a basin or vessel for washing, a wash basin, or a plumbing fixture especially placed for use in personal hygiene and designed for the washing of the hands.

(2) "Handwashing sink" includes an automatic handwashing facility.

"Hazard" means a biological, chemical, or physical property that may cause an unacceptable consumer health risk.

“Health practitioner” means a physician licensed to practice medicine, or if allowed by law, a nurse practitioner, physician assistant, or similar medical professional.

“Hermetically sealed container” means a container that is designed and intended to be secure against the entry of microorganisms and, in the case of low acid canned foods, to maintain the commercial sterility of its contents after processing.

“Highly susceptible population” means persons who are more likely than other people in the general population to experience foodborne disease because they are:

- (1) Immunocompromised; preschool age children, or older adults; and
- (2) Obtaining food at a facility that provides services such as custodial care, health care, or assisted living, such as a child or adult day care center, kidney dialysis center, hospital or nursing home, or nutritional or socialization services such as a senior center.

“Imminent health hazard” means a significant threat or danger to health that is considered to exist when there is evidence sufficient to show that a product, practice, circumstance, or event creates a situation that requires immediate correction or cessation of operation to prevent injury based on:

- (1) The number of potential injuries, and
- (2) The nature, severity, and duration of the anticipated injury.

“Injected” means manipulating a meat so that infectious or toxigenic microorganisms may be introduced from its surface to its interior through tenderizing with deep penetration or injecting the meat such as by processes which may be referred to as “injecting,” “pinning,” or “stitch pumping.”

81-2,248. “Itinerant Food Vendor” shall mean a person that sells prepackaged, potentially hazardous food from an approved source at a nonpermanent location such as a farmers market, craft show, or county fair.

Juice.

- (1) “Juice” means the aqueous liquid expressed or extracted from one or more fruits or vegetables, purées of the edible portions of one or more fruits or vegetables, or any concentrates of such liquid or purée.
- (2) “Juice” does not include, for purposes of HACCP, liquids, purées, or concentrates that are not used as beverages or ingredients of beverages.

“Kitchenware” means food preparation and storage utensils.

“Law” means applicable local, state, and federal statutes, regulations, and ordinances.

81-2,251.02. “Licensed beverage establishment” shall mean an establishment that serves alcoholic beverages and may or may not provide limited food service.

81-2,251.03. “Limited food service establishment” shall mean an establishment that serves or otherwise provides only snack items or commercially prepared and wrapped foods that require little or no preparation.

81-2,251.01. “Limited food vending machine” shall mean a vending machine which does not dispense potentially hazardous food.

“Linens” means fabric items such as cloth hampers, cloth napkins, table cloths, wiping cloths, and work garments including cloth gloves.

Major Food Allergen.

(1) “Major food allergen” means:

(a) Milk, egg, fish (such as bass, flounder, cod, and including crustacean shellfish such as crab, lobster, or shrimp), tree nuts (such as almonds, pecans, or walnuts), wheat, peanuts, and soybeans; or

(b) A food ingredient that contains protein derived from a food, as specified in Subparagraph (1)(a) of this definition.

(2) “Major food allergen” does not include:

(a) Any highly refined oil derived from a food specified in Subparagraph (1)(a) of this definition and any ingredient derived from such highly refined oil; or

(b) Any ingredient that is exempt under the petition or notification process specified in the Food Allergen Labeling and Consumer Protection Act of 2004 (Public Law 108-282).

“Meat” means the flesh of animals used as food including the dressed flesh of cattle, swine, sheep, or goats and other edible animals, except fish, poultry, and wild game animals as specified under Subparagraphs 3-201.17(A)(3) and (4).

“mg/L” means milligrams per liter, which is the metric equivalent of parts per million (ppm).

81-2,251.04. “Mobile food unit” shall mean a vehicle mounted food establishment designed to be readily movable that returns to a commissary daily for cleanup and service.

“Molluscan shellfish” means any edible species of fresh or frozen oysters, clams, mussels, and scallops or edible portions thereof, except when the scallop product consists only of the shucked adductor muscle.

Packaged.

(1) “Packaged” means bottled, canned, cartoned, securely bagged, or securely wrapped, whether packaged in a food establishment or a food processing plant.

(2) “Packaged” does not include a wrapper, carry-out box, or other nondurable container used to containerize food with the purpose of facilitating food protection during service and receipt of the food by the consumer.

“Permit” means the document issued by the regulatory authority that authorizes a person to operate a food establishment.

“Permit holder” means the entity that:

(1) Is legally responsible for the operation of the food establishment such as the owner, the owner's agent, or other person; and

(2) Possesses a valid permit to operate a food establishment.

“Person” means an association, a corporation, individual, partnership, other legal entity, government, or governmental subdivision or agency.

81-2,251.05 “Person in charge” shall mean the individual who is responsible for the operation of the food establishment and who is present at the establishment or is readily accessible to communicate with employees and the regulatory authority.

Personal Care Items.

- (1) “Personal care items” means items or substances that may be poisonous, toxic, or a source of contamination and are used to maintain or enhance a person's health, hygiene, or appearance.
- (2) “Personal care items” include items such as medicines; first aid supplies; and other items such as cosmetics, and toiletries such as toothpaste and mouthwash.

“pH” means the symbol for the negative logarithm of the hydrogen ion concentration, which is a measure of the degree of acidity or alkalinity of a solution.

Values between 0 and 7 indicate acidity and values between 7 and 14 indicate alkalinity. The value for pure distilled water is 7, which is considered neutral.

“Physical facilities” means the structure and interior surfaces of a food establishment including accessories such as soap and towel dispensers and attachments such as light fixtures and heating or air conditioning system vents.

“Plumbing fixture” means a receptacle or device that:

- (1) Is permanently or temporarily connected to the water distribution system of the premises and demands a supply of water from the system; or
- (2) Discharges used water, waste materials, or sewage directly or indirectly to the drainage system of the premises.

“Plumbing system” means the water supply and distribution pipes; plumbing fixtures and traps; soil, waste, and vent pipes; sanitary and storm sewers and building drains, including their respective connections, devices, and appurtenances within the premises; and water-treating equipment.

“Poisonous or toxic materials” means substances that are not intended for ingestion and are included in 4 categories:

- (1) Cleaners and sanitizers, which include cleaning and sanitizing agents and agents such as caustics, acids, drying agents, polishes, and other chemicals;
- (2) Pesticides, except sanitizers, which include substances such as insecticides and rodenticides;
- (3) Substances necessary for the operation and maintenance of the establishment such as nonfood grade lubricants and personal care items that may be deleterious to health; and
- (4) Substances that are not necessary for the operation and maintenance of the establishment and are on the premises for retail sale, such as petroleum products and paints.

Potentially Hazardous Food (Time/Temperature Control for Safety Food).

(1) “Potentially hazardous food (time/temperature control for safety food)” means a food that requires time/temperature control for safety (TCS) to limit pathogenic microorganism growth or toxin formation.

(2) “Potentially hazardous food (time/temperature control for safety food)” includes:

(a) An animal food that is raw or heat-treated; a plant food that is heat-treated or consists of raw seed sprouts, cut melons, or garlic-in-oil mixtures that are not modified in a way that results in mixtures that do not support pathogenic microorganism growth or toxin formation; and

(b) Except as specified in Subparagraph (3)(d) of this definition, a food that because of the interaction of its A_w and pH values is designated as Product Assessment Required (PA) in Table A or B of this definition:

Table A. Interaction of pH and A_w for control of spores in food heat-treated to destroy vegetative cells and subsequently packaged			
A_w values	pH values		
	4.6 or less	> 4.6 - 5.6	> 5.6
≤ 0.92	non-PHF*/ non-TCS food**	non-PHF/ non-TCS food	non-PHF/ non-TCS food
> 0.92 - .95	non-PHF/ non-TCS food	non-PHF/ non-TCS food	PA***
> 0.95	non-PHF/non-TCS food	PA	PA

* PHF means potentially hazardous food
 ** TCS food means time/temperature control for safety food
 *** PA means Product Assessment required

Table B. Interaction of pH and A_w for control of vegetative cells and spores in food not heat-treated or heat-treated but not packaged				
A_w values	pH values			
	< 4.2	4.2 - 4.6	> 4.6 - 5.0	> 5.0
< 0.88	non-PHF*/ non-TCS food**	non-PHF/ non-TCS food	non-PHF/ non-TCS food	non-PHF/ non-TCS food
0.88 - .90	non-PHF/ non-TCS food	non-PHF/ non-TCS food	non-PHF/ non-TCS food	PA***
> 0.90 - 0.92	non-PHF/non- TCS food	non-PHF/ non-TCS FOOD	PA	PA
> 0.92	non-PHF/ non-TCS food	PA	PA	PA

* PHF means potentially hazardous food
 ** TCS food means time/temperature control for safety food
 *** PA means Product Assessment required

(3) “Potentially hazardous food (time/temperature control for safety food)” does not include:

(a) An air-cooled hard-boiled egg with shell intact, or an egg with shell intact that is not hard-boiled, but has been pasteurized to destroy all viable salmonellae;

(b) A food in an unopened hermetically sealed container that is commercially processed to achieve and maintain commercial sterility under conditions of non-refrigerated storage and distribution;

(c) A food that because of its pH or A_w value, or interaction of A_w and pH values, is designated as a non-PHF/non-TCS food in Table A or B of this definition;

(d) A food that is designated as Product Assessment Required (PA) in Table A or B of this definition and has undergone a Product Assessment showing that the growth or toxin formation of pathogenic microorganisms that are reasonably likely to occur in that food is precluded due to:

(i) Intrinsic factors including added or natural characteristics of the food such as preservatives, antimicrobials, humectants, acidulants, or nutrients,

(ii) Extrinsic factors including environmental or operational factors that affect the food such as packaging, modified atmosphere such as reduced oxygen packaging, shelf life and use, or temperature range of storage and use, or

(iii) A combination of intrinsic and extrinsic factors; or

(e) A food that does not support the growth or toxin formation of pathogenic microorganisms in accordance with one of the Subparagraphs (3)(a) - (3)(d) of this definition even though the food may contain a pathogenic microorganism or chemical or physical contaminant at a level sufficient to cause illness or injury.

“Poultry” means:

(1) Any domesticated bird (chickens, turkeys, ducks, geese, guineas, ratites, or squabs), whether live or dead, as defined in 9 CFR 381.1 Poultry Products Inspection Regulations Definitions, Poultry; and

(2) Any migratory waterfowl or game bird, pheasant, partridge, quail, grouse, or pigeon, whether live or dead, as defined in 9 CFR 362.1 Voluntary Poultry Inspection Regulations, Definitions.

“Premises” means:

(1) The physical facility, its contents, and the contiguous land or property under the control of the permit holder; or

(2) The physical facility, its contents, and the land or property not described under Subparagraph (1) of this definition if its facilities and contents are under the control of the permit holder and may impact food establishment personnel, facilities, or operations, and a food establishment is only one component of a larger operation such as a health care facility, hotel, motel, school, recreational camp, or prison.

“Primal cut” means a basic major cut into which carcasses and sides of meat are separated, such as a beef round, pork loin, lamb flank, or veal breast.

“Public water system” has the meaning stated in 40 CFR 141 National Primary Drinking Water Regulations.

81-2,251.06. "Pushcart" shall mean a non-self-propelled vehicle limited to serving food which is not potentially hazardous or commissary wrapped food maintained at temperatures in compliance with the Nebraska Pure Food Act or limited to the preparation and serving of frankfurters.

"Ratite" means a flightless bird such as an emu, ostrich, or rhea.

Ready-to-Eat Food.

(1) "Ready-to-eat food" means food that:

- (a) Is in a form that is edible without additional preparation to achieve food safety, as specified under one of the following: ¶ 3-401.11(A) or (B), or §3-401.12 or §3-402.11, or as specified in ¶ 3-401.11(C); or
- (b) Is a raw or partially cooked animal food and the consumer is advised as specified under Subparagraphs 3-401.11(D)(1) and (2); or
- (c) Is prepared in accordance with a variance that is granted as specified in Subparagraphs 3-401.11(D)(1) and (3); and
- (d) May receive additional preparation for palatability or aesthetic, epicurean, gastronomic, or culinary purposes.

(2) "Ready-to-eat food" includes:

- (a) Raw animal food that is cooked as specified under §3-401.11 or 3-401.12, or frozen as specified under §3-402.11;
- (b) Raw fruits and vegetables that are washed as specified under §3-302.15;
- (c) Fruits and vegetables that are cooked for hot holding, as specified under §3-401.13;
- (d) All potentially hazardous food (time/temperature control for safety food) that is cooked to the temperature and time required for the specific food under Subpart 3-401 and cooled as specified under §3-501.14;
- (e) Plant food for which further washing, cooking, or other processing is not required for food safety, and from which rinds, peels, husks, or shells, if naturally present are removed;
- (f) Substances derived from plants such as spices, seasonings, and sugar;
- (g) A bakery item such as bread, cakes, pies, fillings, or icing for which further cooking is not required for food safety;
- (h) The following products that are produced in accordance with USDA guidelines and that have received a lethality treatment for pathogens: dry, fermented sausages, such as dry salami or pepperoni; salt-cured meat and poultry products, such as prosciutto ham, country cured ham, and Parma ham; and dried meat and poultry products, such as jerky or beef sticks; and
- (i) Foods manufactured as specified in 21 CFR Part 113, Thermally Processed Low-Acid Foods Packaged in Hermetically Sealed Containers.

Reduced Oxygen Packaging.

(1) “Reduced oxygen packaging” means:

- (a) The reduction of the amount of oxygen in a package by removing oxygen; displacing oxygen and replacing it with another gas or combination of gases; or otherwise controlling the oxygen content to a level below that normally found in the atmosphere (approximately 21% at sea level); and
- (b) A process as specified in Subparagraph (1)(a) of this definition that involves a food for which the hazards *Clostridium botulinum* or *Listeria monocytogenes* require control in the final packaged form.

(2) “Reduced oxygen packaging” includes:

- (a) Vacuum packaging, in which air is removed from a package of food and the package is hermetically sealed so that a vacuum remains inside the package;
- (b) Modified atmosphere packaging, in which the atmosphere of a package of food is modified so that its composition is different from air but the atmosphere may change over time due to the permeability of the packaging material or the respiration of the food. Modified atmosphere packaging includes reduction in the proportion of oxygen, total replacement of oxygen, or an increase in the proportion of other gases such as carbon dioxide or nitrogen;
- (c) Controlled atmosphere packaging, in which the atmosphere of a package of food is modified so that until the package is opened, its composition is different from air, and continuous control of that atmosphere is maintained, such as by using oxygen scavengers or a combination of total replacement of oxygen, nonrespiring food, and impermeable packaging material;
- (d) Cook chill packaging, in which cooked food is hot filled into impermeable bags which have the air expelled and are then sealed or crimped closed. The bagged food is rapidly chilled and refrigerated at temperatures that inhibit the growth of psychotropic pathogens; or
- (e) Sous vide packaging, in which raw or partially cooked food is placed in a hermetically sealed, impermeable bag, cooked in the bag, rapidly chilled, and refrigerated at temperatures that inhibit the growth of psychotropic pathogens.

“Refuse” means solid waste not carried by water through the sewage system.

81-2,252 “Regulatory authority” shall mean the department or a political subdivision or state agency under contract with the department to perform regulatory functions authorized pursuant to the Nebraska Pure Food Act.

“Reminder” means a written statement concerning the health risk of consuming animal foods raw, undercooked, or without otherwise being processed to eliminate pathogens.

“Re-service” means the transfer of food that is unused and returned by a consumer after being served or sold and in the possession of the consumer, to another person.

“Restrict” means to limit the activities of a food employee so that there is no risk of transmitting a disease that is transmissible through food and the food employee does not work with exposed food, clean equipment, utensils, linens, or unwrapped single-service or single-use articles.

“Restricted egg” means any check, dirty egg, incubator reject, inedible, leaker, or loss as defined in 9 CFR 590.

“Restricted use pesticide” means a pesticide product that contains the active ingredients specified in 40 CFR 152.175 Pesticides classified for restricted use, and that is limited to use by or under the direct supervision of a certified applicator.

“Risk” means the likelihood that an adverse health effect will occur within a population as a result of a hazard in a food.

“Safe material” means:

- (1) An article manufactured from or composed of materials that may not reasonably be expected to result, directly or indirectly, in their becoming a component or otherwise affecting the characteristics of any food;
- (2) An additive that is used as specified in § 409 or 706 of the Federal Food, Drug, and Cosmetic Act; or
- (3) Other materials that are not additives and that are used in conformity with applicable regulations of the Food and Drug Administration.

81-2,253.01. “Salvage operation” shall mean an operation which reconditions, sells, distributes, brokers, or otherwise supplies any distressed or salvaged food.

“Sanitization” means the application of cumulative heat or chemicals on cleaned food-contact surfaces that, when evaluated for efficacy, is sufficient to yield a reduction of 5 logs, which is equal to a 99.999% reduction, of representative disease microorganisms of public health importance.

“Sealed” means free of cracks or other openings that allow the entry or passage of moisture.

“Service animal” means an animal such as a guide dog, signal dog, or other animal individually trained to provide assistance to an individual with a disability.

“Servicing area” means an operating base location to which a mobile food establishment or transportation vehicle returns regularly for such things as vehicle and equipment cleaning, discharging liquid or solid wastes, refilling water tanks and ice bins, and boarding food.

“Sewage” means liquid waste containing animal or vegetable matter in suspension or solution and may include liquids containing chemicals in solution.

“Shellfish control authority” means a state, federal, foreign, tribal, or other government entity legally responsible for administering a program that includes certification of molluscan shellfish harvesters and dealers for interstate commerce.

“Shellstock” means raw, in-shell molluscan shellfish.

“Shiga toxin-producing Escherichia coli” (STEC) means any E. coli capable of producing Shiga toxins (also called verocytotoxins or “Shiga-like” toxins). Examples of serotypes of STEC include both O157 and non-O157 E. coli. Also see Enterohemorrhagic Escherichia coli.

“Shucked shellfish” means molluscan shellfish that have one or both shells removed.

“Single-service articles” means tableware, carry-out utensils, and other items such as bags, containers, placemats, stirrers, straws, toothpicks, and wrappers that are designed and constructed for one time, one person use after which they are intended for discard.

Single-Use Articles.

(1) “Single-use articles” means utensils and bulk food containers designed and constructed to be used once and discarded.

(2) “Single-use articles” includes items such as wax paper, butcher paper, plastic wrap, formed aluminum food containers, jars, plastic tubs or buckets, bread wrappers, pickle barrels, ketchup bottles, and number 10 cans which do not meet the materials, durability, strength, and cleanability specifications under §§4-101.11, 4-201.11, and 4-202.11 for multiuse utensils.

“Slacking” means the process of moderating the temperature of a food such as allowing a food to gradually increase from a temperature of -23°C (-10°F) to -4°C (25°F) in preparation for deep-fat frying or to facilitate even heat penetration during the cooking of previously block-frozen food such as shrimp.

“Smooth” means:

(1) A food-contact surface having a surface free of pits and inclusions with a cleanability equal to or exceeding that of (100 grit) number 3 stainless steel;

(2) A nonfood-contact surface of equipment having a surface equal to that of commercial grade hot-rolled steel free of visible scale; and

(3) A floor, wall, or ceiling having an even or level surface with no roughness or projections that render it difficult to clean.

“Tableware” means eating, drinking, and serving utensils for table use such as flatware including forks, knives, and spoons; hollowware including bowls, cups, serving dishes, and tumblers; and plates.

“Temperature measuring device” means a thermometer, thermocouple, thermistor, or other device that indicates the temperature of food, air, or water.

“Temporary food establishment” means a food establishment that operates for a period of no more than 14 consecutive days in conjunction with a single event or celebration.

“USDA” means the U.S. Department of Agriculture.

“Utensil” means a food-contact implement or container used in the storage, preparation, transportation, dispensing, sale, or service of food, such as kitchenware or tableware that is multiuse, single-service, or single-use; gloves used in contact with food; temperature sensing probes of food temperature measuring devices; and probe-type price or identification tags used in contact with food.

“Variance” means a written document issued by the regulatory authority that authorizes a modification or waiver of one or more requirements of this Code if, in the opinion of the regulatory authority, a health hazard or nuisance will not result from the modification or waiver.

“Vending machine” means a self-service device that, upon insertion of a coin, paper currency, token, card, or key, or by optional manual operation, dispenses unit servings of food in bulk or in packages without the necessity of replenishing the device between each vending operation.

“Vending machine location” means the room, enclosure, space, or area where one or more vending machines are installed and operated and includes the storage areas and areas on the premises that are used to service and maintain the vending machines.

“Warewashing” means the cleaning and sanitizing of utensils and food-contact surfaces of equipment.

“Whole-muscle, intact beef” means whole muscle beef that is not injected, mechanically tenderized, reconstructed, or scored and marinated, from which beef steaks may be cut.

Chapter 2 - Management and Personnel

Responsibility

2-101.11* Assignment. *

The permitholder shall be the person in charge or shall designate a person in charge and shall ensure that a person in charge is present at the food establishment during all hours of operation.

Knowledge

81-2,272.02* (Replaces 2005 Food Code 2-102.11 Demonstration) *

The individual who is responsible for the food establishment shall have knowledge of the risks of foodborne illness inherent to the food operation, foodborne disease prevention, and the requirements of the Nebraska Pure Food Act. The individual shall demonstrate this knowledge by the passing of routine sanitation inspections by the food establishment, successfully completing an approved food handler training course, or responding correctly to the regulatory authority's questions as they relate to the areas of the food establishment's noncompliance in order to bring that area into compliance.

2-102.20 Food Protection Manager Certification.

A person in charge who demonstrates knowledge by being a food protection manager that is certified by a food protection manager certification program that is evaluated and listed by a Conference for Food Protection recognized accrediting agency as conforming to the Conference for Food Protection Manger Certification Programs is deemed to comply with ¶ 2-102.11(B)

Duties

2-103.11 Person in Charge.

The person in charge shall ensure that:

- (A) Food establishment operations are not conducted in a private home or in a room used as living or sleeping quarters as specified under § 6-202.111;
- (B) Persons unnecessary to the food establishment operation are not allowed in the food preparation, food storage, or warewashing areas, except that brief visits and tours may be authorized by the person in charge if steps are taken to ensure that exposed food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles are protected from contamination;
- (C) Employees and other persons such as delivery and maintenance persons and pesticide applicators entering the food preparation, food storage, and warewashing areas comply with this Code;
- (D) Employees are effectively cleaning their hands, by routinely monitoring the employees' handwashing;

- (E) Employees are visibly observing foods as they are received to determine that they are from approved sources, delivered at the required temperatures, protected from contamination, unadulterated, and accurately presented, by routinely monitoring the employees' observations and periodically evaluating foods upon their receipt;
- (F) Employees are properly cooking potentially hazardous food (time/temperature control for safety food), being particularly careful in cooking those foods known to cause severe foodborne illness and death, such as eggs and comminuted meats, through daily oversight of the employees' routine monitoring of the cooking temperatures using appropriate temperature measuring devices properly scaled and calibrated as specified under § 4-203.11 and ¶ 4-502.11(B);
- (G) Employees are using proper methods to rapidly cool potentially hazardous foods (time/temperature control for safety food) that are not held hot or are not for consumption within 4 hours, through daily oversight of the employees' routine monitoring of food temperatures during cooling;
- (H) Removed from Code.
- (I) Employees are properly sanitizing cleaned multiuse equipment and utensils before they are reused, through routine monitoring of solution temperature and exposure time for hot water sanitizing, and chemical concentration, pH, temperature, and exposure time for chemical sanitizing;
- (J) Consumers are notified that clean tableware is to be used when they return to self-service areas such as salad bars and buffets as specified under § 3-304.16;
- (K) Removed from Code.
- (L) Employees are properly trained in food safety as it relates to their assigned duties; and
- (M) Food Employees and conditional employees are informed of their responsibility to report in accordance with law, to the person in charge, information about their health and activities as they relate to diseases that are transmissible through food, as specified under ¶ 2-201.11(A).

2-201.11 * Responsibility of Permit Holder, Person in Charge, and Conditional Employees *

- (A) The permitholder shall require a food employees and conditional employees to report to the person in charge information about their health and activities as they relate to diseases that are transmissible through food. A food employee or conditional employee shall report the information in a manner that allows the person in charge to reduce the risk of foodborne disease transmission, including providing necessary additional information, such as the date of onset of symptoms and an illness, or of a diagnosis without symptoms, if the food employee or conditional employee:
 - (1) Has any of the following symptoms:
 - (a) Vomiting,
 - (b) Diarrhea,
 - (c) Jaundice,
 - (d) Sore throat with fever, or
 - (e) A lesion containing pus such as a boil or infected wound that is open or draining and is:
 - (i) On the hands or wrists, unless an impermeable cover such as a finger cot or stall protects the lesion and a single-use glove is worn over the impermeable cover,
 - (ii) On exposed portions of the arms, unless the lesion is protected by an impermeable cover, or

- (iii) On other parts of the body, unless the lesion is covered by a dry, durable, tight-fitting bandage;
- (2) Has an illness diagnosed by a health practitioner due to:
 - (a) Norovirus,
 - (b) Hepatitis A virus,
 - (c) Shigella spp.,
 - (d) Enterohemorrhagic or Shiga Toxin-Producing Escherichia coli, or
 - (e) Salmonella Typhi;
 - (3) Had a previous illness, diagnosed by health practitioner, within the past 3 months due to Salmonella Typhi, without having received antibiotic therapy, as determined by a health practitioner;
 - (4) Has been exposed to, or is the suspected source of, a confirmed disease outbreak, because the food employee or conditional employee consumed or prepared food implicated in the outbreak, or consumed food at an event prepared by a person who is infected or ill with:
 - (a) Norovirus within the past 48 hours of the last exposure,
 - (b) Enterohemorrhagic or Shiga toxin-producing Escherichia coli, or Shigella spp. within the past 3 days of the last exposure,
 - (c) Salmonella Typhi within the past 14 days of the last exposure; or
 - (d) Hepatitis A virus within the past 30 days of the last exposure; or
 - (5) Has been exposed by attending or working in a setting where there is a confirmed disease outbreak, or living in the same household as, and has knowledge about, an individual who works or attends a setting where there is a confirmed disease outbreak, or living in the same household as, and has knowledge about, an individual diagnosed with an illness caused by:
 - (a) Norovirus within the past 48 hours of the last exposure,
 - (b) Enterohemorrhagic or Shiga toxin-producing Escherichia coli, or Shigella spp. within the past 3 days of the last exposures,
 - (c) Salmonella Typhi within the past 14 days of the last exposure, or
 - (d) Hepatitis A virus within the past 30 days of the last exposure; or
- (B) The person in charge shall notify the regulatory authority when a food employee is:
 - (1) Jaundiced, or
 - (2) Diagnosed with an illness due to a pathogen as specified under Subparagraphs (A)(2(a) - (e) of this section.
 - (C) The person in charge shall ensure that a conditional employee:
 - (1) Who exhibits or reports a symptom, or who reports a diagnosed illness as specified under Subparagraphs (A)(1) - (3) of this section, is prohibited from becoming a food employee until the conditional employee meets the criteria for the specific symptoms or diagnosed illness as specified under § 2-201.13; and
 - (2) Who will work as a food employee in a food establishment that serves a highly susceptible population and reports a history of exposure as specified under Subparagraphs (A)(4) - (5), is prohibited from becoming a food employee until the conditional employee meets the criteria as specified under ¶ 2-201.13(I).

- (D) The person in charge shall ensure that a food employee who exhibits or reports a symptom, or who reports a diagnosed illness or a history of exposure as specified under Subparagraphs (A)(1) - (5) of this section is:
 - (1) Excluded as specified under ¶¶ 2-201.12 (A) - (C), and Subparagraphs (D)(1), (E)(1), (F)(1), or (G)(1) and in compliance with the provisions specified under ¶¶ 2-201.13(A) - (G); or
 - (2) Restricted as specified under Subparagraphs 2-201.12 (D)(2), (E)(2), (F)(2), (G)(2), or ¶¶ 2-201.12(H) or (I) and in compliance with the provisions specified under ¶¶ 2-201.13(D) - (I).
- (E) A food employee or conditional employee shall report to the person in charge the information as specified under ¶ (A) of this section.
- (F) A food employee shall:
 - (1) Comply with an exclusion as specified under ¶¶ 2-201.12(A) - (C) and Subparagraphs 2-201.12(D)(1), (E)(1), (F)(1), or (G)(1) and with the provisions specified under ¶¶ 2-201.13(A) - (G); or
 - (2) Comply with a restriction as specified under Subparagraphs 2-201.12(D)(2), (E)(2), (F)(2), (G)(2), or ¶¶ 2-201.12 (H) or (I) and comply with the provisions specified under ¶¶ 2-201.13(D) - (I).

2-201.12* Exclusions and Restrictions. *

The person in charge shall exclude or restrict a food employee from a food establishment in accordance with the following:

- (A) Except when the symptom is from a noninfectious condition, exclude a food employee if the food employee is:
 - (1) Symptomatic with vomiting or diarrhea; or
 - (2) Symptomatic with vomiting or diarrhea and diagnosed with an infection from Norovirus, Shigella spp., or Enterohemorrhagic or Shiga toxin-producing E. coli.
- (B) Exclude a food employee who is:
 - (1) Jaundiced and the onset of jaundice occurred within the last 7 calendar days, unless the food employee provides to the person in charge written medical documentation from a health practitioner specifying that the jaundice is not caused by hepatitis A virus or other fecal-orally transmitted infection;
 - (2) Diagnosed with an infection from hepatitis A virus within 14 calendar days from the onset of any illness symptoms, or within 7 calendar days of the onset of jaundice; or
 - (3) Diagnosed with an infection from hepatitis A virus without developing symptoms.
- (C) Exclude a food employee who is diagnosed with an infection from Salmonella Typhi, or reports a previous infection with Salmonella Typhi within the past 3 months as specified under Subparagraph 2-201.11(A)(3).
- (D) If a food employee is diagnosed with an infection from Norovirus and is asymptomatic:
 - (1) Exclude the food employee who works in a food establishment serving a highly susceptible population; or
 - (2) Restrict the food employee who works in a food establishment not serving a highly susceptible population.

- (E) If a food employee is diagnosed with an infection from *Shigella* spp. and is asymptomatic:
 - (1) Exclude the food employee who works in a food establishment serving a highly susceptible population; or
 - (2) Restrict the food employee who works in a food establishment not serving susceptible population.
- (F) If a food employee is diagnosed with an infection from Enterohemorrhagic or Shiga toxin-producing *E. coli*, and is asymptomatic:
 - (1) Exclude the food employee who works in a food establishment serving a highly susceptible population; or
 - (2) Restrict the food employee who works in a food establishment not serving a highly susceptible population.
- (G) If a food employee is ill with symptoms of acute onset of sore throat with fever:
 - (1) Exclude the food employee who works in a food establishment serving a highly susceptible population;
 - (2) Restrict the food employee who works in a food establishment not serving a highly susceptible population.
- (H) If a food employee is infected with a skin lesion containing pus such as a boil or infected wound that is open or draining and not properly covered as specified under Subparagraph 2-201.11(A)(1)(e), restrict the food employee.
- (I) If a food employee is exposed to a foodborne pathogen as specified under Subparagraphs 2-201.11(A)(4) or (5), restrict the food employee who works in a food establishment serving a highly susceptible population.

2-201.13 Removal, Adjustment, or Retention of Exclusions and Restrictions.

The person in charge of a food establishment may remove, adjust, or retain the exclusion or restriction of a food employee according to the following conditions:

- (A) Except when a food employee is diagnosed with an infection from hepatitis A virus or *Salmonella* Typhi:
 - (1) Reinstate a food employee who was excluded as specified under Subparagraph 2-201.12(A)(1) if the food employee:
 - (a) Is asymptomatic for at least 24 hours; or
 - (b) Provides to the person in charge written medical documentation from a health practitioner that states the symptom is from a noninfectious condition.
 - (2) If a food employee was diagnosed with an infection from Norovirus and excluded as specified under Subparagraph 2-201.12(A)(2):
 - (a) Restrict the food employee, who is asymptomatic for at least 24 hours and works in a food establishment not serving a highly susceptible population, until the conditions for reinstatement as specified under Subparagraph (D)(1) or (2) of this section are met; or
 - (b) Retain the exclusion for the food employee, who is asymptomatic for at least 24 hours and works in a food establishment that serves a highly susceptible

population, until the conditions for reinstatement as specified under Subparagraphs (D)(1) or (2) of this section are met.

- (3) If a food employee was diagnosed with an infection from *Shigella* spp. and excluded as specified under Subparagraph 2-201.12(A)(2):
 - (a) Restrict the food employee, who is asymptomatic for at least 24 hours and works in a food establishment not serving a highly susceptible population, until the conditions for reinstatement as specified under Subparagraphs (E)(1) or (2) of this section are met; or
 - (b) Retain the exclusion for the food employee, who is asymptomatic for at least 24 hours and works in a food establishment that serves a highly susceptible population, until the conditions for reinstatement as specified under Subparagraphs (E)(1) or (2), or (E)(1) and (3)(a) of this section are met.
- (4) If food employee was diagnosed with an infection from enterohemorrhagic or shiga toxin-producing *Escherichia coli* and excluded as specified under Subparagraph 2-201.12(A)(2):
 - (a) Restrict the food employee, who is asymptomatic for at least 24 hours and works in a food establishment not serving a highly susceptible population, until the conditions for reinstatement as specified under Subparagraphs (F)(1) or (2) of this section are met; or
 - (b) Retain the exclusion for the food employee, who is asymptomatic for at least 24 hours and works in a food establishment that serves a highly susceptible population, until the conditions for reinstatement as specified under Subparagraphs (F)(1) or (2) are met.
- (B) Reinstatement a food employee who was excluded as specified under ¶ 2-201.12(B) if the person in charge obtains approval from the regulatory authority and one of the following conditions is met:
 - (1) The food employee has been jaundiced for more than 7 calendar days;
 - (2) The anicteric food employee has been symptomatic with symptoms other than jaundice for more than 14 days; or
 - (3) The food employee provides to the person in charge written medical documentation from a health practitioner stating that the food employee is free of a hepatitis A virus infection.
- (C) Reinstatement a food employee who was excluded as specified under ¶ 2-201.12(C) if:
 - (1) The person in charge obtains approval from the regulatory authority; and
 - (2) The food employee provides to the person in charge written medical documentation from a health practitioner that states the food employee is free from *S. Typhi* infection.
- (D) Reinstatement a food employee who was excluded as specified under Subparagraphs 2-201.12(A)(2) or (D)(1) who was restricted under Subparagraph 2-201.12(D)(2) if the person in charge obtains approval from the regulatory authority and one of the following conditions is met:
 - (1) The excluded or restricted food employee provides to the person in charge written medical documentation from a health practitioner stating that the food employee is free of a Norovirus infection;
 - (2) The food employee was excluded or restricted after symptoms of vomiting or diarrhea resolved, and more than 48 hours have passed since the food employee became asymptomatic; or
 - (3) The food employee was excluded or restricted and did not develop symptoms and more than 48 hours have passed since the food employee was diagnosed.

- (E) Reinstatement of a food employee who was excluded as specified under Subparagraphs 2-201.12(A)(2) or (E)(1) or who was restricted under Subparagraph 2-201.12(E)(2) if the person in charge obtains approval from the regulatory authority and one of the following conditions is met:
- (1) The excluded or restricted food employee provides to the person in charge written medical documentation from a health practitioner stating that the food employee is free of a *Shigella* spp. infection based on test results showing 2 consecutive negative stool specimen cultures that are taken:
 - (a) Not earlier than 48 hours after discontinuance of antibiotics, and
 - (b) At least 24 hours apart;
 - (2) The food employee was excluded or restricted after symptoms of vomiting or diarrhea resolved, and more than 7 calendar days have passed since the food employee became asymptomatic; or
 - (3) The food employee was excluded or restricted and did not develop symptoms and more than 7 calendar days have passed since the food employee was diagnosed.
- (F) Reinstatement of a food employee who was excluded or restricted as specified under Subparagraphs 2-201.12(A)(2) or (F)(1) or who was restricted under Subparagraph 2-201.12(F)(2) if the person in charge obtains approval from the regulatory authority and one of the following conditions is met:
- (1) The excluded or restricted food employee provides to the person in charge written medical documentation from a health practitioner stating that the food employee is free of an infection from enterohemorrhagic or shiga toxin-producing *Escherichia coli* based on test results that show 2 consecutive negative stool specimen cultures that are taken:
 - (a) Not earlier than 48 hours after discontinuance of antibiotics; and
 - (b) At least 24 hours apart;
 - (2) The food employee was excluded or restricted after symptoms of vomiting or diarrhea resolved and more than 7 calendar days have passed since the food employee became asymptomatic; or
 - (3) The food employee was excluded or restricted and did not develop symptoms and more than 7 days have passed since the food employee was diagnosed.
- (G) Reinstatement of a food employee who was excluded or restricted as specified under Subparagraphs 2-201.12(G)(1) or (2) if the food employee provides to the person in charge written medical documentation from a health practitioner stating that the food employee meets one of the following conditions:
- (1) Has received antibiotic therapy for *Streptococcus pyogenes* infection for more than 24 hours;
 - (2) Has at least one negative throat specimen culture for *Streptococcus pyogenes* infection; or
 - (3) Is otherwise determined by a health practitioner to be free of a *Streptococcus pyogenes* infection.
- (H) Reinstatement of a food employee who was restricted as specified under ¶ 2-201.12(H) if the skin, infected wound, cut, or pustular boil is properly covered with one of the following:
- (1) An impermeable cover such as a finger cot or stall and a single-use glove over the impermeable cover if the infected wound or pustular boil is on the hand, finger, or wrist;
 - (2) An impermeable cover on the arm if the infected wound or pustular boil is on the arm; or
 - (3) A dry, durable, tight-fitting bandage if the infected wound or pustular boil is on another part of the body.

- (I) Reinstatement of a food employee who was restricted as specified under ¶ 2-201.12(I) and was exposed to one of the following pathogens as specified under Subparagraph 2-201.11(A)(4) or (5):
- (1) Norovirus and one of the following conditions is met:
 - (a) More than 48 hours have passed since the last day the food employee was potentially exposed; or
 - (b) More than 48 hours have passed since the food employee's household contact became asymptomatic.
 - (2) Shigella spp. or enterohemorrhagic or shiga toxin-producing Escherichia coli and one of the following conditions is met:
 - (a) More than 3 calendar days have passed since the last day the food employee was potentially exposed; or
 - (b) More than 3 calendar days have passed since the food employee's household contact became asymptomatic.
 - (3) S. Typhi and one of the following conditions is met:
 - (a) More than 14 calendar days have passed since the last day the food employee was potentially exposed; or
 - (b) More than 14 calendar days have passed since the food employee's household contact became asymptomatic.
 - (4) Hepatitis A virus and one of the following conditions is met:
 - (a) The food employee is immune to hepatitis A virus infection because of a prior illness from hepatitis A;
 - (b) The food employee is immune to hepatitis A virus infection because of vaccination against hepatitis A;
 - (c) The food employee is immune to hepatitis A virus infection because of IgG administration;
 - (d) More than 30 calendar days have passed since the last day the food employee was potentially exposed;
 - (e) More than 30 calendar days have passed since the food employee's household contact became jaundiced; or
 - (f) The food employee does not use an alternative procedure that allows bare hand contact with ready-to-eat food until at least 30 days after the potential exposure, as specified in Subparagraphs (I)(4)(d) and (e) of this section, and the food employee receives additional training about:
 - (i) Hepatitis A symptoms and preventing the transmission of infection,
 - (ii) Proper handwashing procedures, and
 - (iii) Protecting ready-to-eat food from contamination introduced by bare hand contact.

Hands and Arms

2-301.11* Clean Condition. *

Food employees shall keep their hands and exposed portions of their arms clean.

2-301.12* Cleaning Procedure. *

- (A) Except as specified in ¶ (D) of this section, food employees shall clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands or arms for at least 20 seconds, using a cleaning compound in a handwashing sink that is equipped as specified under § 5-202.12 and Subpart 6-301.
- (B) Food employees shall use the following cleaning procedure in the order stated to clean their hands and exposed portions of their arms, including surrogate prosthetic devices for hands and arms:
 - (1) Rinse under clean, running warm water;
 - (2) Apply an amount of cleaning compound recommended by the cleaning compound manufacturer;
 - (3) Rub together vigorously for at least 10 to 15 seconds while:
 - (a) Paying particular attention to removing soil from underneath the fingernails during the cleaning procedure, and
 - (b) Creating friction on the surfaces of the hands and arms or surrogate prosthetic devices for hands and arms, finger tips, and areas between the fingers;
 - (4) Thoroughly rinse under clean, running warm water; and
 - (5) Immediately follow the cleaning procedure with thorough drying using a method as specified under § 6-301.12.
- (C) To avoid recontaminating their hands or surrogate prosthetic devices, food employees may use disposable paper towels or similar clean barriers when touching surfaces such as manually operated faucet handles on a handwashing sink or the handle of a restroom door.
- (D) If approved and capable of removing the types of soils encountered in the food operations involved, an automatic handwashing facility may be used by food employees to clean their hands or surrogate prosthetic devices.

2-301.13* Special Handwash Procedures. *

Reserved.

2-301.14* When to Wash. *

Food employees shall clean their hands and exposed portions of their arms as specified under § 2-301.12 immediately before engaging in food preparation including working with exposed food, clean equipment and utensils, and unwrapped single-service and single-use articles and:

- (A) After touching bare human body parts other than clean hands and clean, exposed portions of arms;
- (B) After using the toilet room;
- (C) After caring for or handling service animals or aquatic animals as specified in ¶ 2-403.11(B);
- (D) Except as specified in ¶ 2-401.11(B), after coughing, sneezing, using a handkerchief or disposable tissue, using tobacco, eating, or drinking;
- (E) After handling soiled equipment or utensils;
- (F) During food preparation, as often as necessary to remove soil and contamination and to prevent cross contamination when changing tasks;

- (G) When switching between working with raw food and working with ready-to-eat food;
- (H) Before donning gloves for working with food; and
- (I) After engaging in other activities that contaminate the hands.

2-301.15 Where to Wash.

Food employees shall clean their hands in a handwashing sink or approved automatic handwashing facility and may not clean their hands in a sink used for food preparation or warewashing, or in a service sink or a curbed cleaning facility used for the disposal of mop water and similar liquid waste.

2-301.16 Hand Antiseptics.

- (A) A hand antiseptic used as a topical application, a hand antiseptic solution used as a hand dip, or a hand antiseptic soap shall:
 - (1) Comply with one of the following:
 - (a) Be an approved drug that is listed in the FDA publication Approved Drug Products with Therapeutic Equivalence Evaluations as an approved drug based on safety and effectiveness; or
 - (b) Have active antimicrobial ingredients that are listed in the FDA monograph for OTC Health-Care Antiseptic Drug Products as an antiseptic handwash, and
 - (2) Comply with one of the following:
 - (a) Have components that are exempted from the requirement of being listed in federal food additive regulations as specified in 21 CFR 170.39 - Threshold of regulation for substances used in food-contact articles; or
 - (b) Comply with and be listed in:
 - (i) 21 CFR 178 - Indirect Food Additives: Adjuvants, Production Aids, and Sanitizers as regulated for use as a food additive with conditions of safe use, or
 - (ii) 21 CFR 182 - Substances Generally Recognized as Safe, 21 CFR 184 - Direct Food Substances Affirmed as Generally Recognized as Safe, or 21 CFR 186 - Indirect Food Substances Affirmed as Generally Recognized as Safe for use in contact with food, and
 - (3) Be applied only to hands that are cleaned as specified under § 2-301.12.
- (B) If a hand antiseptic or a hand antiseptic solution used as a hand dip does not meet the criteria specified under Subparagraph (A)(2) of this section, use shall be:
 - (1) Followed by thorough hand rinsing in clean water before hand contact with food or by the use of gloves; or
 - (2) Limited to situations that involve no direct contact with food by the bare hands.
- (C) A chemical hand antiseptic solution used as a hand dip shall be maintained clean and at a strength equivalent to at least 100 mg/L chlorine.

Fingernails**81-2,272.32 (Replaces 2005 Food Code 2-302.11 Maintenance).**

- (1) Except as modified under subsection (2) of this section, a food employee shall keep his or her fingernails trimmed, filed, and maintained so the edges and surfaces are cleanable and not rough. Unless wearing intact gloves in good condition, a food employee shall not wear fingernail polish or artificial fingernails when working with exposed food.
- (2) This section does not apply to a food employee such as a counter staff person who only serves beverages and wrapped or packaged foods, a host staff person, or a wait staff person if he or she presents a minimal risk of contaminating exposed food, clean equipment, utensils, and linens, and unwrapped single-service and single-use articles.

Fingernails**2-302.11 Maintenance**

- (A) Food employees shall keep their fingernails trimmed, filed, and maintained so the edges and surfaces are cleanable and not rough.
- (B) Unless wearing intact gloves in good repair, a food employee may not wear fingernail polish or artificial fingernails when working with exposed food.

Jewelry**2-303.11****Prohibition**

Except for a plain ring such as a wedding band, while preparing food, food employees may not wear jewelry including medical information jewelry on their arms and hands.

Outer Clothing**2-304.11****Clean Condition.**

Food employees shall wear clean outer clothing to prevent contamination of food, equipment, utensils, linens, and single-service and single-use articles.

Food Contamination Prevention**2-401.11****Eating, Drinking, or Using Tobacco. ***

- (A) Except as specified in ¶ (B) of this section, an employee shall eat, drink, or use any form of tobacco only in designated areas where the contamination of exposed food; clean equipment, utensils, and linens; unwrapped single-service and single-use articles; or other items needing protection can not result.
- (B) A food employee may drink from a closed beverage container if the container is handled to prevent contamination of:
 - (1) The employee's hands;
 - (2) The container; and
 - (3) Exposed food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles.

2-401.12***Discharges from the Eyes, Nose, and Mouth. ***

Food employees experiencing persistent sneezing, coughing, or a runny nose that causes discharges from the eyes, nose, or mouth may not work with exposed food; clean equipment, utensils, and linens; or unwrapped single-service or single-use articles.

Hair Restraints

2-402.11 Effectiveness.

- (A) Except as provided in ¶ (B) of this section, food employees shall wear hair restraints such as hats, hair coverings or nets, beard restraints, and clothing that covers body hair, that are designed and worn to effectively keep their hair from contacting exposed food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles.
- (B) This section does not apply to food employees such as counter staff who only serve beverages and wrapped or packaged foods, hostesses, and wait staff if they present a minimal risk of contaminating exposed food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles.

2-403.11* Handling Prohibition. *

- (A) Except as specified in ¶ (B) of this section, food employees may not care for or handle animals that may be present such as patrol dogs, service animals, or pets that are allowed as specified in Subparagraphs 6-501.115(B)(2)-(5).
- (B) Food employees with service animals may handle or care for their service animals and food employees may handle or care for fish in aquariums or molluscan shellfish or crustacea in display tanks if they wash their hands as specified under § 2-301.12 and ¶ 2-301.14(C).

Chapter 3 - Food

Condition

3-101.11* Safe, Unadulterated, and Honestly Presented. *

Food shall be safe, unadulterated, and, as specified under § 3-601.12, honestly presented.

Sources

3-201.11* Compliance with Food Law. *

- (A) Food shall be obtained from sources that comply with law.
- (B) Food prepared in a private home may not be used or offered for human consumption in a food establishment.
- (C) Packaged food shall be labeled as specified in law, including 21 CFR 101 Food Labeling, 9 CFR 317 Labeling, Marking Devices, and Containers, and 9 CFR 381 Subpart N Labeling and Containers, and as specified under §§ 3-202.17 and 3-202.18.
- (D) Fish, other than molluscan shellfish, that are intended for consumption in their raw form and allowed as specified in Subparagraph 3-401.11(C)(1) may be offered for sale or service if they are obtained from a supplier that freezes the fish as specified under § 3-402.11; or frozen on the premises as specified under § 3-402.11 and records are retained as specified under §3-402.12.
- (E) Removed from Code
- (F) Meat and poultry that is not a ready-to-eat food and is in a packaged form when it is offered for sale or otherwise offered for consumption, shall be labeled to include safe handling instructions as specified in law, including 9 CFR 317.2(I) and 9 CFR 381.125(b).
- (G) Eggs that have not been specifically treated to destroy all viable Salmonellae shall be labeled to include safe handling instructions as specified in law, including 21 CFR 101.17(h).

3-201.12* Food in a Hermetically Sealed Container. *

Food in a hermetically sealed container shall be obtained from a food processing plant that is regulated by the food regulatory agency that has jurisdiction over the plant.

3-201.13* Fluid Milk and Milk Products. *

Fluid milk and milk products shall be obtained from sources that comply with Grade A standards as specified in law.

3-201.14* Fish. *

- (A) Fish that are received for sale or service shall be:
 - (1) Commercially and legally caught or harvested; or
 - (2) Approved for sale or service.
- (B) Molluscan shellfish that are recreationally caught may not be received for sale or service.

3-201.15* Molluscan Shellfish. *

- (A) Molluscan shellfish shall be obtained from sources according to law and the requirements specified in the U.S. Department of Health and Human Services, Public Health Service, Food and Drug Administration, National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish.
- (B) Molluscan shellfish received in interstate commerce shall be from sources that are listed in the Interstate Certified Shellfish Shippers List.

3-201.16* Wild Mushrooms. *

- (A) Except as specified in ¶ (B) of this section, mushroom species picked in the wild shall be obtained from sources where each mushroom is individually inspected and found to be safe by an approved mushroom identification expert.
- (B) This section does not apply to:
 - (1) Cultivated wild mushroom species that are grown, harvested, and processed in an operation that is regulated by the food regulatory agency that has jurisdiction over the operation; or
 - (2) Wild mushroom species if they are in packaged form and are the product of a food processing plant that is regulated by the food regulatory agency that has jurisdiction over the plant.

3-201.17* Game Animals. *

- (A) If game animals are received for sale or service they shall be:
 - (1) Commercially raised for food and:
 - (a) Raised, slaughtered, and processed under a voluntary inspection program that is conducted by the agency that has animal health jurisdiction, or
 - (b) Under a routine inspection program conducted by a regulatory agency other than the agency that has animal health jurisdiction, and

- (c) Raised, slaughtered, and processed according to:
 - (i) Laws governing meat and poultry as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program, and
 - (ii) Requirements which are developed by the agency that has animal health jurisdiction and the agency that conducts the inspection program with consideration of factors such as the need for antemortem and postmortem examination by an approved veterinarian or veterinarian's designee;
- (2) Under a voluntary inspection program administered by the USDA for game animals such as exotic animals (reindeer, elk, deer, antelope, water buffalo, or bison) that are “inspected and approved” in accordance with 9 CFR 352 Exotic animals; voluntary inspection or rabbits that are “inspected and certified” in accordance with 9 CFR 354 voluntary inspection of rabbits and edible products thereof;
- (3) As allowed by law, for wild game animals that are live-caught:
 - (a) Under a routine inspection program conducted by a regulatory agency such as the agency that has animal health jurisdiction, and
 - (b) Slaughtered and processed according to:
 - (i) Laws governing meat and poultry as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program, and
 - (ii) Requirements which are developed by the agency that has animal health jurisdiction and the agency that conducts the inspection program with consideration of factors such as the need for antemortem and postmortem examination by an approved veterinarian or veterinarian's designee; or
- (4) As allowed by law, for field-dressed wild game animals under a routine inspection program that ensures the animals:
 - (a) Receive a postmortem examination by an approved veterinarian or veterinarian's designee, or
 - (b) Are field-dressed and transported according to requirements specified by the agency that has animal health jurisdiction and the agency that conducts the inspection program, and
 - (c) Are processed according to laws governing meat and poultry as determined by the agency that has animal health jurisdiction and the agency that conducts the inspection program.
- (B) A game animal may not be received for sale or service if it is a species of wildlife that is listed in 50 CFR 17 Endangered and threatened wildlife and plants.

3-202.11* Temperature. *

- (A) Except as specified in ¶ (B) of this section, refrigerated, potentially hazardous food (time/temperature control for safety food) shall be at a temperature of 5°C (41°F) or below when received.

- (B) If a temperature other than 5°C (41°F) for a potentially hazardous food (time/temperature control for safety food) is specified in law governing its distribution, such as laws governing milk and molluscan shellfish, the food may be received at the specified temperature.
- (C) Raw eggs shall be received in refrigerated equipment that maintains an ambient air temperature of 7°C (45°F) or less.
- (D) Potentially hazardous food (time/temperature control for safety food) that is cooked to a temperature and for a time specified under §§ 3-401.11 – 3-401.13 and received hot shall be at a temperature of 57°C (135°F) or above.
- (E) A food that is labeled frozen and shipped frozen by a food processing plant shall be received frozen.
- (F) Upon receipt, potentially hazardous food (time/temperature control for safety food) shall be free of evidence of previous temperature abuse.

3-202.12* Additives. *

Food may not contain unapproved food additives or additives that exceed amounts specified in 21 CFR 170-180 relating to food additives, generally recognized as safe or prior sanctioned substances that exceed amounts specified in 21 CFR 181-186, substances that exceed amounts specified in 9 CFR Subpart C Section 424.21(b) Food ingredients and sources of radiation, or pesticide residues that exceed provisions specified in 40 CFR 180 Tolerances for pesticides chemicals in food, and exceptions.

3-202.13* Eggs. *

Eggs shall be received clean and sound and may not exceed the restricted egg tolerances for U.S. Consumer Grade B as specified in United States Standards, Grades, and Weight Classes for Shell Eggs, AMS 56.200 et seq., administered by the Agricultural Marketing Service of USDA.

3-202.14* Eggs and Milk Products, Pasteurized. *

- (A) Egg products shall be obtained pasteurized.
- (B) Fluid and dry milk and milk products shall:
 - (1) Be obtained pasteurized; and
 - (2) Comply with Grade A standards as specified in law.
- (C) Frozen milk products, such as ice cream, shall be obtained pasteurized as specified in 21 CFR 135 - Frozen desserts.
- (D) Cheese shall be obtained pasteurized unless alternative procedures to pasteurization are specified in the CFR, such as 21 CFR 133 - Cheeses and related cheese products, for curing certain cheese varieties.

3-202.15* Package Integrity. *

Food packages shall be in good condition and protect the integrity of the contents so that the food is not exposed to adulteration or potential contaminants.

3-202.16* Ice. *

Ice for use as a food or a cooling medium shall be made from drinking water.

3-202.17 Shucked Shellfish, Packaging and Identification.

- (A) Raw shucked shellfish shall be obtained in nonreturnable packages which bear a legible label that identifies the:
- (1) Name, address, and certification number of the shucker-packer or repacker of the molluscan shellfish; and
 - (2) The “sell by” date for packages with a capacity of less than 1.89 L (one-half gallon) or the date shucked for packages with a capacity of 1.89 L (one-half gallon) or more.
- (B) A package of raw shucked shellfish that does not bear a label or which bears a label which does not contain all the information as specified under ¶ (A) of this section shall be subject to a hold order, as allowed by law, or seizure and destruction in accordance with 21 CFR Subpart D - Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d) Molluscan shellfish.

3-202.18* Shellstock Identification. *

- (A) Shellstock shall be obtained in containers bearing legible source identification tags or labels that are affixed by the harvester and each dealer that depurates, ships, or reships the shellstock, as specified in the National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish, and that list:
- (1) Except as specified under ¶ (C) of this section, on the harvester's tag or label, the following information in the following order:
 - (a) The harvester's identification number that is assigned by the shellfish control authority,
 - (b) The date of harvesting,
 - (c) The most precise identification of the harvest location or aquaculture site that is practicable based on the system of harvest area designations that is in use by the shellfish control authority and including the abbreviation of the name of the state or country in which the shellfish are harvested,
 - (d) The type and quantity of shellfish, and
 - (e) The following statement in bold, capitalized type: “This tag is required to be attached until container is empty or retagged and thereafter kept on file for 90 days;” and
 - (2) Except as specified in ¶ (D) of this section, on each dealer's tag or label, the following information in the following order:
 - (a) The dealer's name and address, and the certification number assigned by the shellfish control authority,
 - (b) The original shipper's certification number including the abbreviation of the name of the state or country in which the shellfish are harvested,
 - (c) The same information as specified for a harvester's tag under Subparagraphs (A)(1)(b)-(d) of this section, and
 - (d) The following statement in bold, capitalized type: “This tag is required to be attached until container is empty and thereafter kept on file for 90 days.”
- (B) A container of shellstock that does not bear a tag or label or that bears a tag or label that does not contain all the information as specified under ¶ (A) of this section shall be subject to a hold order, as allowed by law, or seizure and destruction in accordance with 21 CFR Subpart D - Specific Administrative Decisions Regarding Interstate Shipments, Section 1240.60(d).
- (C) If a place is provided on the harvester's tag or label for a dealer's name, address, and certification

number, the dealer's information shall be listed first.

- (D) If the harvester's tag or label is designed to accommodate each dealer's identification as specified under Subparagraphs (A)(2)(a) and (b) of this section, individual dealer tags or labels need not be provided.

3-202.19 Shellstock, Condition.

When received by a food establishment, shellstock shall be reasonably free of mud, dead shellfish, and shellfish with broken shells. Dead shellfish or shellstock with badly broken shells shall be discarded.

3-202.110 Juice Treated.

Pre-packaged juice shall:

- (A) Be obtained from a processor with a HACCP system as specified in 21 CFR Part 120 Hazard Analysis and Critical Control (HACCP) Systems; and
- (B) Be obtained pasteurized or otherwise treated to attain a 5-log reduction of the most resistant microorganism of public health significance as specified in 21 CFR Part 120.24 Process Controls.

Original Containers and Records

3-203.11 Molluscan Shellfish, Original Container.

- (A) Except as specified in ¶¶ (B) and (D) of this section, molluscan shellfish may not be removed from the container in which they are received other than immediately before sale or preparation for service.
- (B) For display purposes, shellstock may be removed from the container in which they are received, displayed on drained ice, or held in a display container, and a quantity specified by a consumer may be removed from the display or display container and provided to the consumer if:
 - (1) The source of the shellstock on display is identified as specified under § 3-202.18 and recorded as specified under § 3-203.12; and
 - (2) The shellstock are protected from contamination.
- (C) Shucked shellfish may be removed from the container in which they were received and held in a display container from which individual servings are dispensed upon a consumer's request if:
 - (1) The labeling information for the shellfish on display as specified under § 3-202.17 is retained and correlated to the date when, or dates during which, the shellfish are sold or served; and
 - (2) The shellfish are protected from contamination.
- (D) Shucked shellfish may be removed from the container in which they were received and repacked in consumer self service containers where allowed by law if:
 - (1) The labeling information for the shellfish is on each consumer self service container as specified under § 3-202.17 and ¶¶ 3-602.11 (A) and (B)(1) - (5);
 - (2) The labeling information as specified under § 3-202.17 is retained and correlated with the date when, or dates during which, the shellfish are sold or served;
 - (3) The labeling information and dates specified under Subparagraph (D)(2) of this section are maintained for 90 days; and
 - (4) The shellfish are protected from contamination.

3-203.12* Shellstock, Maintaining Identification. *

- (A) Except as specified under Subparagraph (B)(2) of this section, shellstock tags shall remain attached to the container in which the shellstock are received until the container is empty.
- (B) The identity of the source of shellstock that are sold or served shall be maintained by retaining shellstock tags or labels for 90 calendar days from the dates of harvest:
 - (1) Using an approved record keeping system that keeps the tags or labels in chronological order correlated to the date when, or dates during which, the shellstock are sold or served; and
 - (2) If shellstock are removed from their tagged or labeled container:
 - (a) Preserving source identification by using a record keeping system as specified under Subparagraph (B)(1) of this section, and
 - (b) Ensuring that shellstock from one tagged or labeled container are not commingled with shellstock from another container with different certification numbers; different harvest dates; or different growing areas as identified on the tag or label before being ordered by the consumer.

Preventing Contamination by Employees

81-2,272.10* (Replaces 2005 Food Code 3-301.11 Preventing Contamination from Hands) *

- (1) Food employees shall wash their hands as specified in the Nebraska Pure Food Act.
- (2) Food employees shall be trained to wash their hands as specified in the act.
- (3) Except when washing fruits and vegetables, food employees shall minimize bare hand and arm contact with exposed food. This may be accomplished with the use of suitable utensils such as deli tissue, spatulas, tongs, single-use gloves, or dispensing equipment.
- (4) Food employees not serving a highly susceptible population may contact exposed, ready-to-eat food with their bare hands if they have washed their hands as specified in the act prior to handling the food.

3-301.12* Preventing Contamination when Tasting. *

A food employee may not use a utensil more than once to taste food that is to be sold or served.

Preventing Food and Ingredient Contamination

3-302.11* Packaged and Unpackaged Food - Separation, Packaging, and Segregation. *

- (A) Food shall be protected from cross contamination by:
 - (1) Separating raw animal foods during storage, preparation, holding, and display from:
 - (a) Raw ready-to-eat food including other raw animal food such as fish for sushi or molluscan shellfish, or other raw ready-to-eat food such as fruits and vegetables, and
 - (b) Cooked ready-to-eat food;
 - (2) Except when combined as ingredients, separating types of raw animal foods from each other such as beef, fish, lamb, pork, and poultry during storage, preparation, holding, and display by:
 - (a) Using separate equipment for each type, or
 - (b) Arranging each type of food in equipment so that cross contamination of one

- type with another is prevented, and
- (c) Preparing each type of food at different times or in separate areas;

- (3) Cleaning equipment and utensils as specified under ¶ 4-602.11(A) and sanitizing as specified under § 4-703.11;
- (4) Except as specified under Subparagraph 3-501.15 (B)(2) and in ¶ (B) of this section, storing the food in packages, covered containers, or wrappings;
- (5) Cleaning hermetically sealed containers of food of visible soil before opening;
- (6) Protecting food containers that are received packaged together in a case or overwrap from cuts when the case or overwrap is opened;
- (7) Storing damaged, spoiled, or recalled food being held in the food establishment as specified under § 6-404.11; and
- (8) Separating fruits and vegetables, before they are washed as specified under § 3-302.15 from ready-to-eat food.

(B) Subparagraph (A)(4) of this section does not apply to:

- (1) Whole, uncut, raw fruits and vegetables and nuts in the shell, that require peeling or hulling before consumption;
- (2) Primal cuts, quarters, or sides of raw meat or slab bacon that are hung on clean, sanitized hooks or placed on clean, sanitized racks;
- (3) Whole, uncut, processed meats such as country hams, and smoked or cured sausages that are placed on clean, sanitized racks;
- (4) Food being cooled as specified under Subparagraph 3-501.15 (B)(2); or
- (5) Shellstock.

3-302.12 Food Storage Containers, Identified with Common Name of Food.

Except for containers holding food that can be readily and unmistakably recognized such as dry pasta, working containers holding food or food ingredients that are removed from their original packages for use in the food establishment, such as cooking oils, flour, herbs, potato flakes, salt, spices, and sugar shall be identified with the common name of the food.

3-302.13* Pasteurized Eggs, Substitute for Raw Eggs for Certain Recipes. *

Pasteurized eggs or egg products shall be substituted for raw eggs in the preparation of foods such as Caesar salad, hollandaise or Bearnaise sauce, mayonnaise, meringue, eggnog, ice cream, and egg-fortified beverages that are not:

- (A) Cooked as specified under Subparagraphs 3-401.11(A)(1) or (2); or
- (B) Included in ¶ 3-401.11(D).

3-302.14* Protection from Unapproved Additives. *

(A) Food shall be protected from contamination that may result from the addition of, as specified in §3-202.12:

- (1) Unsafe or unapproved food or color additives; and
- (2) Unsafe or unapproved levels of approved food and color additives.

(B) A food employee may not:

- (1) Apply sulfiting agents to fresh fruits and vegetables intended for raw consumption or to a food considered to be a good source of vitamin B₁; or

- (2) Except for grapes, serve or sell food specified under Subparagraph (B)(1) of this section that is treated with sulfiting agents before receipt by the food establishment.

3-302.15 Washing Fruits and Vegetables.

- (A) Except as specified in ¶ (B) of this section and except for whole, raw fruits and vegetables that are intended for washing by the consumer before consumption, raw fruits and vegetables shall be thoroughly washed in water to remove soil and other contaminants before being cut, combined with other ingredients, cooked, served, or offered for human consumption in ready-to-eat form.
- (B) Fruits and vegetables may be washed by using chemicals as specified under § 7-204.12.

Preventing Contamination from Ice Used as a Coolant

3-303.11 Ice Used as Exterior Coolant, Prohibited as Ingredient. *

After use as a medium for cooling the exterior surfaces of food such as melons or fish, packaged foods such as canned beverages, or cooling coils and tubes of equipment, ice may not be used as food.

3-303.12 Storage or Display of Food in Contact with Water or Ice.

- (A) Packaged food may not be stored in direct contact with ice or water if the food is subject to the entry of water because of the nature of its packaging, wrapping, or container or its positioning in the ice or water.
- (B) Except as specified in ¶¶ (C) and (D) of this section, unpackaged food may not be stored in direct contact with undrained ice.
- (C) Whole, raw fruits or vegetables; cut, raw vegetables such as celery or carrot sticks or cut potatoes; and tofu may be immersed in ice or water.
- (D) Raw poultry and raw fish that are received immersed in ice in shipping containers may remain in that condition while in storage awaiting preparation, display, service, or sale.

Preventing Contamination from Equipment, Utensils, and Linens

3-304.11* Food Contact with Equipment and Utensils.

Food shall only contact surfaces of:

- (A) Equipment and utensils that are cleaned as specified under Part 4-6 of this Code and sanitized as specified under Part 4-7 of this Code; or
- (B) Single-service and single-use articles.

3-304.12 In-Use Utensils, Between-Use Storage.

During pauses in food preparation or dispensing, food preparation and dispensing utensils shall be stored:

- (A) Except as specified under ¶ (B) of this section, in the food with their handles above the top of the food and the container;
- (B) In food that is not potentially hazardous (time/temperature control for safety food) with their handles above the top of the food within containers or equipment that can be closed, such as bins of sugar, flour, or cinnamon;

- (C) On a clean portion of the food preparation table or cooking equipment only if the in-use utensil and the food-contact surface of the food preparation table or cooking equipment are cleaned and sanitized at a frequency specified under §§ 4-602.11 and 4-702.11;
- (D) In running water of sufficient velocity to flush particulates to the drain, if used with moist food such as ice cream or mashed potatoes;
- (E) In a clean, protected location if the utensils, such as ice scoops, are used only with a food that is not potentially hazardous (time/temperature control for safety food); or
- (F) In a container of water if the water is maintained at a temperature of at least 57°C (135°F) and the container is cleaned at a frequency specified under Subparagraph 4-602.11(D)(7).

81-2,272.34 (Replaces 2005 Food Code 3-304.13 Linens and Napkins, Use Limitation)

Except for raw dough being prepared prior to being cooked, linens and cloth napkins shall not be used in contact with food unless they are used to line a container for the service of foods and the linens and napkins are replaced each time the container is refilled. Linens and cloth napkins which are used in contact with food and cloth napkins used by consumers shall be laundered between each use.

3-304.14 Wiping Cloths, Use Limitation.

- (A) Cloths in-use for wiping food spills from Tableware and carry-out containers that occur as food is being served shall be:
 - (1) Maintained dry; and
 - (2) Used for no other purpose.
- (B) Cloths in-use for wiping counters and other equipment surfaces shall be:
 - (1) Held between uses in a chemical sanitizer solution at a concentration specified under § 4-501.114; and
 - (2) Laundered daily as specified under ¶ 4-802.11(D).
- (C) Cloths in-use for wiping surfaces in contact with raw animal foods shall be kept separate from cloths used for other purposes.
- (D) Dry wiping cloths and the chemical sanitizing solutions specified in Subparagraph (B)(1) of this section in which wet wiping cloths are held between uses shall be free of food debris and visible soil.
- (E) Containers of chemical sanitizing solutions specified in Subparagraph (B)(1) of this section in which wet wiping cloths are held between uses shall be stored off the floor and used in a manner that prevents contamination of food, equipment, utensils, linens, single-service, or single-use articles.
- (F) Single-use disposable sanitizer wipes shall be used in accordance with EPA-approved manufacturer's label use instructions.

3-304.15 Gloves, Use Limitation.

- (A) If used, single-use gloves shall be used for only one task such as working with ready-to-eat food or with raw animal food, used for no other purpose, and discarded when damaged or soiled, or when interruptions occur in the operation.

- (B) Except as specified in ¶ (C) of this section, slash-resistant gloves that are used to protect the hands during operations requiring cutting shall be used in direct contact only with food that is subsequently cooked as specified under Part 3-4 such as frozen food or a primal cut of meat.
- (C) Slash-resistant gloves may be used with ready-to-eat food that will not be subsequently cooked if the slash-resistant gloves have a smooth, durable, and nonabsorbent outer surface; or if the slash-resistant gloves are covered with a smooth, durable, nonabsorbent glove, or a single-use glove.
- (D) Cloth gloves may not be used in direct contact with food unless the food is subsequently cooked as required under Part 3-4 such as frozen food or a primal cut of meat.

3-304.16 Using Clean Tableware for Second Portions and Refills.

- (A) Except for refilling a consumer's drinking cup or container without contact between the pouring utensil and the lip-contact area of the drinking cup or container, food employees may not use tableware, including single-service articles, soiled by the consumer, to provide second portions or refills.
- (B) Except as specified in ¶ (C) of this section, self-service consumers may not be allowed to use soiled tableware, including single-service articles, to obtain additional food from the display and serving equipment.
- (C) Drinking cups and containers may be reused by self-service consumers if refilling is a contamination-free process as specified under ¶¶ 4-204.13(A), (B), and (D).

3-304.17 Refilling Returnables

- (A) A take-home food container returned to a food establishment may not be refilled at a food establishment with a potentially hazardous food (time/temperature control for safety food).
- (B) Except as specified in ¶(C), a take-home food container refilled with food that is not potentially hazardous (time/temperature control for safety food) shall be cleaned as specified under ¶ 4-603.17(B).
- (C) Personal take-out beverage containers, such as thermally insulated bottles, nonspill coffee cups, and promotional beverage glasses, may be refilled by employees or the consumer if refilling is a contamination-free process as specified under ¶¶ 4-204.13(A), (B), and (D).

Preventing Contamination from the Premises

3-305.11 Food Storage.

- (A) Except as specified in ¶¶ (B) and (C) of this section, food shall be protected from contamination by storing the food:
 - (1) In a clean, dry location;
 - (2) Where it is not exposed to splash, dust, or other contamination; and
 - (3) At least 15 cm (6 inches) above the floor.
- (B) Food in packages and working containers may be stored less than 15 cm (6 inches) above the floor on case lot handling equipment as specified under § 4-204.122.
- (C) Pressurized beverage containers, cased food in waterproof containers such as bottles or cans, and milk containers in plastic crates may be stored on a floor that is clean and not exposed to floor moisture.

3-305.12 Food Storage, Prohibited Areas.

Food may not be stored:

- (A) In locker rooms;
- (B) In toilet rooms;
- (C) In dressing rooms;
- (D) In garbage rooms;
- (E) In mechanical rooms;
- (F) Under sewer lines that are not shielded to intercept potential drips;
- (G) Under leaking water lines, including leaking automatic fire sprinkler heads, or under lines on which water has condensed;
- (H) Under open stairwells; or
- (I) Under other sources of contamination.

3-305.13 Vended Potentially Hazardous Food (Time/Temperature Control for Safety Food), Original Container.

Potentially hazardous food (time/temperature control for safety food) dispensed through a vending machine shall be in the package in which it was placed at the food establishment or food processing plant at which it was prepared.

3-305.14 Food Preparation.

During preparation, unpackaged food shall be protected from environmental sources of contamination.

Preventing Contamination by Consumers

3-306.11 Food Display.

Except for nuts in the shell and whole, raw fruits and vegetables that are intended for hulling, peeling, or washing by the consumer before consumption, food on display shall be protected from contamination by the use of packaging; counter, service line, or salad bar food guards; display cases; or other effective means.

3-306.12 Condiments, Protection.

- (A) Condiments shall be protected from contamination by being kept in dispensers that are designed to provide protection, protected food displays provided with the proper utensils, original containers designed for dispensing, or individual packages or portions.
- (B) Condiments at a vending machine location shall be in individual packages or provided in dispensers that are filled at an approved location, such as the food establishment that provides food to the vending machine location, a food processing plant that is regulated by the agency that has jurisdiction over the operation, or a properly equipped facility that is located on the site of the vending machine location.

3-306.13* Consumer Self-Service Operations. *

- (A) Raw, unpackaged animal food, such as beef, lamb, pork, poultry, and fish may not be offered for consumer self-service. This paragraph does not apply to:

- (1) Consumer self-service of ready-to-eat foods at buffets or salad bars that serve foods such as sushi or raw shellfish;
 - (2) Ready-to-cook individual portions for immediate cooking and consumption on the premises such as consumer-cooked meats or consumer-selected ingredients for Mongolian barbecue; or
 - (3) Raw, frozen, shell-on shrimp or lobster.
- (B) Consumer self-service operations for ready-to-eat foods shall be provided with suitable utensils or effective dispensing methods that protect the food from contamination.^N
 - (C) Consumer self-service operations such as buffets and salad bars shall be monitored by food employees trained in safe operating procedures.^N

3-306.14* Returned Food and Re-Service of Food. *

- (A) Except as specified in ¶ (B) of this section, after being served or sold and in the possession of a consumer, food that is unused or returned by the consumer may not be offered as food for human consumption.
- (B) Except as specified under ¶ 3-801.11(G), a container of food that is not potentially hazardous (time/temperature control for safety food) may be re-served from one consumer to another if:
 - (1) The food is dispensed so that it is protected from contamination and the container is closed between uses, such as a narrow-neck bottle containing catsup, steak sauce, or wine; or
 - (2) The food, such as crackers, salt, or pepper, is in an unopened original package and is maintained in sound condition.

Preventing Contamination from Other Sources

3-307.11 Miscellaneous Sources of Contamination.

Food shall be protected from contamination that may result from a factor or source not specified under Subparts 3-301 - 3-306.

Cooking

3-401.11 * Raw Animal Foods*

- (A) Except as specified ¶ (B) and in ¶¶ (C) and (D) of this section, raw animal foods such as eggs, fish, meat, poultry, and foods containing these raw animal foods, shall be cooked to heat all parts of the food to a temperature and for a time that complies with one of the following methods based on the food that is being cooked:
 - (1) 63°C (145°F) or above for 15 seconds for:
 - (a) Raw shell eggs that are broken and prepared in response to a consumer's order and for immediate service, and
 - (b) Except as specified under Subparagraphs (A)(2) and (A)(3) and ¶ (B), and in ¶ (C) of this section, fish, and meat including game animals commercially raised for food as specified under Subparagraph 3-201.17(A)(1) and game animals under a voluntary inspection program as specified under Subparagraph 3-201.17(A)(2);
 - (2) 68°C (155°F) for 15 seconds or the temperature specified in the following chart that corresponds to the holding time for ratites and injected meats; the following if they are comminuted: fish, meat, game animals commercially raised for food as specified under

Subparagraph 3-201.17(A)(1), and game animals under a voluntary inspection program as specified under Subparagraph 3-201.17(A)(2); and raw eggs that are not prepared as specified under Subparagraph (A)(1)(a) of this section:

Minimum	
Temperature °C (°F)	Time
63 (145)	3 minutes
66 (150)	1 minute
70 (158)	< 1 second (instantaneous)

; or

- (3) 74°C (165°F) or above for 15 seconds for poultry, baluts, wild game animals as specified under Subparagraphs 3-201.17(A)(3) and (4), stuffed fish, stuffed meat, stuffed pasta, stuffed poultry, stuffed ratites, or stuffing containing fish, meat, poultry, or ratites.

(B) Whole meat roasts, including beef, corned beef, lamb, pork, and cured pork roasts such as ham shall be cooked:

- (1) In an oven that is preheated to the temperature specified for the roast's weight in the following chart and that is held at that temperature:

Oven Type	Oven Temperature Based on Roast Weight	
	Less than 4.5 kg (10 lbs)	4.5 kg (10 lbs) or More
Still Dry	177°C (350°F) or more	121°C (250°F) or more
Convection	163°C (325°F) or more	121°C (250°F) or more
High Humidity ¹	121°C (250°F) or less	121°C (250°F) or less

¹ Relative humidity greater than 90% for at least 1 hour as measured in the cooking chamber or exit of the oven; or in a moisture-impermeable bag that provides 100% humidity.

; and

- (2) As specified in the following chart, to heat all parts of the food to a temperature and for the holding time that corresponds to that temperature:

Temperature °C (°F)	Time ¹ in Minutes	Temperature °C (°F)	Time ¹ in Seconds
54.4 (130)	112	63.9 (147)	134
55.0 (131)	89	65.0 (149)	85
56.1 (133)	56	66.1 (151)	54
57.2 (135)	36	67.2 (153)	34
57.8 (136)	28	68.3 (155)	22
58.9 (138)	18	69.4 (157)	14
60.0 (140)	12	70.0 (158)	0
61.1 (142)	8		
62.2 (144)	5		
62.8 (145)	4		

¹Holding time may include post oven heat rise.

(C) A raw or undercooked whole-muscle, intact beef steak may be served or offered for sale in a ready-to-eat form if:

- (1) The food establishment serves a population that is not a highly susceptible population,
- (2) Removed from Code.
- (3) The steak is cooked on both the top and bottom to a surface temperature of 63°C (145°F)

or above and a cooked color change is achieved on all external surfaces.

- (D) A raw animal food such as raw egg, raw fish, raw-marinated fish, raw molluscan shellfish, or steak tartare; or a partially cooked food such as lightly cooked fish, soft cooked eggs, or rare meat other than whole-muscle, intact beef steaks as specified in ¶ (C) of this section, may be served or offered for sale upon consumer request or selection in a ready-to-eat form if:
- (1) As specified under ¶¶ 3-801.11(C)(1) and (2), the food establishment serves a population that is not a highly susceptible population; and
 - (2) Removed from Code.
 - (3) The regulatory authority grants a variance from ¶ (A) or (B) of this section as specified in § 8-103.10 based on a HACCP plan that:
 - (a) Is submitted by the permit holder and approved as specified under § 8-103.11,
 - (b) Documents scientific data or other information showing that a lesser time and temperature regimen results in a safe food, and
 - (c) Verifies that equipment and procedures for food preparation and training of food employees at the food establishment meet the conditions of the variance.

3-401.12* Microwave Cooking. *

Raw animal foods cooked in a microwave oven shall be:

- (A) Rotated or stirred throughout or midway during cooking to compensate for uneven distribution of heat;
- (B) Covered to retain surface moisture;
- (C) Heated to a temperature of at least 74°C (165°F) in all parts of the food; and
- (D) Allowed to stand covered for 2 minutes after cooking to obtain temperature equilibrium.

3-401.13 Plant Food Cooking for Hot Holding.

Fruits and vegetables that are cooked for hot holding shall be cooked to a temperature of 57°C (135°F).

Freezing

3-402.11* Parasite Destruction. *

- (A) Except as specified in ¶ (B) of this section, before service or sale in ready-to-eat form, raw, raw-marinated, partially cooked, or marinated-partially cooked fish shall be:
- (1) Frozen and stored at a temperature of -20°C (-4°F) or below for a minimum of 168 hours (7 days) in a freezer;
 - (2) Frozen at -35°C (-31°F) or below until solid and stored at -35°C (-31°F) or below for a minimum of 15 hours; or
 - (3) Frozen at -35°C (-31°F) or below until solid and stored at -20°C (-4°F) or below for a minimum of 24 hours.
- (B) Paragraph (A) of this section does not apply to:
- (1) Molluscan shellfish;
 - (2) Tuna of the species *Thunnus alalunga*, *Thunnus albacares* (Yellowfin tuna), *Thunnus atlanticus*, *Thunnus maccoyii* (Bluefin tuna, Southern), *Thunnus obesus* (Bigeye tuna), or *Thunnus thynnus* (Bluefin tuna, Northern); or
 - (3) Aquacultured fish, such as salmon, that:

- (a) If raised in open water, are raised in net-pens, or
- (b) Are raised in land-based operations such as ponds or tanks, and
- (c) Are fed formulated feed, such as pellets, that contains no live parasites infective to the aquacultured fish.

3-402.12 Records, Creation and Retention.

- (A) Except as specified in ¶ 3-402.11(B) and ¶ (B) of this section, if raw, raw-marinated, partially cooked, or marinated-partially cooked fish are served or sold in ready-to-eat form, the person in charge shall record the freezing temperature and time to which the fish are subjected and shall retain the records of the food establishment for 90 calendar days beyond the time of service or sale of the fish.
- (B) If the fish are frozen by a supplier, a written agreement or statement from the supplier stipulating that the fish supplied are frozen to a temperature and for a time specified under § 3-402.11 may substitute for the records specified under ¶ (A) of this section.
- (C) If raw, raw-marinated, partially cooked, or marinated-partially cooked fish are served or sold in ready-to-eat form, and the fish are raised and fed as specified in Subparagraph 3-402.11(B)(3), a written agreement or statement from the supplier or aquaculturalist stipulating that the fish were raised and fed as specified in Subparagraph 3-402.11(B)(3) shall be obtained by the person in charge and retained in the records of the food establishment for 90 calendar days beyond the time of service or sale of the fish.

3-403.10 Preparation for Immediate Service.

Cooked and refrigerated food that is prepared for immediate service in response to an individual consumer order, such as a roast beef sandwich au jus, may be served at any temperature.

Reheating

3-403.11* Reheating for Hot Holding. *

- (A) Except as specified under ¶ ¶ (B) and (C) and in ¶ (E) of this section, potentially hazardous food (time/temperature control for safety food) that is cooked, cooled, and reheated for hot holding shall be reheated so that all parts of the food reach a temperature of at least 74°C (165°F) for 15 seconds.
- (B) Except as specified under ¶ (C) of this section, potentially hazardous food (time/temperature control for safety food) reheated in a microwave oven for hot holding shall be reheated so that all parts of the food reach a temperature of at least 74°C (165°F) and the food is rotated or stirred, covered, and allowed to stand covered for 2 minutes after reheating.
- (C) Ready-to-eat food taken from a commercially processed, hermetically sealed container, or from an intact package from a food processing plant that is inspected by the food regulatory authority that has jurisdiction over the plant, shall be heated to a temperature of at least 57°C (135°F) for hot holding.
- (D) Reheating for hot holding as specified under ¶¶ (A) – (C) of this section shall be done rapidly and the time the food is between the temperature specified under Subparagraph 3-501.16(A)(2) and the temperature specified under ¶¶ (A) – (C) of this section may not exceed 2 hours.
- (E) Remaining unsliced portions of meat roasts that are cooked as specified under ¶ 3-401.11(B) may be reheated for hot holding using the oven parameters and minimum time and temperature conditions specified under ¶ 3-401.11(B).

Other Methods

3-404.11 Treating Juice.

Juice packaged in a food establishment shall be:

- (A) Removed from Code.
- (B) Labeled, if not treated to yield a 5-log reduction of the most resistant microorganism of public health significance:
 - (1) As specified under § 3-602.11, and
 - (2) As specified in 21 CFR 101.17(g) Food labeling, warning, notice, and safe handling statements, Juices that have not been specifically processed to prevent, reduce, or eliminate the presence of pathogens with the following, “WARNING: This product has not been pasteurized and, therefore, may contain harmful bacteria that can cause serious illness in children, the elderly, and persons with weakened immune systems.”

Temperature and Time Control

3-501.11 Frozen Food.

Stored frozen foods shall be maintained frozen.

3-501.12 Potentially Hazardous Food (Time/Temperature Control for Safety Food), Slacking.

Frozen potentially hazardous food (time/temperature control for safety food) that is slacked to moderate the temperature shall be held:

- (A) Under refrigeration that maintains the food temperature at 5°C (41°F) or less, or at 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2); or
- (B) At any temperature if the food remains frozen.

3-501.13 Thawing.

Except as specified in ¶ (D) of this section, potentially hazardous food (time/temperature control for safety food) shall be thawed:

- (A) Under refrigeration that maintains the food temperature at 5°C (41°F) or less, or at 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2); or
- (B) Completely submerged under running water:
 - (1) At a water temperature of 21°C (70°F) or below,
 - (2) With sufficient water velocity to agitate and float off loose particles in an overflow, and
 - (3) For a period of time that does not allow thawed portions of ready-to-eat food to rise above at 5°C (41°F), or 7°C (45°F) as specified under Subparagraph 3-501.16(A)(2); or
 - (4) For a period of time that does not allow thawed portions of a raw animal food requiring cooking as specified under ¶ 3-401.11(A) or (B) to be above 5°C (41°F), or 7°C (45°F) as specified under Subparagraph 3-501.16(A)(2), for more than 4 hours including:
 - (a) The time the food is exposed to the running water and the time needed for preparation for cooking, or
 - (b) The time it takes under refrigeration to lower the food temperature to 5°C (41°F), or 7°C (45°F) as specified under Subparagraph 3-501.16(A)(2);
- (C) As part of a cooking process if the food that is frozen is:

- (1) Cooked as specified under ¶ 3-401.11(A) or (B) or § 3-401.12, or
 - (2) Thawed in a microwave oven and immediately transferred to conventional cooking equipment, with no interruption in the process; or
- (D) Using any procedure if a portion of a frozen ready-to-eat food is thawed and prepared for immediate service in response to an individual consumer's order.

3-501.14 * Cooling. *

- (A) Cooked potentially hazardous food (time/temperature control for safety food) shall be cooled:
- (1) Within 2 hours from 57°C (135°F) to 21°C (70°F); and
 - (2) Within a total of 6 hours from 57°C (135°F) to 5°C (41°F) or less, or to 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2)(b).
- (B) Potentially hazardous food (time/temperature control for safety food) shall be cooled within 4 hours to 5°C (41°F) or less, or to 7°C (45°F) as specified under Subparagraph 3-501.16(A)(2)(b) if prepared from ingredients at ambient temperature, such as reconstituted foods and canned tuna.
- (C) Except as specified ¶ (D) of this section, a potentially hazardous food (time/temperature control for safety food) received in compliance with laws allowing a temperature above 5°C (41°F) during shipment from the supplier as specified in ¶ 3-202.11(B), shall be cooled within 4 hours to 5°C (41°F) or less, or 7°C (45°F) or less as specified under Subparagraph 3-501.16(A)(2)(b).
- (D) Raw eggs shall be received as specified under ¶ 3-202.11(C) and immediately placed in refrigerated equipment that maintains an ambient air temperature of 7°C (45°F) or less.

3-501.15 Cooling Methods.

- (A) Cooling shall be accomplished in accordance with the time and temperature criteria specified under § 3-501.14 by using one or more of the following methods based on the type of food being cooled:
- (1) Placing the food in shallow pans;
 - (2) Separating the food into smaller or thinner portions;
 - (3) Using rapid cooling equipment;
 - (4) Stirring the food in a container placed in an ice water bath;
 - (5) Using containers that facilitate heat transfer;
 - (6) Adding ice as an ingredient; or
 - (7) Other effective methods.
- (B) When placed in cooling or cold holding equipment, food containers in which food is being cooled shall be:
- (1) Arranged in the equipment to provide maximum heat transfer through the container walls; and
 - (2) Loosely covered, or uncovered if protected from overhead contamination as specified under Subparagraph 3-305.11(A)(2), during the cooling period to facilitate heat transfer from the surface of the food.

3-501.16* Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding. *

- (A) Except during preparation, cooking, or cooling or when time is used as the public health control as specified under § 3-501.19, and except as specified under ¶ (B) of this section, potentially hazardous food (time/temperature control for safety food) shall be maintained:
- (1) At 57°C (135°F) or above, except that roasts cooked to a temperature and for a time specified in ¶ 3-401.11(B) or reheated as specified in ¶ 3-403.11(E) may be held at a temperature of 54°C (130°F) or above; or
 - (2) At a temperature specified in the following:
 - (a) 5°C (41°F) or less; or
 - (b) 7°C (45°F) or between 5°C (41°F) and 7°C (45°F) in existing refrigeration equipment that is not capable of maintaining the food at 5°C (41°F) or less if:
 - (i) The equipment is in place and in use in the food establishment, and
 - (ii) Within 5 years of the regulatory authority's adoption of this Code, the equipment is upgraded or replaced to maintain food at a temperature of 5°C (41°F) or less.
- (B) Eggs that have not been treated to destroy all viable Salmonellae shall be stored in refrigerated equipment that maintains an ambient air temperature of 7°C (45°F) or less

81-2,272.24* (Replaces 2005 Food Code 3-501.17 Ready-to-Eat, Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking.) *

- (1) Except when packaging food using a reduced oxygen packaging method as specified in section 81-2,272.27 and except as specified in this section, refrigerated, ready-to-eat, potentially hazardous food (time/temperature control for safety food) prepared and held in a food establishment for more than twenty-four hours shall be clearly marked to indicate the date of preparation. The food shall be sold, consumed on the premises, or discarded within:
 - (a) Seven calendar days or less if the food is held refrigerated at forty-one degrees Fahrenheit (five degrees Celsius) or below; or
 - (b) Four calendar days or less if the food is held refrigerated between forty-five degrees Fahrenheit (seven degrees Celsius) and forty-one degrees Fahrenheit (five degrees Celsius).
- (2) Except as specified in this section, refrigerated, ready-to-eat, potentially hazardous food (time/temperature control for safety food) prepared and packaged by a food processing plant and held refrigerated at such food establishment, shall be clearly marked, at the time the original container is opened in a food establishment, to indicate the date the food container was opened. The food shall be sold, consumed on the premises, or discarded within:
 - (a) Seven calendar days or less if the food is held refrigerated at forty-one degrees Fahrenheit (five degrees Celsius) or below; or
 - (b) Four calendar days or less if the food is held refrigerated between forty-five degrees Fahrenheit (seven degrees Celsius) and forty-one degrees Fahrenheit (five degrees Celsius).

This subsection does not apply to fermented sausages which retain an original casing or shelf stable salt-cured products produced in a federally inspected food processing plant that are not labeled "Keep Refrigerated" or to shelf stable, dry, fermented sausages when the face has been cut, but the remaining portion is whole and intact.

- (3) A refrigerated, ready-to-eat, potentially hazardous food (time and temperature control for safety food) ingredient or a portion of a refrigerated, ready-to-eat, potentially hazardous food (time and temperature control for safety food) that is subsequently combined with additional ingredients or

portions of food shall retain the date marking of the earliest-prepared or first-prepared ingredient.

- (4) A date marking system that meets the criteria stated in subsections (1) and (2) of this section may include:
- (a) Using a method approved by the regulatory authority for refrigerated, ready-to-eat, potentially hazardous food (time and temperature control for safety food) that is frequently rewrapped, such as lunchmeat or a roast, or for which date marking is impractical, such as soft serve mix or milk in a dispensing machine;
 - (b) Marking the date or day of preparation, with a procedure to discard the food on or before the last date or day by which the food must be consumed on the premises, sold, or discarded as specified under subsection (1) of this section;
 - (c) Marking the date or day the original container is opened in a food establishment, with a procedure to discard the food on or before the last date or day by which the food must be consumed on the premises, sold, or discarded as specified under subsection (2) of this section; or
 - (d) Using calendar dates, days of the week, color-coded marks, or other effective marking methods, if the marking system is disclosed to the regulatory authority upon request.
- (5) Subsections (1) and (2) of this section do not apply to individual meal portions served or repackaged for sale from a bulk container upon a consumer's request.
- (6) Subsection (2) of this section does not apply to the following foods prepared and packaged by a food processing plant inspected by a regulatory authority:
- (a) Deli salads, such as ham salad, seafood salad, chicken salad, egg salad, pasta salad, potato salad and macaroni salad, manufactured in accordance with 21 C.F.R. part 110, Current Good Manufacturing Practice in Manufacturing, Packing, or Holding Human Food, as such part existed on January 1, 2007;
 - (b) Hard cheeses containing not more than thirty-nine percent moisture as defined in 21 C.F.R. part 133, Cheeses and related cheese products, as such part existed on January 1, 2007, such as cheddar, gruyere, parmesan and reggiano, and romano;
 - (c) Semi-soft cheeses containing more than thirty-nine percent moisture, but not more than fifty percent moisture, as defined in 21 C.F.R. part 133, Cheeses and related cheese products, as such part existed on January 1, 2007, such as blue, edam, gorgonzola, gouda, and monterey jack;
 - (d) Cultured dairy products as defined in 21 C.F.R. part 131, Milk and cream, as such part existed on January 1, 2007, such as yogurt, sour cream, and buttermilk;
 - (e) Preserved fish products, such as pickled herring and dried or salted cod and other acidified fish products, as defined in 21 C.F.R. part 114, Acidified foods, as such part existed on January 1, 2007;
 - (f) Shelf stable, dry fermented sausages, such as pepperoni and Genoa salami that are not labeled "Keep Refrigerated" as specified in 9 C.F.R. part 317, Labeling, marking devices, and containers, as such part existed on January 1, 2007, and which retain the original casing on the product; and
 - (g) Shelf stable salt-cured products such as prosciutto and Parma (ham) that are not labeled "Keep Refrigerated" as specified in 9 C.F.R. part 317, Labeling, marking devices, and containers, as such part existed on January 1, 2007.

81-2,272.25 * (Replaces 2005 Food Code 3-501.18 Ready-to-Eat, Potentially Hazardous Food (Time/Temperature Control for Safety Food) Disposition) *

- (1) A food specified under subsections (1) and (2) of section 81-2,272.24 shall be discarded if such food:
- (a) Exceeds either of the temperature and time combinations specified in subsection (1) of section 81-2,272.24, except time that the food is frozen;

- (b) Is in a container or package that does not bear a date or day; or
 - (c) Is appropriately marked with a date or day that exceeds a temperature and time combination as specified in subsection (1) of section 81-2,272.24.
- (2) Refrigerated, ready-to-eat, potentially hazardous food prepared in a food establishment and dispensed through a vending machine with an automatic shut-off control shall be discarded if it exceeds a temperature and time combination as specified in subsection (1) of section 81-2,272.24.

3-501.19 * Time as a Public Health Control. *

- (A) Except as specified under ¶ (D) of this section, if time only is used as the public health control for a working supply of potentially hazardous food (time/temperature control for safety food) before cooking, or for ready-to-eat potentially hazardous food (time/temperature control for safety food) that is displayed or held for service for immediate consumption:
- (1) Written procedures shall be prepared in advance, maintained in the food establishment and made available to the regulatory authority upon request that specify:
 - (a) Methods of compliance with Subparagraphs (B)(1)-(3) or (C)(1)-(5) of this section; and
 - (b) Methods of compliance with § 3-501.14 for food that is prepared, cooked, and refrigerated before time is used as a public health control.
- (B) If time only, rather than time in conjunction with temperature control, up to a maximum of 4 hours, is used as the public health control:
- (1) The food shall have an initial temperature of 5°C (41°F) or less if removed from cold holding temperature control, or 57°C (135°F) or greater if removed from hot holding temperature control;
 - (2) The food shall be marked or otherwise identified to indicate the time that is 4 hours past the point in time when the food is removed from temperature control;
 - (3) The food shall be cooked and served, served if ready-to-eat, or discarded, within 4 hours from the point in time when the food is removed from temperature control; and
 - (4) The food in unmarked containers or packages, or marked to exceed a 4-hour limit shall be discarded.
- (C) If time only, rather than time in conjunction with temperature control, up to a maximum of 6 hours, is used as the public health control:
- (1) The food shall have an initial temperature of 5°C (41°F) or less when removed from temperature control and the food temperature may not exceed 21°C (70°F) within a maximum time period of 6 hours;
 - (2) The food shall be monitored to ensure the warmest portion of the food does not exceed 21°C (70°F) during the 6-hour period, unless an ambient air temperature is maintained that ensures the food does not exceed 21°C (70°F) during the 6-hour holding period;
 - (3) The food shall be marked or otherwise identified to indicate:
 - (a) The time when the food is removed from the 5°C (41°F) or less cold holding temperature control, and
 - (b) The time that is 6 hours past the point in time when the food is removed from cold holding temperature control;
 - (4) The food shall be:
 - (a) Discarded if the temperature of the food exceeds 21°C (70°F), or
 - (b) Cooked and served, served if ready-to-eat, or discarded, within a maximum of

6 hours from the point in time when the food is removed from 5°C (41°F) or less cold holding temperature control; and

- (5) The food in unmarked containers or packages, or marked with a time that exceeds the 6-hour limit shall be discarded.
- (D) A food establishment that serves a highly susceptible population may not use time as specified under ¶¶ (A), (B) or (C) of this section as the public health control for raw eggs.

81-2,272.27* (Replaces 2005 Food Code 3-502.12 Reduced Oxygen Packaging, Criteria)*

A food establishment may use a reduced oxygen packaging method if a variance has been granted by the regulatory authority or under the following conditions:

- (1) A food establishment shall only use a reduced oxygen packaging method with potentially hazardous food that does not support the growth of the bacteria *Clostridium botulinum* because it:
 - (a) Has an a_w (water activity) of ninety-one hundredths or less;
 - (b) Has a pH of four and six-tenths or less; or
 - (c) Is a meat product cured and processed in the food establishment that at the time of processing had a concentration of sodium nitrite of one hundred twenty milligrams per liter or higher and has a brine concentration of at least three and one-half percent.
- (2) A food with a high level of competing organisms such as raw meat, raw poultry, or semi-soft cheese containing live active starter culture organisms may be packaged using a reduced oxygen method. Such products shall be labeled with a “sell by” or “use by” date not to exceed fourteen days and shall be discarded if not sold by that date.
- (3) Products packaged using a reduced oxygen method shall be maintained at forty-one degrees Fahrenheit (five degrees Celsius) or below.
- (4) Except as provided in subdivision (2) of this section, products packaged using a reduced oxygen method shall be discarded if not sold within thirty days from processing if the food is processed at the food establishment. Food processed by a food processing plant that has been repackaged by the food establishment shall be discarded if not sold within fourteen days from packaging by the food establishment or the original manufacturers “sell by” or “use by” date, whichever occurs first.
- (5) Except as provided in subdivision (2) of this section, products packaged using a reduced oxygen method shall be labeled with a “sell by” or “use by” date which is not more than thirty days from the date it was processed by the food establishment. Food processed by a food processing plant that has been repackaged by the food establishment shall be labeled with a “sell by” or “use by” date which is not more than fourteen days from the date it was repackaged by the food establishment or the original manufacturer’s “sell by” or “use by” date, whichever occurs first.
- (6) Food establishments which process and package food using a reduced oxygen method shall have written policies for operational procedures that:
 - (a) Prohibit contacting ready-to-eat foods with bare hands without proper handwashing;
 - (b) Identify a designated area for reduced oxygen packaging which separates raw foods and ready-to-eat foods to minimize cross contamination;
 - (c) Restrict access to the processing equipment to only responsible trained personnel familiar with the potential hazards of the operation; and
 - (d) Delineate cleaning and sanitization procedures for food contact surfaces.
- (7) Food establishments which package food using a reduced oxygen method shall have a training program to ensure that the individual responsible for the reduced oxygen packaging operation

understands the requirements of the Nebraska Pure Food Act and the procedures, equipment, and facilities required for safe operation.

- (8) A food establishment shall not package fish using a reduced oxygen method unless the fish remains frozen before, during, and after packaging or a variance has been granted by the regulatory authority.

Accurate Representation

3-601.11 Standards of Identity.

Packaged food shall comply with standard of identity requirements in 21 CFR 131-169 and 9 CFR 319 Definitions and Standards of Identity or Composition, and the general requirements in 21 CFR 130 - Food Standards: General and 9 CFR 319 Subpart A - General.

3-601.12 Honestly Presented.

- (A) Food shall be offered for human consumption in a way that does not mislead or misinform the consumer.
- (B) Food or color additives, colored overwraps, or lights may not be used to misrepresent the true appearance, color, or quality of a food.

Labeling

3-602.11 Food Labels.

- (A) Food packaged in a food establishment, shall be labeled as specified in law, including 21 CFR 101 - Food Labeling, and 9 CFR 317 Labeling, Marking Devices, and Containers.
- (B) Label information shall include:
- (1) The common name of the food, or absent a common name, an adequately descriptive identity statement;
 - (2) If made from two or more ingredients, a list of ingredients in descending order of predominance by weight, including a declaration of artificial color or flavor and chemical preservatives, if contained in the food;
 - (3) An accurate declaration of the quantity of contents;
 - (4) The name and place of business of the manufacturer, packer, or distributor; and
 - (5) The name of the food source for each major food allergen contained in the food unless the food source is already part of the common or usual name of the respective ingredient (effective January 1, 2006).
 - (6) Except as exempted in the Federal Food, Drug, and Cosmetic Act § 403(Q)(3)-(5), nutrition labeling as specified in 21 CFR 101 - Food Labeling and 9 CFR 317 Subpart B Nutrition Labeling.
 - (7) For any salmonid fish containing canthaxanthin as a color additive, the labeling of the bulk fish container, including a list of ingredients, displayed on the retail container or by other written means, such as a counter card, that discloses the use of canthaxanthin.
- (C) Bulk food that is available for consumer self-dispensing shall be prominently labeled with the following information in plain view of the consumer:
- (1) The manufacturer's or processor's label that was provided with the food; or
 - (2) A card, sign, or other method of notification that includes the information specified under Subparagraphs (B)(1), (2), and (5) of this section.
- (D) Bulk, unpackaged foods such as bakery products and unpackaged foods that are portioned to consumer specification need not be labeled if:

- (1) A health, nutrient content, or other claim is not made;
- (2) There are no state or local laws requiring labeling; and
- (3) The food is manufactured or prepared on the premises of the food establishment or at another food establishment or a food processing plant that is owned by the same person and is regulated by the food regulatory agency that has jurisdiction.

3-602.12 Other Forms of Information.

- (A) If required by law, consumer warnings shall be provided.
- (B) Food establishment or manufacturers' dating information on foods may not be concealed or altered.

Consumer Advisory

81-2,272.17* (Replaces 2005 Food Code 3-603.11 Consumption of Animal Foods that are Raw, Undercooked, or Not Otherwise Processed to Eliminate Pathogens)*

- (1) The person in charge of a food establishment shall ensure that consumers who order raw or partially cooked foods of animal origin are informed that the food is not cooked sufficiently to assure its safety. If a raw or undercooked animal food such as beef, eggs, fish, lamb, pork, poultry, or shellfish is offered in a ready-to-eat form as a deli, menu, vended, or other item, or as a raw ingredient in another ready-to-eat form, the permit holder shall inform consumers by brochures, deli case or menu advisories, label statements, table tents, placards, or other written means of the significantly increased risk associated with certain especially vulnerable consumers eating such foods in a raw or undercooked form. The following language will satisfy the consumer advisory requirements:

“Thoroughly cooking foods of animal origin such as beef, eggs, fish, lamb, pork, poultry, or shellfish reduces the risk of foodborne illness. Individuals with certain health conditions may be at higher risk if these foods are consumed raw or undercooked. Consult your physician or public health official for further information.”

Disposition

3-701.11* Discarding or Reconditioning Unsafe, Adulterated, or Contaminated Food.*

- (A) A food that is unsafe, adulterated, or not honestly presented as specified under § 3-101.11 shall be reconditioned according to an approved procedure.
- (B) Food that is not from an approved source as specified under § 3-201.11 - .17 shall be discarded.
- (C) Ready-to-eat food that may have been contaminated by an employee who has been restricted or excluded as specified under § 2-201.12 shall be discarded.
- (D) Food that is contaminated by food employees, consumers, or other persons through contact with their hands, bodily discharges, such as nasal or oral discharges, or other means shall be discarded.

Additional Safeguards

3-801.11* Pasteurized Foods, Prohibited Re-Service, and Prohibited Food. *

In a food establishment that serves a highly susceptible population:

- (A) The following criteria apply to juice:

- (1) For the purposes of this paragraph only, children who are age 9 or less and receive food in a school, day care setting or similar facility that provides custodial care are included as highly susceptible populations;
 - (2) Prepackaged juice or a prepackaged beverage containing juice, that bears a warning label as specified in 21 CFR, Section 101.17(g) Food Labeling, warning, notice, and safe handling statements, Juices that have not been specifically processed to prevent, reduce, or eliminate the presence of pathogens, or a packaged juice or beverage containing juice, that bears a warning label as specified under ¶ 3-404.11(B) may not be served or offered for sale; and
 - (3) Unpackaged juice that is prepared on the premises for service or sale in a ready-to-eat form shall be processed under a HACCP plan that contains the information specified under ¶ 8-201.14(B) - (E) and as specified under 21 CFR Part 120 - Hazard Analysis And Critical Control Point (HACCP) Systems, Subpart B Pathogen Reduction, 120.24 Process controls.
- (B) Pasteurized eggs or egg products shall be substituted for raw eggs in the preparation of:
- (1) Foods such as Caesar salad, hollandaise or Bearnaise sauce, mayonnaise, meringue, eggnog, ice cream, and egg-fortified beverages, and
 - (2) Except as specified in ¶ (F) of this section, recipes in which more than one egg is broken and the eggs are combined;
- (C) The following foods may not be served or offered for sale in a ready-to-eat form:
- (1) Raw animal foods such as raw fish, raw-marinated fish, raw molluscan shellfish, and steak tartare,
 - (2) A partially cooked animal food such as lightly cooked fish, rare meat, soft-cooked eggs that are made from raw eggs, and meringue; and
 - (3) Raw seed sprouts.
- (D) Food employees may not contact ready-to-eat food as specified under ¶¶ 3-301.11 (B) and (D).
- (E) Time only, as the public health control as specified under §3-501.19 (D), may not be used for raw eggs.
- (F) Subparagraph (B)(2) of this section does not apply if:
- (1) The raw eggs are combined immediately before cooking for one consumer's serving at a single meal, cooked as specified under Subparagraph 3-401.11(A)(1), and served immediately, such as an omelet, souffle, or scrambled eggs;
 - (2) The raw eggs are combined as an ingredient immediately before baking and the eggs are thoroughly cooked to a ready-to-eat form, such as a cake, muffin, or bread; or
 - (3) The preparation of the food is conducted under a HACCP plan that:
 - (a) Identifies the food to be prepared,
 - (b) Prohibits contacting ready-to-eat food with bare hands,
 - (c) Includes specifications and practices that ensure:
 - (i) Salmonella Enteritidis growth is controlled before and after cooking, and
 - (ii) Salmonella Enteritidis is destroyed by cooking the eggs according to the temperature and time specified in Subparagraph 3-401.11(A)(2),
 - (d) Contains the information specified under ¶ 8-201.14(D) including procedures that:

- (i) Control cross contamination of ready-to-eat food with raw eggs, and
 - (ii) Delineate cleaning and sanitization procedures for food-contact surfaces, and
- (e) Describes the training program that ensures that the food employee responsible for the preparation of the food understands the procedures to be used.
- (G) Except as specified in paragraph (H) of this section, food may be re-served as specified under Subparagraph 3-306.14(B)(1) and (2).
- (H) Food may not be re-served under the following conditions:
 - (1) Any food served to patients or clients who are under contact precautions in medical isolation or quarantine, or protective environment isolation may not be re-served to others outside.
 - (2) Packages of food from any patients, clients, or other consumers should not be re-served to persons in protective environment isolation.

Chapter 4 - Equipment, Utensils, and Linens

Multiuse

4-101.11* Characteristics. *

Materials that are used in the construction of utensils and food-contact surfaces of equipment may not allow the migration of deleterious substances or impart colors, odors, or tastes to food and under normal use conditions shall be:

- (A) Safe;
- (B) Durable, corrosion-resistant, and nonabsorbent;^N
- (C) Sufficient in weight and thickness to withstand repeated warewashing;^N
- (D) Finished to have a smooth, easily cleanable surface;^N and
- (E) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition.^N

4-101.12 Cast Iron, Use Limitation.

- (A) Except as specified in ¶¶ (B) and (C) of this section, cast iron may not be used for utensils or food-contact surfaces of equipment.
- (B) Cast iron may be used as a surface for cooking.
- (C) Cast iron may be used in utensils for serving food if the utensils are used only as part of an uninterrupted process from cooking through service.

4-101.13Lead, Use Limitation.

- (A) Ceramic, china, crystal utensils, and decorative utensils such as hand painted ceramic or china that are used in contact with food shall be lead-free or contain levels of lead not exceeding the limits of the following utensil categories:

Utensil Category	Ceramic Article Description	Maximum Lead mg/L
Beverage Mugs, Cups, Pitchers	Coffee Mugs	0.5
Large Hollowware (excluding pitchers)	Bowls μ 1.1 Liter (1.16 Quart)	1
Small Hollowware (excluding cups & mugs)	Bowls < 1.1 Liter (1.16 Quart)	2.0
Flat Tableware	Plates, Saucers	3.0

- (B) Pewter alloys containing lead in excess of 0.05% may not be used as a food-contact surface.
- (C) Solder and flux containing lead in excess of 0.2% may not be used as a food-contact surface.

4-101.14* Copper, Use Limitation. *

- (A) Except as specified in ¶(B) of this section, copper and copper alloys such as brass may not be used in contact with a food that has a pH below 6 such as vinegar, fruit juice, or wine or for a fitting or tubing installed between a backflow prevention device and a carbonator.
- (B) Copper and copper alloys may be used in contact with beer brewing ingredients that have a pH below 6 in the prefermentation and fermentation steps of a beer brewing operation such as a brewpub or microbrewery.

4-101.15* Galvanized Metal, Use Limitation. *

Galvanized metal may not be used for utensils or food-contact surfaces of equipment that are used in contact with acidic food.

4-101.16 Sponges, Use Limitation.

Sponges may not be used in contact with cleaned and sanitized or in-use food-contact surfaces.

4-101.17 Wood, Use Limitation.

- (A) Except as specified in ¶¶ (B), (C), and (D) of this section, wood and wood wicker may not be used as a food-contact surface.
- (B) Hard maple or an equivalently hard, close-grained wood may be used for:
 - (1) Cutting boards; cutting blocks; bakers' tables; and utensils such as rolling pins, doughnut dowels, salad bowls, and chopsticks; and
 - (2) Wooden paddles used in confectionery operations for pressure scraping kettles when manually preparing confections at a temperature of 110°C (230°F) or above.
- (C) Whole, uncut, raw fruits and vegetables, and nuts in the shell may be kept in the wood shipping containers in which they were received, until the fruits, vegetables, or nuts are used.
- (D) If the nature of the food requires removal of rinds, peels, husks, or shells before consumption, the whole, uncut, raw food may be kept in:
 - (1) Untreated wood containers; or
 - (2) Treated wood containers if the containers are treated with a preservative that meets the requirements specified in 21 CFR 178.3800 Preservatives for wood.

4-101.18 Nonstick Coatings, Use Limitation.

Multiuse kitchenware such as frying pans, griddles, sauce pans, cookie sheets, and waffle bakers that have a perfluorocarbon resin coating shall be used with nonscoring or nonscratching utensils and cleaning aids.

4-101.19 Nonfood-Contact Surfaces.

Nonfood-contact surfaces of equipment that are exposed to splash, spillage, or other food soiling or that require frequent cleaning shall be constructed of a corrosion-resistant, nonabsorbent, and smooth material.

Single-Service and Single-Use

4-102.11* Characteristics. *

Materials that are used to make single-service and single-use articles:

- (A) May not:
 - (1) Allow the migration of deleterious substances, or
 - (2) Impart colors, odors, or tastes to food;^N and
- (B) Shall be:
 - (1) Safe, and
 - (2) Clean.^N

Durability and Strength

4-201.11 Equipment and Utensils.

Equipment and utensils shall be designed and constructed to be durable and to retain their characteristic qualities under normal use conditions.

4-201.12* Food Temperature Measuring Devices. *

Food temperature measuring devices may not have sensors or stems constructed of glass, except that thermometers with glass sensors or stems that are encased in a shatterproof coating such as candy thermometers may be used.

Cleanability

4-202.11* Food-Contact Surfaces. *

- (A) Multiuse food-contact surfaces shall be:
 - (1) Smooth;
 - (2) Free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections;
 - (3) Free of sharp internal angles, corners, and crevices;
 - (4) Finished to have smooth welds and joints; and
 - (5) Except as specified in ¶ (B) of this section, accessible for cleaning and inspection by one of the following methods:
 - (a) Without being disassembled,
 - (b) By disassembling without the use of tools, or
 - (c) By easy disassembling with the use of handheld tools commonly available to maintenance and cleaning personnel such as screwdrivers, pliers, open-end wrenches, and Allen wrenches.
- (B) Subparagraph (A)(5) of this section does not apply to cooking oil storage tanks, distribution lines for cooking oils, or beverage syrup lines or tubes.

4-202.12 CIP Equipment.

- (A) CIP equipment shall meet the characteristics specified under § 4-202.11 and shall be designed and constructed so that:
 - (1) Cleaning and sanitizing solutions circulate throughout a fixed system and contact all interior food-contact surfaces, and
 - (2) The system is self-draining or capable of being completely drained of cleaning and sanitizing solutions; and
- (B) CIP equipment that is not designed to be disassembled for cleaning shall be designed with inspection access points to ensure that all interior food-contact surfaces throughout the fixed system are being effectively cleaned.

4-202.13 “V” Threads, Use Limitation.

Except for hot oil cooking or filtering equipment, “V” type threads may not be used on food-contact surfaces.

4-202.14 Hot Oil Filtering Equipment.

Hot oil filtering equipment shall meet the characteristics specified under § 4-202.11 or § 4-202.12 and shall be readily accessible for filter replacement and cleaning of the filter.

4-202.15 Can Openers.

Cutting or piercing parts of can openers shall be readily removable for cleaning and for replacement.

4-202.16 Nonfood-Contact Surfaces.

Nonfood-contact surfaces shall be free of unnecessary ledges, projections, and crevices, and designed and constructed to allow easy cleaning and to facilitate maintenance.

4-202.17 Kick Plates, Removable.

Kick plates shall be designed so that the areas behind them are accessible for inspection and cleaning by being:

- (A) Removable by one of the methods specified under Subparagraph 4-202.11(A)(5) or capable of being rotated open; and
- (B) Removable or capable of being rotated open without unlocking equipment doors.

4-202.18 Ventilation Hood Systems, Filters.

Filters or other grease extracting equipment shall be designed to be readily removable for cleaning and replacement if not designed to be cleaned in place.

Accuracy

4-203.11 Temperature Measuring Devices, Food.

- (A) Food temperature measuring devices that are scaled only in Celsius or dually scaled in Celsius and Fahrenheit shall be accurate to $\pm 1^{\circ}\text{C}$ in the intended range of use.
- (B) Food temperature measuring devices that are scaled only in Fahrenheit shall be accurate to $\pm 2^{\circ}\text{F}$ in the intended range of use.

4-203.12 Temperature Measuring Devices, Ambient Air and Water.

- (A) Ambient air and water temperature measuring devices that are scaled in Celsius or dually scaled in Celsius and Fahrenheit shall be designed to be easily readable and accurate to $\pm 1.5^{\circ}\text{C}$ in the intended range of use.
- (B) Ambient air and water temperature measuring devices that are scaled only in Fahrenheit shall be accurate to $\pm 3^{\circ}\text{F}$ in the intended range of use.

4-203.13 Pressure Measuring Devices, Mechanical Warewashing Equipment.

Pressure measuring devices that display the pressures in the water supply line for the fresh hot water sanitizing rinse shall have increments of 7 kilopascals (1 pound per square inch) or smaller and shall be accurate to ± 14 kilopascals (± 2 pounds per square inch) in the 100-170 kilopascals (15-25 pounds per square inch) range.

Functionality

4-204.11 Ventilation Hood Systems, Drip Prevention.

Exhaust ventilation hood systems in food preparation and warewashing areas including components such as hoods, fans, guards, and ducting shall be designed to prevent grease or condensation from draining or dripping onto food, equipment, utensils, linens, and single-service and single-use articles.

4-204.12 Equipment Openings, Closures and Deflectors.

- (A) A cover or lid for equipment shall overlap the opening and be sloped to drain.
- (B) An opening located within the top of a unit of equipment that is designed for use with a cover or lid shall be flanged upward at least 5 millimeters (two-tenths of an inch).
- (C) Except as specified under ¶ (D) of this section, fixed piping, temperature measuring devices, rotary shafts, and other parts extending into equipment shall be provided with a watertight joint at the point where the item enters the equipment.
- (D) If a watertight joint is not provided:
 - (1) The piping, temperature measuring devices, rotary shafts, and other parts extending through the openings shall be equipped with an apron designed to deflect condensation, drips, and dust from openings into the food; and
 - (2) The opening shall be flanged as specified under ¶ (B) of this section.

4-204.13 Dispensing Equipment, Protection of Equipment and Food.

In equipment that dispenses or vends liquid food or ice in unpackaged form:

- (A) The delivery tube, chute, orifice, and splash surfaces directly above the container receiving the food shall be designed in a manner, such as with barriers, baffles, or drip aprons, so that drips from condensation and splash are diverted from the opening of the container receiving the food;
- (B) The delivery tube, chute, and orifice shall be protected from manual contact such as by being recessed;
- (C) The delivery tube or chute and orifice of equipment used to vend liquid food or ice in unpackaged form to self-service consumers shall be designed so that the delivery tube or chute and orifice are protected from dust, insects, rodents, and other contamination by a self-closing door if the equipment is:

- (1) Located in an outside area that does not otherwise afford the protection of an enclosure against the rain, windblown debris, insects, rodents, and other contaminants that are present in the environment, or
 - (2) Available for self-service during hours when it is not under the full-time supervision of a food employee; and
- (D) The dispensing equipment actuating lever or mechanism and filling device of consumer self-service beverage dispensing equipment shall be designed to prevent contact with the lip-contact surface of glasses or cups that are refilled.

4-204.14 Vending Machine, Vending Stage Closure.

The dispensing compartment of a vending machine including a machine that is designed to vend prepackaged snack food that is not potentially hazardous (time/temperature control for safety food) such as chips, party mixes, and pretzels shall be equipped with a self-closing door or cover if the machine is:

- (A) Located in an outside area that does not otherwise afford the protection of an enclosure against the rain, windblown debris, insects, rodents, and other contaminants that are present in the environment; or
- (B) Available for self-service during hours when it is not under the full-time supervision of a food employee.

4-204.15 Bearings and Gear Boxes, Leakproof.

Equipment containing bearings and gears that require lubricants shall be designed and constructed so that the lubricant can not leak, drip, or be forced into food or onto food-contact surfaces.

4-204.16 Beverage Tubing, Separation.

Except for cold plates that are constructed integrally with an ice storage bin, beverage tubing and cold-plate beverage cooling devices may not be installed in contact with stored ice.

4-204.17 Ice Units, Separation of Drains.

Liquid waste drain lines may not pass through an ice machine or ice storage bin.

4-204.18 Condenser Unit, Separation.

If a condenser unit is an integral component of equipment, the condenser unit shall be separated from the food and food storage space by a dustproof barrier.

4-204.19 Can Openers on Vending Machines.

Cutting or piercing parts of can openers on vending machines shall be protected from manual contact, dust, insects, rodents, and other contamination.

4-204.110 Molluscan Shellfish Tanks.

- (A) Except as specified under ¶ (B) of this section, molluscan shellfish life support system display tanks may not be used to display shellfish that are offered for human consumption and shall be conspicuously marked so that it is obvious to the consumer that the shellfish are for display only.
- (B) Molluscan shellfish life-support system display tanks that are used to store and display shellfish that are offered for human consumption shall be operated and maintained in accordance with a variance granted by the regulatory authority as specified in § 8-103.10 and a HACCP plan that:

- (1) Is submitted by the permit holder and approved as specified under § 8-103.11; and
- (2) Ensures that:
 - (a) Water used with fish other than molluscan shellfish does not flow into the molluscan tank,
 - (b) The safety and quality of the shellfish as they were received are not compromised by the use of the tank, and
 - (c) The identity of the source of the shellstock is retained as specified under § 3-203.12.

81-2,272.36* (Replaces 2005 Food Code 4-204.111 Vending Machines, Automatic Shutoff)*

- (1) A machine vending potentially hazardous food (time/temperature control for safety food) shall have an automatic control that prevents the machine from vending food:
 - (a) If there is a power failure, mechanical failure, or other condition that results in an internal machine temperature that cannot maintain food temperatures as specified under the Nebraska Pure Food Act; and
 - (b) If a condition specified under subsection (1)(a) of this section occurs, until the vending machine is serviced and restocked with food that has been maintained at temperatures specified under the Act.
- (2) When the automatic shutoff within a vending machine dispensing potentially hazardous food (time/temperature control for safety food) is activated:
 - (a) In a refrigerated vending machine, the ambient temperature shall not exceed forty-one degrees Fahrenheit (five degrees Celsius) or forty-five degrees Fahrenheit (seven degrees Celsius) as specified under the act for more than 30 minutes immediately after the machine is filled, serviced, or restocked; or
 - (b) In a hot holding vending machine, the ambient temperature shall not be below one hundred thirty five degrees Fahrenheit (fifty-seven degrees Celsius) for more than one hundred twenty minutes immediately after the vending machine is filled, serviced, or restocked.

4-204.112 Temperature Measuring Devices.

- (A) In a mechanically refrigerated or hot food storage unit, the sensor of a temperature measuring device shall be located to measure the air temperature or a simulated product temperature in the warmest part of a mechanically refrigerated unit and in the coolest part of a hot food storage unit.
- (B) Except as specified in ¶ (C) of this section, cold or hot holding equipment used for potentially hazardous food (time/temperature control for safety food) shall be designed to include and shall be equipped with at least one integral or permanently affixed temperature measuring device that is located to allow easy viewing of the device's temperature display.
- (C) Paragraph (B) of this section does not apply to equipment for which the placement of a temperature measuring device is not a practical means for measuring the ambient air surrounding the food because of the design, type, and use of the equipment, such as calrod units, heat lamps, cold plates, bainmaries, steam tables, insulated food transport containers, and salad bars.
- (D) Temperature measuring devices shall be designed to be easily readable.
- (E) Food temperature measuring devices and water temperature measuring devices on warewashing machines shall have a numerical scale, printed record, or digital readout in increments no greater than 1°C or 2°F in the intended range of use.

4-204.113 Warewashing Machine, Data Plate Operating Specifications.

A warewashing machine shall be provided with an easily accessible and readable data plate affixed to the machine by the manufacturer that indicates the machine's design and operating specifications including the:

- (A) Temperatures required for washing, rinsing, and sanitizing;
- (B) Pressure required for the fresh water sanitizing rinse unless the machine is designed to use only a pumped sanitizing rinse; and
- (C) Conveyor speed for conveyor machines or cycle time for stationary rack machines.

4-204.114 Warewashing Machines, Internal Baffles.

Warewashing machine wash and rinse tanks shall be equipped with baffles, curtains, or other means to minimize internal cross contamination of the solutions in wash and rinse tanks.

4-204.115 Warewashing Machines, Temperature Measuring Devices.

A warewashing machine shall be equipped with a temperature measuring device that indicates the temperature of the water:

- (A) In each wash and rinse tank; and
- (B) As the water enters the hot water sanitizing final rinse manifold or in the chemical sanitizing solution tank.

4-204.116 Manual Warewashing Equipment, Heaters and Baskets.

If hot water is used for sanitization in manual warewashing operations, the sanitizing compartment of the sink shall be:

- (A) Designed with an integral heating device that is capable of maintaining water at a temperature not less than 77°C (171°F); and
- (B) Provided with a rack or basket to allow complete immersion of equipment and utensils into the hot water.

4-204.118 Warewashing Machines, Flow Pressure Device.

- (A) Warewashing machines that provide a fresh hot water sanitizing rinse shall be equipped with a pressure gauge or similar device such as a transducer that measures and displays the water pressure in the supply line immediately before entering the warewashing machine; and
- (B) If the flow pressure measuring device is upstream of the fresh hot water sanitizing rinse control valve, the device shall be mounted in a 6.4 millimeter or one-fourth inch Iron Pipe Size (IPS) valve.
- (C) Paragraphs (A) and (B) of this section do not apply to a machine that uses only a pumped or recirculated sanitizing rinse.

4-204.119 Warewashing Sinks and Drainboards, Self-Draining.

Sinks and drainboards of warewashing sinks and machines shall be self-draining.

4-204.120 Equipment Compartments, Drainage.

Equipment compartments that are subject to accumulation of moisture due to conditions such as condensation, food or beverage drip, or water from melting ice shall be sloped to an outlet that allows complete draining.

4-204.121 Vending Machines, Liquid Waste Products.

- (A) Vending machines designed to store beverages that are packaged in containers made from paper products shall be equipped with diversion devices and retention pans or drains for container leakage.
- (B) Vending machines that dispense liquid food in bulk shall be:
 - (1) Provided with an internally mounted waste receptacle for the collection of drip, spillage, overflow, or other internal wastes; and
 - (2) Equipped with an automatic shutoff device that will place the machine out of operation before the waste receptacle overflows.
- (C) Shutoff devices specified under Subparagraph (B)(2) of this section shall prevent water or liquid food from continuously running if there is a failure of a flow control device in the water or liquid food system or waste accumulation that could lead to overflow of the waste receptacle.

4-204.122 Case Lot Handling Apparatuses, Moveability.

Apparatuses, such as dollies, pallets, racks, and skids used to store and transport large quantities of packaged foods received from a supplier in a cased or overwrapped lot, shall be designed to be moved by hand or by conveniently available apparatuses such as hand trucks and forklifts.

4-204.123 Vending Machine Doors and Openings.

- (A) Vending machine doors and access opening covers to food and container storage spaces shall be tight-fitting so that the space along the entire interface between the doors or covers and the cabinet of the machine, if the doors or covers are in a closed position, is no greater than 1.5 millimeters or one-sixteenth inch by:
 - (1) Being covered with louvers, screens, or materials that provide an equivalent opening of not greater than 1.5 millimeters or one-sixteenth inch. Screening of 12 or more mesh to 2.5 centimeters (12 mesh to 1 inch) meets this requirement;
 - (2) Being effectively gasketed;
 - (3) Having interface surfaces that are at least 13 millimeters or one-half inch wide; or
 - (4) Jambs or surfaces used to form an L-shaped entry path to the interface.
- (B) Vending machine service connection openings through an exterior wall of a machine shall be closed by sealants, clamps, or grommets so that the openings are no larger than 1.5 millimeters or one-sixteenth inch.

Acceptability

4-205.10 Food Equipment, Certification and Classification.

Food equipment that is certified or classified for sanitation by an American National Standards Institute (ANSI)-accredited certification program is deemed to comply with Parts 4-1 and 4-2 of this chapter.

Equipment

4-301.11 Cooling, Heating, and Holding Capacities.

Equipment for cooling and heating food, and holding cold and hot food, shall be sufficient in number and capacity to provide food temperatures as specified under Chapter 3.

4-301.12 Manual Warewashing, Sink Compartment Requirements.

- (A) Except as specified in ¶ (C) of this section, a sink with at least 3 compartments shall be provided for manually washing, rinsing, and sanitizing equipment and utensils.
- (B) Sink compartments shall be large enough to accommodate immersion of the largest equipment and utensils. If equipment or utensils are too large for the warewashing sink, a warewashing machine or alternative equipment as specified in ¶ (C) of this section shall be used.
- (C) Alternative manual warewashing equipment may be used when there are special cleaning needs or constraints and its use is approved. Alternative manual warewashing equipment may include:
 - (1) High-pressure detergent sprayers;
 - (2) Low- or line-pressure spray detergent foamers;
 - (3) Other task-specific cleaning equipment;
 - (4) Brushes or other implements;
 - (5) Removed from Code;
 - (6) Receptacles that substitute for the compartments of a multicompartment sink.
- (D) Removed from Code.
- (E) Removed from Code.

4-301.13 Drainboards.

Drainboards, utensil racks, or tables large enough to accommodate all soiled and cleaned items that may accumulate during hours of operation shall be provided for necessary utensil holding before cleaning and after sanitizing.

4-301.14 Ventilation Hood Systems, Adequacy.

Ventilation hood systems and devices shall be sufficient in number and capacity to prevent grease or condensation from collecting on walls and ceilings.

4-301.15 Clothes Washers and Dryers.

- (A) Except as specified in ¶ (B) of this section, if work clothes or linens are laundered on the premises, a mechanical clothes washer and dryer shall be provided and used.
- (B) If on-premises laundering is limited to wiping cloths intended to be used moist, or wiping cloths are air-dried as specified under § 4-901.12, a mechanical clothes washer and dryer need not be provided.

Utensils, Temperature Measuring Devices, and Testing Devices

4-302.11 Utensils, Consumer Self-Service.

A food dispensing utensil shall be available for each container displayed at a consumer self-service unit such as a buffet or salad bar.

4-302.12 Food Temperature Measuring Devices.

- (A) Food temperature measuring devices shall be provided and readily accessible for use in ensuring attainment and maintenance of food temperatures as specified under Chapter 3.

- (B) Removed from Code.

4-302.13 Temperature Measuring Devices, Manual Warewashing.

In manual warewashing operations, a temperature measuring device shall be provided and readily accessible for frequently measuring the washing and sanitizing temperatures.

4-302.14 Sanitizing Solutions, Testing Devices.

A test kit or other device that accurately measures the concentration in mg/L of sanitizing solutions shall be provided.

Location

4-401.11 Equipment, Clothes Washers and Dryers, and Storage Cabinets, Contamination Prevention.

- (A) Except as specified in ¶ (B) of this section, equipment, a cabinet used for the storage of food, or a cabinet that is used to store cleaned and sanitized equipment, utensils, laundered linens, and single-service and single-use articles may not be located:

- (1) In locker rooms;
- (2) In toilet rooms;
- (3) In garbage rooms;
- (4) In mechanical rooms;
- (5) Under sewer lines that are not shielded to intercept potential drips;
- (6) Under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed;
- (7) Under open stairwells; or
- (8) Under other sources of contamination.

- (B) A storage cabinet used for linens or single-service or single-use articles may be stored in a locker room.

- (C) If a mechanical clothes washer or dryer is provided, it shall be located so that the washer or dryer is protected from contamination and only where there is no exposed food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles.

4-402.11 Fixed Equipment, Spacing or Sealing.

- (A) Equipment that is fixed because it is not easily movable shall be installed so that it is:

- (1) Spaced to allow access for cleaning along the sides, behind, and above the equipment;
- (2) Spaced from adjoining equipment, walls, and ceilings a distance of not more than 1 millimeter or one thirty-second inch; or
- (3) Sealed to adjoining equipment or walls, if the equipment is exposed to spillage or seepage.

- (B) Counter-mounted equipment that is not easily movable shall be installed to allow cleaning of the equipment and areas underneath and around the equipment by being:

- (1) Sealed; or
- (2) Elevated on legs as specified under ¶ 4-402.12(D).

4-402.12 Fixed Equipment, Elevation or Sealing.

- (A) Except as specified in ¶¶ (B) and (C) of this section, floor-mounted equipment that is not easily movable shall be sealed to the floor or elevated on legs that provide at least a 15 centimeter (6 inch) clearance between the floor and the equipment.
- (B) If no part of the floor under the floor-mounted equipment is more than 15 centimeters (6 inches) from the point of cleaning access, the clearance space may be only 10 centimeters (4 inches).
- (C) This section does not apply to display shelving units, display refrigeration units, and display freezer units located in the consumer shopping areas of a retail food store, if the floor under the units is maintained clean.
- (D) Except as specified in ¶ (E) of this section, counter-mounted equipment that is not easily movable shall be elevated on legs that provide at least a 10 centimeter (4 inch) clearance between the table and the equipment.
- (E) The clearance space between the table and counter-mounted equipment may be:
 - (1) 7.5 centimeters (3 inches) if the horizontal distance of the table top under the equipment is no more than 50 centimeters (20 inches) from the point of access for cleaning; or
 - (2) 5 centimeters (2 inches) if the horizontal distance of the table top under the equipment is no more than 7.5 centimeters (3 inches) from the point of access for cleaning

4-501.11 Good Repair and Proper Adjustment.

- (A) Equipment shall be maintained in a state of repair and condition that meets the requirements specified under Parts 4-1 and 4-2.
- (B) Equipment components such as doors, seals, hinges, fasteners, and kick plates shall be kept intact, tight, and adjusted in accordance with manufacturer's specifications.
- (C) Cutting or piercing parts of can openers shall be kept sharp to minimize the creation of metal fragments that can contaminate food when the container is opened.

4-501.12 Cutting Surfaces.

Surfaces such as cutting blocks and boards that are subject to scratching and scoring shall be resurfaced if they can no longer be effectively cleaned and sanitized, or discarded if they are not capable of being resurfaced.

4-501.13 Microwave Ovens.

Microwave ovens shall meet the safety standards specified in 21 CFR 1030.10 Microwave ovens.

4-501.14 Warewashing equipment, Cleaning Frequency.

A warewashing machine; the compartments of sinks, basins, or other receptacles used for washing and rinsing equipment, utensils, or raw foods, or laundering wiping cloths; and drainboards or other equipment used to substitute for drainboards as specified under § 4-301.13 shall be cleaned:

- (A) Before use;
- (B) Throughout the day at a frequency necessary to prevent recontamination of equipment and utensils and to ensure that the equipment performs its intended function; and
- (C) If used, at least every 24 hours.

4-501.15 Warewashing Machines, Manufacturers' Operating Instructions.

- (A) A warewashing machine and its auxiliary components shall be operated in accordance with the machine's data plate and other manufacturer's instructions.
- (B) A warewashing machine's conveyor speed or automatic cycle times shall be maintained accurately timed in accordance with manufacturer's specifications.

4-501.16 Warewashing Sinks, Use Limitation.

- (A) A warewashing sink may not be used for handwashing as specified under § 2-301.15.
- (B) If a warewashing sink is used to wash wiping cloths, wash produce, or thaw food, the sink shall be cleaned as specified under § 4-501.14 before and after each time it is used to wash wiping cloths or wash produce or thaw food. Sinks used to wash or thaw food shall be sanitized as specified under Part 4-7 before and after using the sink to wash produce or thaw food.

4-501.17 Warewashing Equipment, Cleaning Agents.

When used for warewashing, the wash compartment of a sink, mechanical warewasher, or wash receptacle of alternative manual warewashing equipment as specified in ¶ 4-301.12(C), shall contain a wash solution of soap, detergent, acid cleaner, alkaline cleaner, degreaser, abrasive cleaner, or other cleaning agent according to the cleaning agent manufacturer's label instructions.

4-501.18 Warewashing Equipment, Clean Solutions.

The wash, rinse, and sanitize solutions shall be maintained clean.

4-501.19 Manual Warewashing Equipment, Wash Solution Temperature.

The temperature of the wash solution in manual warewashing equipment shall be maintained at not less than 43°C (110°F) or the temperature specified on the cleaning agent manufacturer's label instructions.

4-501.110 Mechanical Warewashing Equipment, Wash Solution Temperature.

- (A) The temperature of the wash solution in spray type warewashers that use hot water to sanitize may not be less than:
 - (1) For a stationary rack, single temperature machine, 74°C (165°F);
 - (2) For a stationary rack, dual temperature machine, 66°C (150°F);
 - (3) For a single tank, conveyor, dual temperature machine, 71°C (160°F); or
 - (4) For a multitank, conveyor, multitemperature machine, 66°C (150°F).
- (B) The temperature of the wash solution in spray-type warewashers that use chemicals to sanitize may not be less than 49°C (120°F).

4-501.111* Manual Warewashing Equipment, Hot Water Sanitization Temperatures. *

If immersion in hot water is used for sanitizing in a manual operation, the temperature of the water shall be maintained at 77°C (171°F) or above.

4-501.112 Mechanical Warewashing Equipment, Hot Water Sanitization Temperatures.

- (A) Except as specified in ¶ (B) of this section, in a mechanical operation, the temperature of the fresh hot water sanitizing rinse as it enters the manifold may not be more than 90°C (194°F), or less than:

- (1) For a stationary rack, single temperature machine, 74°C (165°F); or
 - (2) For all other machines, 82°C (180°F).
- (B) The maximum temperature specified under ¶ (A) of this section, does not apply to the high pressure and temperature systems with wand-type, hand-held, spraying devices used for the in-place cleaning and sanitizing of equipment such as meat saws.

4-501.113 Mechanical Warewashing Equipment, Sanitization Pressure.

The flow pressure of the fresh hot water sanitizing rinse in a warewashing machine may not be less than 100 kilopascals (15 pounds per square inch) or more than 170 kilopascals (25 pounds per square inch) as measured in the water line immediately downstream or upstream from the fresh hot water sanitizing rinse control valve.

4-501.114* Manual and Mechanical Warewashing Equipment, Chemical Sanitization - Temperature, pH, Concentration, and Hardness. *

A chemical sanitizer used in a sanitizing solution for a manual or mechanical operation at exposure times specified under ¶ 4-703.11(C) shall meet the criteria specified under § 7-204.11 Sanitizers, Criteria, shall be used in accordance with the EPA-approved manufacturer's label use instructions, and shall be used as follows:

- (A) A chlorine solution shall have a minimum temperature based on the concentration and pH of the solution as listed in the following chart;

Minimum Concentration mg/L	Minimum Temperature	
	pH 10 or less °C (°F)	pH 8 or less °C (°F)
25	49 (120)	49 (120)
50	38 (100)	24 (75)
100	13 (55)	13 (55)

- (B) An iodine solution shall have a:
- (1) Minimum temperature of 24°C (75°F),
 - (2) pH of 5.0 or less or a pH no higher than the level for which the manufacturer specifies the solution is effective, and
 - (3) Concentration between 12.5 mg/L and 25 mg/L;
- (C) A quaternary ammonium compound solution shall:
- (1) Have a minimum temperature of 24°C (75°F),
 - (2) Have a concentration as specified under § 7-204.11 and as indicated by the manufacturer's use directions included in the labeling, and
 - (3) Be used only in water with 500 mg/L hardness or less or in water having a hardness no greater than specified by the manufacturer's label;
- (D) If another solution of a chemical specified under ¶ (A)-(C) of this section is used, the permit holder shall demonstrate to the regulatory authority that the solution achieves sanitization and the use of the solution shall be approved; or
- (E) If a chemical sanitizer other than chlorine, iodine, or a quaternary ammonium compound is used, it shall be applied in accordance with the manufacturer's use directions included in the labeling.

4-501.115 Manual Warewashing Equipment, Chemical Sanitization Using Detergent-Sanitizers.

If a detergent-sanitizer is used to sanitize in a cleaning and sanitizing procedure where there is no distinct water rinse between the washing and sanitizing steps, the agent applied in the sanitizing step shall be the same detergent-sanitizer that is used in the washing step.

4-501.116 Warewashing Equipment, Determining Chemical Sanitizer Concentration.

Concentration of the sanitizing solution shall be accurately determined by using a test kit or other device.

4-502.11 Good Repair and Calibration.

- (A) Utensils shall be maintained in a state of repair or condition that complies with the requirements specified under Parts 4-1 and 4-2 or shall be discarded.
- (B) Food temperature measuring device shall be calibrated in accordance with manufacturer's specifications as necessary to ensure their accuracy.
- (C) Ambient air temperature, water pressure, and water temperature measuring devices shall be maintained in good repair and be accurate within the intended range of use.

4-502.12* Single-Service and Single-Use Articles, Required Use. *

A food establishment without facilities specified under Parts 4-6 and 4-7 for cleaning and sanitizing kitchenware and tableware shall provide only single-use kitchenware, single-service articles, and single-use articles for use by food employees and single-service articles for use by Consumers.

4-502.13 Single-Service and Single-Use Articles, Use Limitation.

- (A) Single-service and single-use articles may not be reused.
- (B) The bulk milk container dispensing tube shall be cut on the diagonal leaving no more than one inch protruding from the chilled dispensing head.

4-502.14 Shells, Use Limitation.

Mollusk and crustacea shells may not be used more than once as serving containers.

4-601.11* Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils. *

- (A) Equipment food-contact surfaces and utensils shall be clean to sight and touch.
- (B) The food-contact surfaces of cooking equipment and pans shall be kept free of encrusted grease deposits and other soil accumulations.^N
- (C) Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.^N

Frequency

4-602.11* Equipment Food-Contact Surfaces and Utensils. *

- (A) Equipment food-contact surfaces and utensils shall be cleaned:
 - (1) Except as specified in ¶ (B) of this section, before each use with a different type of raw animal food such as beef, fish, lamb, pork, or poultry;
 - (2) Each time there is a change from working with raw foods to working with ready-to-eat foods;

- (3) Between uses with raw fruits and vegetables and with potentially hazardous food (time/temperature control for safety food);
 - (4) Before using or storing a food temperature measuring device; and
 - (5) At any time during the operation when contamination may have occurred.
- (B) Subparagraph (A)(1) of this section does not apply if the food-contact surface or utensil is in contact with a succession of different raw animal foods each requiring a higher cooking temperature as specified under § 3-401.11 than the previous food, such as preparing raw fish followed by cutting raw poultry on the same cutting board.
- (C) Except as specified in ¶ (D) of this section, if used with potentially hazardous food (time/temperature control for safety food), equipment food-contact surfaces and utensils shall be cleaned throughout the day at least every 4 hours.
- (D) Surfaces of utensils and equipment contacting potentially hazardous food (time/temperature control for safety food) may be cleaned less frequently than every 4 hours if:
- (1) In storage, containers of potentially hazardous food (time/temperature control for safety food) and their contents are maintained at temperatures specified under Chapter 3 and the containers are cleaned when they are empty;
 - (2) Utensils and equipment are used to prepare food in a refrigerated room or area that is maintained at one of the temperatures in the following chart and:
 - (a) The utensils and equipment are cleaned at the frequency in the following chart that corresponds to the temperature; and

Temperature	Cleaning Frequency
5.0°C (41°F) or less	24 hours
>5.0°C - 7.2°C (>41°F - 45°F)	20 hours
>7.2°C - 10.0°C (>45°F - 50°F)	16 hours
>10.0°C - 12.8°C (>50°F - 55°F)	10 hours

- (b) The cleaning frequency based on the ambient temperature of the refrigerated room or area is documented in the food establishment.
- (3) Containers in serving situations such as salad bars, delis, and cafeteria lines hold ready-to-eat potentially hazardous food (time/temperature control for safety food) that is maintained at the temperatures specified under Chapter 3, are intermittently combined with additional supplies of the same food that is at the required temperature, and the containers are cleaned at least every 24 hours;
- (4) Temperature measuring devices are maintained in contact with food, such as when left in a container of deli food or in a roast, held at temperatures specified under Chapter 3;
- (5) Equipment is used for storage of packaged or unpackaged food such as a reach-in refrigerator and the equipment is cleaned at a frequency necessary to preclude accumulation of soil residues;
- (6) The cleaning schedule is approved based on consideration of:
 - (a) Characteristics of the equipment and its use,
 - (b) The type of food involved,
 - (c) The amount of food residue accumulation, and
 - (d) The temperature at which the food is maintained during the operation and the potential for the rapid and progressive multiplication of pathogenic or toxigenic microorganisms that are capable of causing foodborne disease; or
- (7) In-use utensils are intermittently stored in a container of water in which the water is maintained at 57°C (135°F) or more and the utensils and container are cleaned at least every 24 hours or at a frequency necessary to preclude accumulation of soil residues.
- (E) Except when dry cleaning methods are used as specified under § 4-603.11, surfaces of utensils and equipment contacting food that is not potentially hazardous (time/temperature control for safety food) shall be cleaned:^N
 - (1) At any time when contamination may have occurred;
 - (2) At least every 24 hours for iced tea dispensers and consumer self-service utensils such as tongs, scoops, or ladles;
 - (3) Before restocking consumer self-service equipment and utensils such as condiment dispensers and display containers; and
 - (4) In equipment such as ice bins and beverage dispensing nozzles and enclosed components of equipment such as ice makers, cooking oil storage tanks and distribution lines, beverage and syrup dispensing lines or tubes, coffee bean grinders, and water vending equipment:
 - (a) At a frequency specified by the manufacturer, or
 - (b) Absent manufacturer specifications, at a frequency necessary to preclude accumulation of soil or mold.

4-602.12 Cooking and Baking Equipment.

- (A) The food-contact surfaces of cooking and baking equipment shall be cleaned at least every 24 hours. This section does not apply to hot oil cooking and filtering equipment if it is cleaned as specified in Subparagraph 4-602.11(D)(6).
- (B) The cavities and door seals of microwave ovens shall be cleaned at least every 24 hours by using the manufacturer's recommended cleaning procedure.

4-602.13 Nonfood-Contact Surfaces.

Nonfood-contact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.

4-603.11 Dry Cleaning.

- (A) If used, dry cleaning methods such as brushing, scraping, and vacuuming shall contact only surfaces that are soiled with dry food residues that are not potentially hazardous (time/temperature control for safety food).
- (B) Cleaning equipment used in dry cleaning food-contact surfaces may not be used for any other purpose.

4-603.12 Precleaning.

- (A) Food debris on equipment and utensils shall be scrapped over a waste disposal unit or garbage receptacle or shall be removed in a warewashing machine with a prewash cycle.
- (B) If necessary for effective cleaning, utensils and equipment shall be preflushed, presoaked, or scrubbed with abrasives.

4-603.13 Loading of Soiled Items, Warewashing Machines.

Soiled items to be cleaned in a warewashing machine shall be loaded into racks, trays, or baskets or onto conveyors in a position that:

- (A) Exposes the items to the unobstructed spray from all cycles; and
- (B) Allows the items to drain.

4-603.14 Wet Cleaning.

- (A) Equipment food-contact surfaces and utensils shall be effectively washed to remove or completely loosen soils by using the manual or mechanical means necessary such as the application of detergents containing wetting agents and emulsifiers; acid, alkaline, or abrasive cleaners; hot water; brushes; scouring pads; high-pressure sprays; or ultrasonic devices.
- (B) The washing procedures selected shall be based on the type and purpose of the equipment or utensil, and on the type of soil to be removed.

4-603.15 Washing, Procedures for Alternative Manual Warewashing Equipment.

If washing in sink compartments or a warewashing machine is impractical such as when the equipment is fixed or the utensils are too large, washing shall be done by using alternative manual warewashing equipment as specified in ¶ 4-301.12(C) in accordance with the following procedures:

- (A) Equipment shall be disassembled as necessary to allow access of the detergent solution to all parts;
- (B) Equipment components and utensils shall be scrapped or rough cleaned to remove food particle accumulation; and
- (C) Equipment and utensils shall be washed as specified under ¶ 4-603.14(A).

4-603.16 Rinsing Procedures.

Washed utensils and equipment shall be rinsed so that abrasives are removed and cleaning chemicals are removed or diluted through the use of water or a detergent-sanitizer solution by using one of the following procedures:

- (A) Use of a distinct, separate water rinse after washing and before sanitizing if using:
 - (1) A 3-compartment sink,
 - (2) Alternative manual warewashing equipment equivalent to a 3-compartment sink as specified in ¶ 4-301.12(C), or
 - (3) A 3-step washing, rinsing, and sanitizing procedure in a warewashing system for CIP equipment;
- (B) Use of a detergent-sanitizer as specified under § 4-501.115 if using:
 - (1) Alternative warewashing equipment as specified in ¶ 4-301.12(C) that is approved for use with a detergent-sanitizer, or
 - (2) A warewashing system for CIP equipment;
- (C) Removed from Code; or
- (D) If using a warewashing machine that does not recycle the sanitizing solution as specified under ¶ (E) of this section, or alternative manual warewashing equipment such as sprayers, use of a nondistinct water rinse that is:
 - (1) Integrated in the application of the sanitizing solution, and
 - (2) Wasted immediately after each application; or
- (E) If using a warewashing machine that recycles the sanitizing solution for use in the next wash cycle, use of a nondistinct water rinse that is integrated in the application of the sanitizing solution.

4-603.17 * Returnables, Cleaning for Refilling.*

- (A) Except as specified in ¶¶ (B) and (C) of this section, returned empty containers intended for cleaning and refilling with food shall be cleaned and refilled in a regulated food processing plant.
- (B) A food-specific container for beverages may be refilled at a food establishment if:
 - (1) Only beverages that are not potentially hazardous food (time/temperature control for safety food) is used as specified under ¶ 3-304.17(A);
 - (2) The design of the container and of the rinsing equipment and the nature of the beverage, when considered together, allow effective cleaning at home or in the food establishment;
 - (3) Facilities for rinsing before refilling returned containers with fresh, hot water that is under pressure and not recirculated are provided as part of the dispensing system;
 - (4) The consumer-owned container returned to the food establishment for refilling is refilled for sale or service only to the same consumer; and
 - (5) The container is refilled by:

- (a) An employee of the food establishment, or
- (b) The owner of the container if the beverage system includes a contamination-free transfer process that cannot be bypassed by the container owner.
- (c) Consumer-owned containers that are not food-specific may be filled at a water vending machine or system.

4-701.10 Food-Contact Surfaces and Utensils.

Objective

Equipment food-contact surfaces and utensils shall be sanitized.

Frequency

4-702.11* Before Use After Cleaning. *

Utensils and food-contact surfaces of equipment shall be sanitized before use after cleaning.

Methods

4-703.11* Hot Water and Chemical. *

After being cleaned, equipment food-contact surfaces and utensils shall be sanitized in:

- (A) Hot water manual operations by immersion for at least 30 seconds and as specified under § 4-501.111;
- (B) Hot water mechanical operations by being cycled through equipment that is set up as specified under §§ 4-501.15, 4-501.112, and 4-501.113 and achieving a utensil surface temperature of 71°C (160°F) as measured by an irreversible registering temperature indicator; or
- (C) Chemical manual or mechanical operations, including the application of sanitizing chemicals by immersion, manual swabbing, brushing, or pressure spraying methods, using a solution as specified under § 4-501.114 by providing:
 - (1) Except as specified under Subparagraph (C)(2) of this section, an exposure time of at least 10 seconds for a chlorine solution specified under ¶ 4-501.114(A),
 - (2) An exposure time of at least 7 seconds for a chlorine solution of 50 mg/L that has a pH of 10 or less and a temperature of at least 38°C (100°F) or a pH of 8 or less and a temperature of at least 24°C (75°F),
 - (3) An exposure time of at least 30 seconds for other chemical sanitizing solutions, or
 - (4) An exposure time used in relationship with a combination of temperature, concentration, and pH that, when evaluated for efficacy, yields sanitization as defined in Subparagraph 1-201.10(B).

4-801.11 Clean Linens.

Clean linens shall be free from food residues and other soiling matter.

Frequency

4-802.11 Specifications.

- (A) Linens that do not come in direct contact with food shall be laundered between operations if they become wet, sticky, or visibly soiled.
- (B) Cloth gloves used as specified in ¶ 3-304.15(D) shall be laundered before being used with a different type of raw animal food such as beef, fish, lamb, pork or poultry.

- (C) Removed from Code.
- (D) Wet wiping cloths shall be laundered daily.
- (E) Dry wiping cloths shall be laundered as necessary to prevent contamination of food and clean serving utensils.

Methods

4-803.11 Storage of Soiled Linens.

Soiled linens shall be kept in clean, nonabsorbent receptacles or clean, washable laundry bags and stored and transported to prevent contamination of food, clean equipment, clean utensils, and single-service and single-use articles.

4-803.12 Mechanical Washing.

- (A) Except as specified in ¶ (B) of this section, linens shall be mechanically washed.
- (B) In food establishments in which only wiping cloths are laundered as specified in ¶ 4-301.15(B), the wiping cloths may be laundered in a mechanical washer, sink designated only for laundering wiping cloths, or a warewashing or food preparation sink that is cleaned as specified under § 4-501.14.

4-803.13 Use of Laundry Facilities.

- (A) Except as specified in ¶ (B) of this section, laundry facilities on the premises of a food establishment shall be used only for the washing and drying of items used in the operation of the establishment.
- (B) Separate laundry facilities located on the premises for the purpose of general laundering such as for institutions providing boarding and lodging may also be used for laundering food establishment items.

Drying

4-901.11 Equipment and Utensils, Air-Drying Required.

After cleaning and sanitizing, equipment and utensils:

- (A) Shall be air-dried or used after adequate draining as specified in the first paragraph of 40 CFR 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (food-contact surface sanitizing solutions), before contact with food; and
- (B) May not be cloth dried except that utensils that have been air-dried may be polished with cloths that are maintained clean and dry.

4-901.12 Wiping Cloths, Air-Drying Locations.

Wiping cloths laundered in a food establishment that does not have a mechanical clothes dryer as specified in ¶4-301.15(B) shall be air-dried in a location and in a manner that prevents contamination of food, equipment, utensils, linens, and single-service and single-use articles and the wiping cloths. This section does not apply if wiping cloths are stored after laundering in a sanitizing solution as specified under § 4-501.114.

4-902.11 Food-Contact Surfaces.

Lubricants as specified under § 7-205.11 shall be applied to food-contact surfaces that require lubrication in a manner that does not contaminate food-contact surfaces.

4-902.12 Equipment.

Equipment shall be reassembled so that food-contact surfaces are not contaminated.

Storing

4-903.11 Equipment, Utensils, Linens, and Single-Service and Single-Use Articles.

- (A) Except as specified in ¶ (D) of this section, cleaned equipment and utensils, laundered linens, and single-service and single-use articles shall be stored:
 - (1) In a clean, dry location;
 - (2) Where they are not exposed to splash, dust, or other contamination; and
 - (3) At least 15 cm (6 inches) above the floor.
- (B) Clean equipment and utensils shall be stored as specified under ¶ (A) of this section and shall be stored:
 - (1) In a self-draining position that allows air drying; and
 - (2) Covered or inverted.
- (C) Single-service and single-use articles shall be stored as specified under ¶ (A) of this section and shall be kept in the original protective package or stored by using other means that afford protection from contamination until used.
- (D) Items that are kept in closed packages may be stored less than 15 cm (6 inches) above the floor on dollies, pallets, racks, and skids that are designed as specified under § 4-204.122.

4-903.12 Prohibitions.

- (A) Except as specified in ¶ (B) of this section, cleaned and sanitized equipment, utensils, laundered linens, and single-service and single-use articles may not be stored:
 - (1) In locker rooms;
 - (2) In toilet rooms;
 - (3) In garbage rooms;
 - (4) In mechanical rooms;
 - (5) Under sewer lines that are not shielded to intercept potential drips;
 - (6) Under leaking water lines including leaking automatic fire sprinkler heads or under lines on which water has condensed;
 - (7) Under open stairwells; or
 - (8) Under other sources of contamination.
- (B) Laundered linens and single-service and single-use articles that are packaged or in a facility such as a cabinet may be stored in a locker room.

Preventing Contamination

4-904.11 Kitchenware and Tableware.

- (A) Single-service and single-use articles and cleaned and sanitized utensils shall be handled, displayed, and dispensed so that contamination of food- and lip-contact surfaces is prevented.

- (B) Knives, forks, and spoons that are not prewrapped shall be presented so that only the handles are touched by employees and by Consumers if consumer self-service is provided.
- (C) Except as specified under ¶(B) of this section, single-service articles that are intended for food- or lip-contact shall be furnished for consumer self-service with the original individual wrapper intact or from an approved dispenser.

4-904.12 Soiled and Clean Tableware.

Soiled tableware shall be removed from consumer eating and drinking areas and handled so that clean tableware is not contaminated.

4-904.13 Preset Tableware.

- (A) Tableware that is preset shall be protected from contamination by being wrapped, covered, or inverted.
- (B) When tableware is present, exposed, unused settings shall be:
 - (1) Removed when a consumer is seated; or
 - (2) Cleaned and sanitized before further use if the settings are not removed when a consumer is seated.

Chapter 5 - Water, Plumbing, and Waste

Source

5-101.11* Approved System. *

Drinking water shall be obtained from an approved source that is:

- (A) A public water system; or
- (B) A nonpublic water system that is constructed, maintained, and operated according to law.

5-101.12* System Flushing and Disinfection. *

A drinking water system shall be flushed and disinfected before being placed in service after construction, repair, or modification and after an emergency situation, such as a flood, that may introduce contaminants to the system.

5-101.13* Bottled Drinking Water. *

Bottled drinking water used or sold in a food establishment shall be obtained from approved sources in accordance with 21 CFR 129 - Processing and Bottling of Bottled drinking water.

Quality

5-102.11* Standards. *

Except as specified under § 5-102.12:

- (A) Water from a public water system shall meet 40 CFR 141 - National Primary Drinking Water Regulations and state drinking water quality standards; and
- (B) Water from a nonpublic water system shall meet state drinking water quality standards.

5-102.12* Nondrinking Water. *

- (A) A nondrinking water supply shall be used only if its use is approved.
- (B) Nondrinking water shall be used only for nonculinary purposes such as air conditioning, nonfood equipment cooling, fire protection, and irrigation.

5-102.13 Sampling.

Except when used as specified under § 5-102.12, water from a nonpublic water system shall be sampled and tested at least annually and as required by state water quality regulations.

5-102.14 Sample Report.

The most recent sample report for the nonpublic water system shall be retained on file in the food establishment or the report shall be maintained as specified by state water quality regulations.

5-103.11* Capacity. *

- (A) The water source and system shall be of sufficient capacity to meet the peak water demands of the food establishment.
- (B) Hot water generation and distribution systems shall be sufficient to meet the peak hot water demands throughout the food establishment.

Water Supply; Requirements

81-2,272.31 (Replaces 2005 Food Code 5-103.12 and 5-104.11)

Except in response to a temporary interruption of a water supply in the food establishment, any food establishment which is not a mobile food unit or temporary food establishment shall:

- (1) Have water under pressure provided to all fixtures, equipment, and nonfood equipment that are required to use water;
- (2) **(Replaces 2005 Food Code 5-104.11)** Receive water through the use of an approved water main;
- (3) Have a permanent plumbing system; and
- (4) **(Replaces 2005 Food Code 5-203.12)** Have at least one toilet which is permanent, convenient and accessible.

5-104.12 Alternative Water Supply.

Water meeting the requirements specified under Subparts 5-101, 5-102, and 5-103 shall be made available for a mobile facility, for a temporary food establishment without a permanent water supply, and for a food establishment with a temporary interruption of its water supply through:

- (A) A supply of containers of commercially bottled drinking water;
- (B) One or more closed portable water containers;
- (C) An enclosed vehicular water tank;
- (D) An on-premises water storage tank; or
- (E) Piping, tubing, or hoses connected to an adjacent approved source.

5-201.11* Approved. *

- (A) A plumbing system and hoses conveying water shall be constructed and repaired with approved materials according to law.
- (B) A water filter shall be made of safe materials.

5-202.11* Approved System and Cleanable Fixtures. *

- (A) A plumbing system shall be designed, constructed, and installed according to law.
- (B) A plumbing fixture such as a handwashing facility, toilet, or urinal shall be easily cleanable.^N

5-202.12 Handwashing Sink, Installation.

- (A) A handwashing sink shall be equipped to provide water at a temperature of at least 38°C (100°F) through a mixing valve or combination faucet.
- (B) A steam mixing valve may not be used at a handwashing sink.
- (C) A self-closing, slow-closing, or metering faucet shall provide a flow of water for at least 15 seconds without the need to reactivate the faucet.
- (D) An automatic handwashing facility shall be installed in accordance with manufacturer's instructions.

5-202.13* Backflow Prevention, Air Gap. *

An air gap between the water supply inlet and the flood level rim of the plumbing fixture, equipment, or nonfood equipment shall be at least twice the diameter of the water supply inlet and may not be less than 25 mm (1 inch).

5-202.14 Backflow Prevention Device, Design Standard.

A backflow or backsiphonage prevention device installed on a water supply system shall meet American Society of Sanitary Engineering (A.S.S.E.) standards for construction, installation, maintenance, inspection, and testing for that specific application and type of device.

5-202.15 Conditioning Device, Design.

A water filter, screen, and other water conditioning device installed on water lines shall be designed to facilitate disassembly for periodic servicing and cleaning. A water filter element shall be of the replaceable type.

Numbers and Capacities

5-203.11* Handwashing Sinks. *

- (A) Except as specified in ¶¶ (B) and (C) of this section, at least 1 handwashing sink, a number of handwashing sinks necessary for their convenient use by employees in areas specified under §5-204.11, and not fewer than the number of handwashing sinks required by law shall be provided.
- (B) If approved and capable of removing the types of soils encountered in the food operations involved, automatic handwashing facilities may be substituted for handwashing sinks in a food establishment that has at least one handwashing sink.

- (C) If approved, when food exposure is limited and handwashing sinks are not conveniently available, such as in some mobile or temporary food establishments or at some vending machine locations, employees may use chemically treated towelettes for handwashing.

5-203.12* Toilets and Urinals. *

At least 1 toilet and not fewer than the toilets required by law shall be provided. If authorized by law and urinals are substituted for toilets, the substitution shall be done as specified in law.

5-203.13 Service Sink.

At least 1 service sink or 1 curbed cleaning facility equipped with a floor drain shall be provided and conveniently located for the cleaning of mops or similar wet floor cleaning tools and for the disposal of mop water and similar liquid waste.

5-203.14* Backflow Prevention Device, When Required. *

A plumbing system shall be installed to preclude backflow of a solid, liquid, or gas contaminant into the water supply system at each point of use at the food establishment, including on a hose bibb if a hose is attached or on a hose bibb if a hose is not attached and backflow prevention is required by law, by:

- (A) Providing an air gap as specified under § 5-202.13; or
- (B) Installing an approved backflow prevention device as specified under § 5-202.14.

5-203.15* Backflow Prevention Device, Carbonator. *

- (A) If not provided with an air gap as specified under § 5-202.13, a double check valve with an intermediate vent preceded by a screen of not less than 100 mesh to 25.4 mm (100 mesh to 1 inch) shall be installed upstream from a carbonating device and downstream from any copper in the water supply line.
- (B) A single or double check valve attached to the carbonator need not be of the vented type if an air gap or vented backflow prevention device has been otherwise provided as specified under the ¶(A) of this section.

Location and Placement

5-204.11* Handwashing Sinks. *

A handwashing sink shall be located:

- (A) To allow convenient use by employees in food preparation, food dispensing, and warewashing areas; and
- (B) In, or immediately adjacent to, toilet rooms.

5-204.12 Backflow Prevention Device, Location.

A backflow prevention device shall be located so that it may be serviced and maintained.

5-204.13 Conditioning Device, Location.

A water filter, screen, and other water conditioning device installed on water lines shall be located to facilitate disassembly for periodic servicing and cleaning.

Operation and Maintenance

5-205.11 Using a Handwashing Sink.

- (A) A handwashing sink shall be maintained so that it is accessible at all times for employee use.
- (B) A handwashing sink may not be used for purposes other than handwashing.
- (C) An automatic handwashing facility shall be used in accordance with manufacturer's instructions.

5-205.12* Prohibiting a Cross Connection. *

- (A) A person may not create a cross connection by connecting a pipe or conduit between the drinking water system and a nondrinking water system or a water system of unknown quality.
- (B) The piping of a nondrinking water system shall be durably identified so that it is readily distinguishable from piping that carries drinking water.^N

5-205.13 Scheduling Inspection and Service for a Water System Device.

A device such as a water treatment device or backflow preventer shall be scheduled for inspection and service, in accordance with manufacturer's instructions and as necessary to prevent device failure based on local water conditions, and records demonstrating inspection and service shall be maintained by the person in charge.

5-205.14* Water Reservoir of Fogging Devices, Cleaning. *

- (A) A reservoir that is used to supply water to a device such as a produce fogger shall be:
 - (1) Maintained in accordance with manufacturer's specifications; and
 - (2) Cleaned in accordance with manufacturer's specifications or according to the procedures specified under ¶ (B) of this section, whichever is more stringent.
- (B) Cleaning procedures shall include at least the following steps and shall be conducted at least once a week:
 - (1) Draining and complete disassembly of the water and aerosol contact parts;
 - (2) Brush-cleaning the reservoir, aerosol tubing, and discharge nozzles with a suitable detergent solution;
 - (3) Flushing the complete system with water to remove the detergent solution and particulate accumulation; and
 - (4) Rinsing by immersing, spraying, or swabbing the reservoir, aerosol tubing, and discharge nozzles with at least 50 mg/L hypochlorite solution.

5-205.15* System Maintained in Good Repair. *

A plumbing system shall be:

- (A) Repaired according to law; and
- (B) Maintained in good repairs.^S

Materials

5-301.11 Approved.

Materials that are used in the construction of a mobile water tank, mobile food establishment water tank, and appurtenances shall be:

- (A) Safe;
- (B) Durable, corrosion-resistant, and nonabsorbent; and
- (C) Finished to have a smooth, easily cleanable surface.

Design and Construction

5-302.11 Enclosed System, Sloped to Drain.

A mobile water tank shall be:

- (A) Enclosed from the filling inlet to the discharge outlet; and
- (B) Sloped to an outlet that allows complete drainage of the tank.

5-302.12 Inspection and Cleaning Port, Protected and Secured.

If a water tank is designed with an access port for inspection and cleaning, the opening shall be in the top of the tank and:

- (A) Flanged upward at least 13 mm (one-half inch); and
- (B) Equipped with a port cover assembly that is:
 - (1) Provided with a gasket and a device for securing the cover in place, and
 - (2) Flanged to overlap the opening and sloped to drain.

5-302.13 “V” Type Threads, Use Limitation.

A fitting with “V” type threads on a water tank inlet or outlet shall be allowed only when a hose is permanently attached.

5-302.14 Tank Vent, Protected.

If provided, a water tank vent shall terminate in a downward direction and shall be covered with:

- (A) 16 mesh to 25.4 mm (16 mesh to 1 inch) screen or equivalent when the vent is in a protected area;
or
- (B) A protective filter when the vent is in an area that is not protected from windblown dirt and debris.

5-302.15 Inlet and Outlet, Sloped to Drain.

- (A) A water tank and its inlet and outlet shall be sloped to drain.
- (B) A water tank inlet shall be positioned so that it is protected from contaminants such as waste discharge, road dust, oil, or grease.

5-302.16 Hose, Construction and Identification.

A hose used for conveying drinking water from a water tank shall be:

- (A) Safe;
- (B) Durable, corrosion-resistant, and nonabsorbent;

- (C) Resistant to pitting, chipping, crazing, scratching, scoring, distortion, and decomposition;
- (D) Finished with a smooth interior surface, and
- (E) Clearly durably identified as to its use if not permanently attached.

Numbers and Capacities

5-303.11 Filter, Compressed Air.

A filter that does not pass oil or oil vapors shall be installed in the air supply line between the compressor and drinking water system when compressed air is used to pressurize the water tank system.

5-303.12 Protective Cover or Device.

A cap and keeper chain, closed cabinet, closed storage tube, or other approved protective cover or device shall be provided for a water inlet, outlet, and hose.

5-303.13 Mobile Food Establishment Tank Inlet.

A mobile food establishment's water tank inlet shall be:

- (A) 19.1 mm (three-fourths inch) in inner diameter or less; and
- (B) Provided with a hose connection of a size or type that will prevent its use for any other service.

Operation and Maintenance

5-304.11* System Flushing and Sanitization. *

A water tank, pump, and hoses shall be flushed and sanitized before being placed in service after construction, repair, modification, and periods of nonuse.

5-304.12 Using a Pump and Hoses, Backflow Prevention.

A person shall operate a water tank, pump, and hoses so that backflow and other contamination of the water supply are prevented.

5-304.13 Protecting Inlet, Outlet, and Hose Fitting.

If not in use, a water tank and hose inlet and outlet fitting shall be protected using a cover or device as specified under § 5-303.12.

5-304.14 Tank, Pump, and Hoses, Dedication.

- (A) Except as specified in ¶ (B) of this section, a water tank, pump, and hoses used for conveying drinking water shall be used for no other purpose.
- (B) Water tanks, pumps, and hoses approved for liquid foods may be used for conveying drinking water if they are cleaned and sanitized before they are used to convey water.

Mobile Holding Tank

5-401.11 Capacity and Drainage.

A sewage holding tank in a mobile food establishment shall be:

- (A) Sized 15 percent larger in capacity than the water supply tank; and

- (B) Sloped to a drain that is 25 mm (1 inch) in inner diameter or greater, equipped with a shut-off valve.

Retention, Drainage and Delivery

5-402.10 Establishment Drainage System.

Food establishment drainage systems, including grease traps, that convey sewage shall be designed and installed as specified under ¶ 5-202.11(A).

5-402.11* Backflow Prevention. *

- (A) Except as specified in ¶¶ (B), (C), and (D) of this section, a direct connection may not exist between the sewage system and a drain originating from equipment in which food, portable equipment, or utensils are placed.
- (B) Paragraph (A) of this section does not apply to floor drains that originate in refrigerated spaces that are constructed as an integral part of the building.
- (C) If allowed by law, a warewashing machine may have a direct connection between its waste outlet and a floor drain when the machine is located within 1.5 m (5 feet) of a trapped floor drain and the machine outlet is connected to the inlet side of a properly vented floor drain trap.
- (D) If allowed by law, a warewashing or culinary sink may have a direct connection.

5-402.12 Grease Trap.

If used, a grease trap shall be located to be easily accessible for cleaning.

5-402.13* Conveying Sewage. *

Sewage shall be conveyed to the point of disposal through an approved sanitary sewage system or other system, including use of sewage transport vehicles, waste retention tanks, pumps, pipes, hoses, and connections that are constructed, maintained, and operated according to law.

5-402.14 Removing Mobile Food Establishment Wastes.

Sewage and other liquid wastes shall be removed from a mobile food establishment at an approved waste servicing area or by a sewage transport vehicle in such a way that a public health hazard or nuisance is not created.

5-402.15 Flushing a Waste Retention Tank.

A tank for liquid waste retention shall be thoroughly flushed and drained in a sanitary manner during the servicing operation.

Disposal Facility

5-403.11* Approved Sewage Disposal System. *

Sewage shall be disposed through an approved facility that is:

- (A) A public sewage treatment plant; or
- (B) An individual sewage disposal system that is sized, constructed, maintained, and operated according to law.

5-403.12 Other Liquid Wastes and Rainwater.

Condensate drainage and other nonsewage liquids and rainwater shall be drained from point of discharge to disposal according to law.

Facilities on the Premises, Materials, Design, Construction, and Installation

5-501.10 Indoor Storage Area.

If located within the food establishment, a storage area for refuse, recyclables, and returnables shall meet the requirements specified under §§ 6-101.11, 6-201.11 - 6-201.18, 6-202.15, and 6-202.16.

5-501.11 Outdoor Storage Surface.

An outdoor storage surface for refuse, recyclables, and returnables shall be constructed of nonabsorbent material such as concrete or asphalt and shall be smooth, durable, and sloped to drain.

5-501.12 Outdoor Enclosure.

If used, an outdoor enclosure for refuse, recyclables, and returnables shall be constructed of durable and cleanable materials.

5-501.13 Receptacles.

- (A) Except as specified in ¶ (B) of this section, receptacles and waste handling units for refuse, recyclables, and returnables and for use with materials containing food residue shall be durable, cleanable, insect- and rodent-resistant, leakproof, and nonabsorbent.
- (B) Plastic bags and wet strength paper bags may be used to line receptacles for storage inside the food establishment, or within closed outside receptacles.

5-501.14 Receptacles in Vending Machines.

Except for a receptacle for beverage bottle crown closures, a refuse receptacle may not be located within a vending machine.

5-501.15 Outside Receptacles.

- (A) Receptacles and waste handling units for refuse, recyclables, and returnables used with materials containing food residue and used outside the food establishment shall be designed and constructed to have tight-fitting lids, doors, or covers.
- (B) Receptacles and waste handling units for refuse and recyclables such as an on-site compactor shall be installed so that accumulation of debris and insect and rodent attraction and harborage are minimized and effective cleaning is facilitated around and, if the unit is not installed flush with the base pad, under the unit.

5-501.16 Storage Areas, Rooms, and Receptacles, Capacity and Availability.

- (A) An inside storage room and area and outside storage area and enclosure, and receptacles shall be of sufficient capacity to hold refuse, recyclables, and returnables that accumulate.
- (B) A receptacle shall be provided in each area of the food establishment or premises where refuse is generated or commonly discarded, or where recyclables or returnables are placed.
- (C) If disposable towels are used at handwashing lavatories, a waste receptacle shall be located at each lavatory or group of adjacent lavatories.

5-501.17 Toilet Room Receptacle, Covered.

A toilet room used by females shall be provided with a covered receptacle for sanitary napkins.

5-501.18 Cleaning Implements and Supplies.

- (A) Except as specified in ¶ (B) of this section, suitable cleaning implements and supplies such as high pressure pumps, hot water, steam, and detergent shall be provided as necessary for effective cleaning of receptacles and waste handling units for refuse, recyclables, and returnables.
- (B) If approved, off-premises-based cleaning services may be used if on-premises cleaning implements and supplies are not provided.

5-501.19 Storage Areas, Redeeming Machines, Receptacles and Waste Handling Units, Location.

- (A) An area designated for refuse, recyclables, returnables, and, except as specified in ¶ (B) of this section, a redeeming machine for recyclables or returnables shall be located so that it is separate from food, equipment, utensils, linens, and single-service and single-use articles and a public health hazard or nuisance is not created.
- (B) A redeeming machine may be located in the packaged food storage area or consumer area of a food establishment if food, equipment, utensils, linens, and single-service and single-use articles are not subject to contamination from the machines and a public health hazard or nuisance is not created.
- (C) The location of receptacles and waste handling units for refuse, recyclables, and returnables may not create a public health hazard or nuisance or interfere with the cleaning of adjacent space.

5-501.110 Storing Refuse, Recyclables, and Returnables.

Refuse, recyclables, and returnables shall be stored in receptacles or waste handling units so that they are inaccessible to insects and rodents.

5-501.111 Areas, Enclosures, and Receptacles, Good Repair.

Storage areas, enclosures, and receptacles for refuse, recyclables, and returnables shall be maintained in good repair.

5-501.112 Outside Storage Prohibitions.

- (A) Except as specified in ¶(B) of this section, refuse receptacles not meeting the requirements specified under ¶ 5-501.13(A) such as receptacles that are not rodent-resistant, unprotected plastic bags and paper bags, or baled units that contain materials with food residue may not be stored outside.
- (B) Cardboard or other packaging material that does not contain food residues and that is awaiting regularly scheduled delivery to a recycling or disposal site may be stored outside without being in a covered receptacle if it is stored so that it does not create a rodent harborage problem.

5-501.113 Covering Receptacles.

Receptacles and waste handling units for refuse, recyclables, and returnables shall be kept covered:

- (A) Inside the food establishment if the receptacles and units:
 - (1) Contain food residue and are not in continuous use; or

- (2) After they are filled; and
- (B) With tight-fitting lids or doors if kept outside the food establishment.

5-501.114 Using Drain Plugs.

Drains in receptacles and waste handling units for refuse, recyclables, and returnables shall have drain plugs in place.

5-501.115 Maintaining Refuse Areas and Enclosures.

A storage area and enclosure for refuse, recyclables, or returnables shall be maintained free of unnecessary items, as specified under § 6-501.114, and clean.

5-501.116 Cleaning Receptacles.

- (A) Receptacles and waste handling units for refuse, recyclables, and returnables shall be thoroughly cleaned in a way that does not contaminate food, equipment, utensils, linens, or single-service and single-use articles, and waste water shall be disposed of as specified under § 5-402.13.
- (B) Soiled receptacles and waste handling units for refuse, recyclables, and returnables shall be cleaned at a frequency necessary to prevent them from developing a buildup of soil or becoming attractants for insects and rodents.

Removal

5-502.11 Frequency.

Refuse, recyclables, and returnables shall be removed from the premises at a frequency that will minimize the development of objectionable odors and other conditions that attract or harbor insects and rodents.

5-502.12 Receptacles or Vehicles.

Refuse, recyclables, and returnables shall be removed from the premises by way of:

- (A) Portable receptacles that are constructed and maintained according to law; or
- (B) A transport vehicle that is constructed, maintained, and operated according to law.

Facilities for Disposal and Recycling

5-503.11 Community or Individual Facility.

Solid waste not disposed of through the sewage system such as through grinders and pulpers shall be recycled or disposed of in an approved public or private community recycling or refuse facility; or solid waste shall be disposed of in an individual refuse facility such as a landfill or incinerator which is sized, constructed, maintained, and operated according to law.

Chapter 6 - Physical Facilities

Indoor Areas

6-101.11 Surface Characteristics.

- (A) Except as specified in ¶ (B) of this section, materials for indoor floor, wall, and ceiling surfaces under conditions of normal use shall be:

- (1) Smooth, durable, and easily cleanable for areas where food establishment operations are conducted;
 - (2) Closely woven and easily cleanable carpet for carpeted areas; and
 - (3) Nonabsorbent for areas subject to moisture such as food preparation areas, walk-in refrigerators, warewashing areas, toilet rooms, mobile food establishment servicing areas, and areas subject to flushing or spray cleaning methods.
- (B) In a temporary food establishment:
- (1) If graded to drain, a floor may be concrete, machine-laid asphalt, or dirt or gravel if it is covered with mats, removable platforms, duckboards, or other approved materials that are effectively treated to control dust and mud; and
 - (2) Walls and ceilings may be constructed of a material that protects the interior from the weather and windblown dust and debris.

Outdoor Areas

6-102.11 Surface Characteristics.

- (A) The outdoor walking and driving areas shall be surfaced with concrete, asphalt, or gravel or other materials that have been effectively treated to minimize dust, facilitate maintenance, and prevent muddy conditions.
- (B) Exterior surfaces of buildings and mobile food establishments shall be of weather-resistant materials and shall comply with law.
- (C) Outdoor storage areas for refuse, recyclables, or returnables shall be of materials specified under §§ 5-501.11 and 5-501.12.

Cleanability

6-201.11 Floors, Walls, and Ceilings.

Except as specified under § 6-201.14, and except for antislip floor coverings or applications that may be used for safety reasons, floors, floor coverings, walls, wall coverings, and ceilings shall be designed, constructed, and installed so they are smooth and easily cleanable.

6-201.12 Floors, Walls, and Ceilings, Utility Lines.

- (A) Utility service lines and pipes may not be unnecessarily exposed.
- (B) Exposed utility service lines and pipes shall be installed so they do not obstruct or prevent cleaning of the floors, walls, or ceilings.
- (C) Exposed horizontal utility service lines and pipes may not be installed on the floor.

6-201.13 Floor and Wall Junctures, Coved, and Enclosed or Sealed.

- (A) In food establishments in which cleaning methods other than water flushing are used for cleaning floors, the floor and wall junctures shall be coved and closed to no larger than 1 mm (one thirty-second inch).
- (B) The floors in food establishments in which water flush cleaning methods are used shall be provided with drains and be graded to drain, and the floor and wall junctures shall be coved and sealed.

6-201.14 Floor Carpeting, Restrictions and Installation.

- (A) A floor covering such as carpeting or similar material may not be installed as a floor covering in food preparation areas, walk-in refrigerators, warewashing areas, toilet room areas where handwashing lavatories, toilets, and urinals are located, refuse storage rooms, or other areas where the floor is subject to moisture, flushing, or spray cleaning methods.
- (B) If carpeting is installed as a floor covering in areas other than those specified under ¶ (A) of this section, it shall be:
 - (1) Securely attached to the floor with a durable mastic, by using a stretch and tack method, or by another method; and
 - (2) Installed tightly against the wall under the coving or installed away from the wall with a space between the carpet and the wall and with the edges of the carpet secured by metal stripping or some other means.

6-201.15 Floor Covering, Mats and Duckboards.

Mats and duckboards shall be designed to be removable and easily cleanable.

6-201.16 Wall and Ceiling Coverings and Coatings.

- (A) Wall and ceiling covering materials shall be attached so that they are easily cleanable.
- (B) Except in areas used only for dry storage, concrete, porous blocks, or bricks used for indoor wall construction shall be finished and sealed to provide a smooth, nonabsorbent, easily cleanable surface.

6-201.17 Walls and Ceilings, Attachments.

- (A) Except as specified in ¶ (B) of this section, attachments to walls and ceilings such as light fixtures, mechanical room ventilation system components, vent covers, wall mounted fans, decorative items, and other attachments shall be easily cleanable.
- (B) In a consumer area, wall and ceiling surfaces and decorative items and attachments that are provided for ambiance need not meet this requirement if they are kept clean.

6-201.18 Walls and Ceilings, Studs, Joists, and Rafters.

Except for temporary food establishments, studs, joists, and rafters may not be exposed in areas subject to moisture.

Functionality

6-202.11 Light Bulbs, Protective Shielding.

- (A) Except as specified in ¶ (B) of this section, light bulbs shall be shielded, coated, or otherwise shatter-resistant in areas where there is exposed food; clean equipment, utensils, and linens; or unwrapped single-service and single-use articles.
- (B) Shielded, coated, or otherwise shatter-resistant bulbs need not be used in areas used only for storing food in unopened packages, if:
 - (1) The integrity of the packages can not be affected by broken glass falling onto them; and
 - (2) The packages are capable of being cleaned of debris from broken bulbs before the packages are opened.

- (C) An infrared or other heat lamp shall be protected against breakage by a shield surrounding and extending beyond the bulb so that only the face of the bulb is exposed.

6-202.12 Heating, Ventilating, Air Conditioning System Vents.

Heating, ventilating, and air conditioning systems shall be designed and installed so that make-up air intake and exhaust vents do not cause contamination of food, food-contact surfaces, equipment, or utensils.

6-202.13 Insect Control Devices, Design and Installation.

- (A) Insect control devices that are used to electrocute or stun flying insects shall be designed to retain the insect within the device.
- (B) Insect control devices shall be installed so that:
 - (1) The devices are not located over a food preparation area; and
 - (2) Dead insects and insect fragments are prevented from being impelled onto or falling on exposed food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles.

6-202.14 Toilet Rooms, Enclosed.

Except where a toilet room is located outside a food establishment and does not open directly into the food establishment such as a toilet room that is provided by the management of a shopping mall, a toilet room located on the premises shall be completely enclosed and provided with a tight-fitting and self-closing door.

6-202.15 Outer Openings, Protected.

- (A) Except as specified in ¶¶ (B), (C), and (E) and under ¶ (D) of this section, outer openings of a food establishment shall be protected against the entry of insects and rodents by:
 - (1) Filling or closing holes and other gaps along floors, walls, and ceilings;
 - (2) Closed; tight-fitting windows; and
 - (3) Solid, self-closing, tight-fitting doors.
- (B) Paragraph (A) of this section does not apply if a food establishment opens into a larger structure, such as a mall, airport, or office building, or into an attached structure, such as a porch, and the outer openings from the larger or attached structure are protected against the entry of insects and rodents.
- (C) Exterior doors used as exits need not be self-closing if they are:
 - (1) Solid and tight-fitting;
 - (2) Designated for use only when an emergency exists, by the fire protection authority that has jurisdiction over the food establishment; and
 - (3) Limited-use so they are not used for entrance or exit from the building for purposes other than the designated emergency exit use.
- (D) Except as specified in ¶¶ (B) and (E) of this section, if the windows or doors of a food establishment, or of a larger structure within which a food establishment is located, are kept open for ventilation or other purposes or a temporary food establishment is not provided with windows and doors as specified under ¶ (A) of this section, the openings shall be protected against the entry of insects and rodents by:
 - (1) 16 mesh to 25.4 mm (16 mesh to 1 inch) screens;
 - (2) Properly designed and installed air curtains to control flying insects; or

(3) Other effective means.

(E) Paragraph (D) of this section does not apply if flying insects and other pests are absent due to the location of the establishment, the weather, or other limiting condition.

6-202.16 Exterior Walls and Roofs, Protective Barrier.

Perimeter walls and roofs of a food establishment shall effectively protect the establishment from the weather and the entry of insects, rodents, and other animals.

6-202.17 Outdoor Food Vending Areas, Overhead Protection.

Except for machines that vend canned beverages, if located outside, a machine used to vend food shall be provided with overhead protection.

6-202.18 Outdoor Servicing Areas, Overhead Protection.

Except for areas used only for the loading of water or the discharge of sewage and other liquid waste, through the use of a closed system of hoses, servicing areas shall be provided with overhead protection.

6-202.19 Outdoor Walking and Driving Surfaces, Graded to Drain.

Exterior walking and driving surfaces shall be graded to drain.

6-202.110 Outdoor Refuse Areas, Curbed and Graded to Drain.

Outdoor refuse areas shall be constructed in accordance with law and shall be curbed and graded to drain to collect and dispose of liquid waste that results from the refuse and from cleaning the area and waste receptacles.

6-202.111 Private Homes and Living or Sleeping Quarters, Use Prohibition.

A private home, a room used as living or sleeping quarters, or an area directly opening into a room used as living or sleeping quarters may not be used for conducting food establishment operations.

6-202.112 Living or Sleeping Quarters, Separation.

Living or sleeping quarters located on the premises of a food establishment such as those provided for lodging registration clerks or resident managers shall be separated from rooms and areas used for food establishment operations by complete partitioning and solid self-closing doors.

Handwashing Sinks

6-301.10 Minimum Number.

Handwashing facilities shall be provided as specified under § 5-203.11.

6-301.11 Handwashing Cleanser, Availability.

Each handwashing sink or group of 2 adjacent handwashing sinks shall be provided with a supply of hand cleaning liquid, powder, or bar soap.

6-301.12 Hand Drying Provision.

Each handwashing sink or group of adjacent handwashing sinks shall be provided with:

(A) Individual, disposable towels;

- (B) A continuous towel system that supplies the user with a clean towel; or
- (C) A heated-air hand drying device.

6-301.13 Handwashing Aids and Devices, Use restrictions.

A sink used for food preparation or utensil washing, or a service sink or curbed cleaning facility used for the disposal of mop water or similar wastes, may not be provided with the handwashing aids and devices required for a handwashing sink as specified under §§ 6-301.11 and 6-301.12 and ¶ 5-501.16(C).

6-301.20 Disposable Towels, Waste Receptacle.

A handwashing sink or group of adjacent handwashing sinks that is provided with disposable towels shall be provided with a waste receptacle as specified under ¶ 5-501.16(C).

Toilets and Urinals

6-302.10 Minimum Number.

Toilets and urinals shall be provided as specified under § 5-203.12.

6-302.11 Toilet Tissue, Availability.

A supply of toilet tissue shall be available at each toilet.

Lighting

6-303.11 Intensity.

The light intensity shall be:

- (A) At least 108 lux (10 foot candles) at a distance of 75 cm (30 inches) above the floor, in walk-in refrigeration units and dry food storage areas and in other areas and rooms during periods of cleaning;
- (B) At least 215 lux (20 foot candles):
 - (1) At a surface where food is provided for consumer self-service such as buffets and salad bars or where fresh produce or packaged foods are sold or offered for consumption;
 - (2) Inside equipment such as reach-in and under-counter refrigerators; and
 - (3) At a distance of 75 cm (30 inches) above the floor in areas used for handwashing, warewashing, and equipment and utensil storage, and in toilet rooms; and
- (C) At least 540 lux (50 foot candles) at a surface where a food employee is working with food or working with utensils or equipment such as knives, slicers, grinders, or saws where employee safety is a factor.

Ventilation

6-304.11 Mechanical.

If necessary to keep rooms free of excessive heat, steam, condensation, vapors, obnoxious odors, smoke, and fumes, mechanical ventilation of sufficient capacity shall be provided.

Dressing Areas and Lockers

6-305.11 Designation.

- (A) Dressing rooms or dressing areas shall be designated if employees routinely change their clothes in the establishment.

- (B) Lockers or other suitable facilities shall be provided for the orderly storage of employees' clothing and other possessions.

Service Sinks

6-306.10 Availability.

A service sink or curbed cleaning facility shall be provided as specified under § 5-203.13.

Handwashing Sinks

6-401.10 Conveniently Located.

Handwashing sinks shall be conveniently located as specified under § 5-204.11.

Toilet Rooms

6-402.11 Convenience and Accessibility.

Toilet rooms shall be conveniently located and accessible to employees during all hours of operation.

Employee Accommodations

6-403.11 Designated Areas.

- (A) Areas designated for employees to eat, drink, and use tobacco shall be located so that food, equipment, linens, and single-service and single-use articles are protected from contamination.
- (B) Lockers or other suitable facilities shall be located in a designated room or area where contamination of food, equipment, utensils, linens, and single-service and single-use articles can not occur.

Distressed Merchandise

6-404.11 Segregation and Location.

Products that are held by the permit holder for credit, redemption, or return to the distributor, such as damaged, spoiled, or recalled products, shall be segregated and held in designated areas that are separated from food, equipment, utensils, linens, and single-service and single-use articles.

Refuse, Recyclables, and Returnables

6-405.10 Receptacles, Waste Handling Units, and Designated Storage Areas.

Units, receptacles, and areas designated for storage of refuse and recyclable and returnable containers shall be located as specified under § 5-501.19.

Premises, Structures, Attachments, and Fixtures – Methods

6-501.11 Repairing.

The physical facilities shall be maintained in good repair.

6-501.12 Cleaning, Frequency and restrictions.

- (A) The physical facilities shall be cleaned as often as necessary to keep them clean.
- (B) Except for cleaning that is necessary due to a spill or other accident, cleaning shall be done during periods when the least amount of food is exposed such as after closing.

6-501.13 Cleaning Floors, Dustless Methods.

- (A) Except as specified in ¶ (B) of this section, only dustless methods of cleaning shall be used, such as wet cleaning, vacuum cleaning, mopping with treated dust mops, or sweeping using a broom and dust-arresting compounds.
- (B) Spills or drippage on floors that occur between normal floor cleaning times may be cleaned:
 - (1) Without the use of dust-arresting compounds; and
 - (2) In the case of liquid spills or drippage, with the use of a small amount of absorbent compound such as sawdust or diatomaceous earth applied immediately before spot cleaning.

6-501.14 Cleaning Ventilation Systems, Nuisance and Discharge Prohibition.

- (A) Intake and exhaust air ducts shall be cleaned and filters changed so they are not a source of contamination by dust, dirt, and other materials.
- (B) If vented to the outside, ventilation systems may not create a public health hazard or nuisance or unlawful discharge.

6-501.15* Cleaning Maintenance Tools, Preventing Contamination. *

Food preparation sinks, handwashing sinks, and warewashing equipment may not be used for the cleaning of maintenance tools, the preparation or holding of maintenance materials, or the disposal of mop water and similar liquid wastes.

6-501.16 Drying Mops.

After use, mops shall be placed in a position that allows them to air-dry without soiling walls, equipment, or supplies.

6-501.17 Absorbent Materials on Floors, Use Limitation.

Except as specified in ¶ 6-501.13(B), sawdust, wood shavings, granular salt, baked clay, diatomaceous earth, or similar materials may not be used on floors.

6-501.18 Cleaning of Plumbing Fixtures.

Plumbing fixtures such as handwashing sinks, toilets, and urinals shall be cleaned as often as necessary to keep them clean and maintained and used as specified under § 5-205.11.

6-501.19 Closing Toilet Room Doors.

Except during cleaning and maintenance operations, toilet room doors as specified under § 6-202.14 shall be kept closed.

6-501.110 Using Dressing Rooms and Lockers.

- (A) Dressing rooms shall be used by employees if the employees regularly change their clothes in the establishment.
- (B) Lockers or other suitable facilities shall be used for the orderly storage of employee clothing and other possessions.

6-501.111* Controlling Pests. *

The presence of insects, rodents, and other pests shall be controlled to minimize their presence on the premises by:

- (A) Routinely inspecting incoming shipments of food and supplies;^N
- (B) Routinely inspecting the premises for evidence of pests;^N
- (C) Using methods, if pests are found, such as trapping devices or other means of pest control as specified under §§ 7-202.12, 7-206.12, and 7-206.13; and
- (D) Eliminating harborage conditions.^N

6-501.112 Removing Dead or Trapped Birds, Insects, Rodents, and Other Pests.

Dead or trapped birds, insects, rodents, and other pests shall be removed from control devices and the premises at a frequency that prevents their accumulation, decomposition, or the attraction of pests.

6-501.113 Storing Maintenance Tools.

Maintenance tools such as brooms, mops, vacuum cleaners, and similar items shall be:

- (A) Stored so they do not contaminate food, equipment, utensils, linens, and single-service and single-use articles; and
- (B) Stored in an orderly manner that facilitates cleaning the area used for storing the maintenance tools.

6-501.114 Maintaining Premises, Unnecessary Items and Litter.

The premises shall be free of:

- (A) Items that are unnecessary to the operation or maintenance of the establishment such as equipment that is nonfunctional or no longer used; and
- (B) Litter.

6-501.115* Prohibiting Animals. *

- (A) Except as specified in ¶¶ (B) and (C) of this section, live animals may not be allowed on the premises of a food establishment.
- (B) Live animals may be allowed in the following situations if the contamination of food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles can not result:
 - (1) Edible fish or decorative fish in aquariums, shellfish or crustacea on ice or under refrigeration, and shellfish and crustacea in display tank systems;
 - (2) Patrol dogs accompanying police or security officers in offices and dining, sales, and storage areas, and sentry dogs running loose in outside fenced areas;
 - (3) In areas that are not used for food preparation and that are usually open for customers, such as dining and sales areas, service animals that are controlled by the disabled employee or person, if a health or safety hazard will not result from the presence or activities of the service animal;

- (4) Pets in the common dining areas of institutional care facilities such as nursing homes, assisted living facilities, group homes, or residential care facilities at times other than during meals if:
 - (a) Effective partitioning and self-closing doors separate the common dining areas from food storage or food preparation areas,
 - (b) Condiments, equipment, and utensils are stored in enclosed cabinets or removed from the common dining areas when pets are present, and
 - (c) Dining areas including tables, countertops, and similar surfaces are effectively cleaned before the next meal service; and
- (5) In areas that are not used for food preparation, storage, sales, display, or dining, in which there are caged animals or animals that are similarly confined, such as in a variety store that sells pets or a tourist park that displays animals.
- (C) Live or dead fish bait may be stored if contamination of food; clean equipment, utensils, and linens; and unwrapped single-service and single-use articles can not result.

Chapter 7 - Poisonous or Toxic Materials

Original Containers

7-101.11* Identifying Information, Prominence. *

Containers of poisonous or toxic materials and personal care items shall bear a legible manufacturer's label.

Working Containers

7-102.11* Common Name. *

Working containers used for storing poisonous or toxic materials such as cleaners and sanitizers taken from bulk supplies shall be clearly and individually identified with the common name of the material.

Storage

7-201.11* Separation. *

Poisonous or toxic materials shall be stored so they can not contaminate food, equipment, utensils, linens, and single-service and single-use articles by:

- (A) Separating the poisonous or toxic materials by spacing or partitioning;^S and
- (B) Locating the poisonous or toxic materials in an area that is not above food, equipment, utensils, linens, and single-service or single-use articles. This paragraph does not apply to equipment and utensil cleaners and sanitizers that are stored in warewashing areas for availability and convenience if the materials are stored to prevent contamination of food, equipment, utensils, linens, and single-service and single-use articles.

Presence and Use

7-202.11* Restriction. *

- (A) Only those poisonous or toxic materials that are required for the operation and maintenance of a food establishment, such as for the cleaning and sanitizing of equipment and utensils and the control of insects and rodents, shall be allowed in a food establishment.^S
- (B) Paragraph (A) of this section does not apply to packaged poisonous or toxic materials that are for retail sale.

7-202.12* Conditions of Use. *

Poisonous or toxic materials shall be:

- (A) Used according to:
 - (1) Law and this Code,
 - (2) Manufacturer's use directions included in labeling, and, for a pesticide, manufacturer's label instructions that state that use is allowed in a food establishment,
 - (3) The conditions of certification, if certification is required, for use of the pest control materials, and
 - (4) Additional conditions that may be established by the regulatory authority; and
- (B) Applied so that:
 - (1) A hazard to employees or other persons is not constituted, and
 - (2) Contamination including toxic residues due to drip, drain, fog, splash or spray on food, equipment, utensils, linens, and single-service and single-use articles is prevented, and for a restricted use pesticide, this is achieved by:
 - (a) Removing the items,
 - (b) Covering the items with impermeable covers, or
 - (c) Taking other appropriate preventive actions, and
 - (d) Cleaning and sanitizing equipment and utensils after the application.
- (C) A restricted use pesticide shall be applied only by an applicator certified as defined in 7 USC 136 Definitions (e) Certified Applicator, of the Federal Insecticide, Fungicide and Rodenticide Act, or a person under the direct supervision of a certified applicator.

Container Prohibitions

7-203.11* Poisonous or Toxic Material Containers. *

A container previously used to store poisonous or toxic materials may not be used to store, transport, or dispense food.

Chemicals

7-204.11* Sanitizers, Criteria. *

Chemical sanitizers and other chemical antimicrobials applied to food-contact surfaces shall meet the requirements specified in 40 CFR 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (food-contact surface sanitizing solutions).

7-204.12* Chemicals for Washing Fruits and Vegetables, Criteria. *

Chemicals used to wash or peel raw, whole fruits and vegetables shall meet the requirements specified in 21 CFR 173.315 Chemicals used in washing or to assist in the peeling of fruits and vegetables.

7-204.13* Boiler Water Additives, Criteria. *

Chemicals used as boiler water additives shall meet the requirements specified in 21 CFR 173.310 Boiler water additives.

7-204.14* Drying Agents, Criteria. *

Drying agents used in conjunction with sanitization shall:

- (A) Contain only components that are listed as one of the following:
- (1) Generally recognized as safe for use in food as specified in 21 CFR 182 - Substances Generally Recognized as Safe, or 21 CFR 184 - Direct Food Substances Affirmed as Generally Recognized as Safe,
 - (2) Generally recognized as safe for the intended use as specified in 21 CFR 186 - Indirect Food Substances Affirmed as Generally Recognized as Safe,
 - (3) Approved for use as a drying agent under a prior sanction specified in 21 CFR 181 - Prior-Sanctioned Food Ingredients,
 - (4) Specifically regulated as an indirect food additive for use as a drying agent as specified in 21 CFR Parts 175-178, or
 - (5) Approved for use as a drying agent under the threshold of regulation process established by 21 CFR 170.39 Threshold of regulation for substances used in food-contact articles; and
- (B) When sanitization is with chemicals, the approval required under Subparagraph (A)(3) or (A)(5) of this section or the regulation as an indirect food additive required under Subparagraph (A)(4) of this section, shall be specifically for use with chemical sanitizing solutions.

Lubricants

7-205.11* Incidental Food Contact, Criteria. *

Lubricants shall meet the requirements specified in 21 CFR 178.3570 Lubricants with incidental food contact, if they are used on food-contact surfaces, on bearings and gears located on or within food-contact surfaces, or on bearings and gears that are located so that lubricants may leak, drip, or be forced into food or onto food-contact surfaces.

Pesticides

7-206.11* Restricted Use Pesticides, Criteria. *

Restricted use pesticides specified under ¶ 7-202.12(C) shall meet the requirements specified in 40 CFR 152 Subpart I - Classification of Pesticides.

7-206.12* Rodent Bait Stations. *

Rodent bait shall be contained in a covered, tamper-resistant bait station.

7-206.13* Tracking Powders, Pest Control and Monitoring. *

- (A) Except as specified in ¶ (B) of this section, a tracking powder pesticide may not be used in a food establishment.
- (B) If used, a nontoxic tracking powder such as talcum or flour may not contaminate food, equipment, utensils, linens, and single-service and single-use articles.^N

Medicines

7-207.11* Restriction and Storage. *

- (A) Except for medicines that are stored or displayed for retail sale, only those medicines that are necessary for the health of employees shall be allowed in a food establishment.
- (B) Medicines that are in a food establishment for the employees' use shall be labeled as specified under § 7-101.11 and located to prevent the contamination of food, equipment, utensils, linens, and single-service and single-use articles.

7-207.12* Refrigerated Medicines, Storage. *

Medicines belonging to employees or to children in a day care center that require refrigeration and are stored in a food refrigerator shall be:

- (A) Stored in a package or container and kept inside a covered, leakproof container that is identified as a container for the storage of medicines; and
- (B) Located so they are inaccessible to children.

First Aid Supplies

7-208.11* Storage. *

First aid supplies that are in a food establishment for the employees' use shall be:

- (A) Labeled as specified under § 7-101.11;^S and
- (B) Stored in a kit or a container that is located to prevent the contamination of food, equipment, utensils, and linens, and single-service and single-use articles.^S

Other Personal Care Items

7-209.11 Storage.

Except as specified under §§ 7-207.12 and 7-208.11, employees shall store their personal care items in facilities as specified under ¶ 6-305.11(B).

Storage and Display

7-301.11* Separation. *

Poisonous or toxic materials shall be stored and displayed for retail sale so they can not contaminate food, equipment, utensils, linens, and single-service and single-use articles by:

- (A) Separating the poisonous or toxic materials by spacing or partitioning;^S and
- (B) Locating the poisonous or toxic materials in an area that is not above food, equipment, utensils, linens, and single-service or single-use articles.

Chapter 8 - Compliance and Enforcement

Variations

8-103.10 Modifications and Waivers.

The regulatory authority may grant a variance by modifying or waiving the requirements of this Code if in the opinion of the regulatory authority a health hazard or nuisance will not result from the variance. If a variance is granted, the regulatory authority shall retain the information specified under § 8-103.11 in its records for the food establishment.

8-103.11 Documentation of Proposed Variance and Justification.

Before a variance from a requirement of this Code is approved, the information that shall be provided by the person requesting the variance and retained in the regulatory authority's file on the food establishment includes:

- (A) A statement of the proposed variance of the Code requirement citing relevant Code section numbers;

- (B) An analysis of the rationale for how the potential public health hazards and nuisances addressed by the relevant Code sections will be alternatively addressed by the proposal; and
- (C) A HACCP plan if required as specified under ¶ 8-201.13(A) that includes the information specified under § 8-201.14 as it is relevant to the variance requested.

8-103.12* Conformance with Approved Procedures. *

If the regulatory authority grants a variance as specified in § 8-103.10, or a HACCP plan is otherwise required as specified under § 8-201.13, the permit holder shall:

- (A) Comply with the HACCP plans and procedures that are submitted as specified under § 8-201.14 and approved as a basis for the modification or waiver; and
- (B) Maintain and provide to the regulatory authority, upon request, records specified under ¶¶ 8-201.14(D) and (E) that demonstrate that the following are routinely employed;
 - (1) Procedures for monitoring the critical control points,
 - (2) Monitoring of the critical control points,
 - (3) Verification of the effectiveness of the operation or process, and
 - (4) Necessary corrective actions if there is failure at a critical control point.

Facility and Operating Plans

81-2,267 (Replaces 2005 Food Code 8-201.11 When Plans Are Required)

Prior to construction of, conversion to, or remodeling of a food establishment, food processing plant, or salvage operation, properly prepared plans and specifications for such construction, conversion, or remodeling shall be submitted to the regulatory authority for review and approval. The plans and specifications shall indicate the proposed layout, arrangement, mechanical plans, construction materials of work areas, type and model of proposed fixed equipment and facilities, and description of the type of food to be served or sold. The regulatory authority shall treat such plans and specifications as confidential or trade secret information and shall approve the plans and specifications if they meet the requirements of the Nebraska Pure Food Act. No food establishment, food processing plant, or salvage operation shall be constructed, converted, or remodeled except in accordance with plans and specifications approved by the regulatory authority.

8-201.13 When a HACCP Plan is Required.

- (A) Before engaging in an activity that requires a HACCP plan, a permit applicant or permit holder shall submit to the regulatory authority for approval a properly prepared HACCP plan as specified under § 8-201.14 and the relevant provisions of this Code if:
 - (1) Submission of a HACCP plan is required according to law.
 - (2) Removed.
 - (3) Removed.
- (B) Removed.

8-201.14 Contents of a HACCP Plan.

For a food establishment that is required under § 8-201.13 to have a HACCP plan, the plan and specifications shall indicate:

- (A) A categorization of the types of potentially hazardous foods (time/temperature control for safety foods) that are specified in the menu such as soups and sauces, salads, and bulk, solid foods such as meat roasts, or of other foods that are specified by the regulatory authority;

- (B) A flow diagram by specific food or category type identifying critical control points and providing information on the following:
 - (1) Ingredients, materials, and equipment used in the preparation of that food, and,
 - (2) Formulations or recipes that delineate methods and procedural control measures that address the food safety concerns involved;
- (C) Removed from Code.
- (D) A statement of standard operating procedures for the plan under consideration including clearly identifying:
 - (1) Each critical control point,
 - (2) The critical limits for each critical control point,
 - (3) The method and frequency for monitoring and controlling each critical control point by the food employee designated by the person in charge,
 - (4) The method and frequency for the person in charge to routinely verify that the food employee is following standard operating procedures and monitoring critical control points,
 - (5) Action to be taken by the person in charge if the critical limits for each critical control point are not met, and
 - (6) Records to be maintained by the person in charge to demonstrate that the HACCP plan is properly operated and managed; and
- (E) Additional scientific data or other information, as required by the regulatory authority, supporting the determination that food safety is not compromised by the proposal.

Frequency

8-401.10 Establishing Inspection Interval.

- (A) Except as specified in ¶¶ (B) and (C) of this section, the regulatory authority shall inspect a food establishment at least once every 6 months.
- (B) The regulatory authority may increase the interval between inspections beyond 6 months if:
 - (1) The food establishment is fully operating under an approved and validated HACCP plan as specified under § 8-201.14 and ¶¶ 8-103.12(A) and (B);
 - (2) **81-2,288.02** The regulatory authority may increase the interval between inspections beyond six months if the food establishment is assigned a less frequent inspection frequency based on a written risk-based inspection schedule that is being uniformly applied throughout the jurisdiction; or
 - (3) The establishment's operation involves only coffee service and other unpackaged or prepackaged food that is not potentially hazardous (time/temperature control for safety food) such as carbonated beverages and snack food such as chips, nuts, popcorn, and pretzels.
- (C) The regulatory authority shall periodically inspect throughout its permit period a temporary food establishment that prepares, sells, or serves unpackaged potentially hazardous food (time/temperature control for safety food) and that:
 - (1) Has improvised rather than permanent facilities or equipment for accomplishing functions such as handwashing, food preparation and protection, food temperature control, warewashing, providing drinking water, waste retention and disposal, and insect and rodent control; or
 - (2) Has inexperienced food employees.

8-401.20 Performance- and Risk-Based.

Within the parameters specified in § 8-401.10, the regulatory authority shall prioritize, and conduct more frequent inspections based upon its assessment of a food establishment's history of compliance with this Code and the establishment's potential as a vector of foodborne illness by evaluating:

- (A) Past performance, for nonconformance with Code or HACCP plan requirements that are critical;
- (B) Past performance, for numerous or repeat violations of Code or HACCP plan requirements that are noncritical;
- (C) Past performance, for complaints investigated and found to be valid;
- (D) The hazards associated with the particular foods that are prepared, stored, or served;
- (E) The type of operation including the methods and extent of food storage, preparation, and service;
- (F) The number of people served; and
- (G) Whether the population served is a highly susceptible population.

8-402.10 Competency of Inspectors.

An authorized representative of the regulatory authority who inspects a food establishment or conducts plan review for compliance with this Code shall have the knowledge, skills, and ability to adequately perform the required duties.

Access

8-402.11 Allowed at Reasonable Times after Due Notice.

After the regulatory authority presents official credentials and provides notice of the purpose of, and an intent to conduct, an inspection, the person in charge shall allow the regulatory authority to determine if the food establishment is in compliance with this Code by allowing access to the establishment, allowing inspection, and providing information and records specified in this Code and to which the regulatory authority is entitled according to law, during the food establishment's hours of operation and other reasonable times.

Report of Findings

81-2,288.01 (Replaces 2005 Food Code 8-403.10 Documenting Information and Observations)

- (1) The regulatory authority shall document on an inspection report form:
 - (a) Administrative information about the food establishment's legal identity, street and mailing addresses, type of establishment and operation, inspection date, status of the permit, and personnel certificates that may be required;
 - (b) Specific factual observations of violative conditions, omissions, or other deviations from the requirements of the Nebraska Pure Food Act that require correction by the permit holder; and
 - (c) Whether the violations listed are critical or repeated.
- (2) The regulatory authority shall specify on the inspection report form the time frame for correction of the violations as specified in the Nebraska Pure Food Act.
- (3) All procedures and requirements related to the inspection of food establishments in the act apply to food processing plants and salvage operations.

- (4) The completed inspection report form is a public document that shall be made available for public disclosure to any person who requests it according to law.

8-403.30 Issuing Report and Obtaining Acknowledgment of Receipt.

At the conclusion of the inspection and according to law, the regulatory authority shall provide a copy of the completed inspection report and the notice to correct violations to the permit holder or to the person in charge, and request a signed acknowledgment of receipt.

8-403.40 Refusal to Sign Acknowledgment.

The regulatory authority shall:

- (A) Inform a person who declines to sign an acknowledgment of receipt of inspectional findings as specified in § 8-403.30 that:
 - (1) An acknowledgment of receipt is not an agreement with findings,
 - (2) Refusal to sign an acknowledgment of receipt will not affect the permit holder's obligation to correct the violations noted in the inspection report within the time frames specified, and,
 - (3) A refusal to sign an acknowledgment of receipt is noted in the inspection report and conveyed to the Regulatory authority's historical record for the food establishment; and,
- (B) Make a final request that the person in charge sign an acknowledgment receipt of inspectional findings.

Violation of Critical Items

8-405.11 Timely Correction.

- (A) Except as specified in ¶ (B) of this section, a permit holder shall at the time of inspection correct a violation of a critical item of this Code and implement corrective actions for a HACCP plan provision that is not in compliance with its critical limit.
- (B) Considering the nature of the potential hazard involved and the complexity of the corrective action needed, the regulatory authority may agree to or specify a longer time frame, not to exceed 10 calendar days after the inspection, for the permit holder to correct violations of a critical item or HACCP plan deviations.

8-405.20 Verification and Documentation of Correction.

- (A) After observing at the time of inspection a correction of a violation of a critical item or deviation, the regulatory authority shall enter the violation and information about the corrective action on the inspection report.
- (B) Removed.

Non Critical Violation

8-406.11 Time Frame for Correction.

- (A) Except as specified in ¶ (B) of this section, the permit holder shall correct noncritical violations by a date and time agreed to or specified by the regulatory authority but no later than 90 calendar days after the inspection.
- (B) The regulatory authority may approve a compliance schedule that extends beyond the time limits

specified under ¶ (A) of this section if a written schedule of compliance is submitted by the permit holder and no health hazard exists or will result from allowing an extended schedule for compliance.

Investigation and Control

8-501.10 Obtaining Information: Personal History of Illness, Medical Examination, and Specimen Analysis.

The regulatory authority shall act when it has reasonable cause to believe that a food employee or conditional employee has possibly transmitted disease; may be infected with a disease in a communicable form that is transmissible through food; may be a carrier of infectious agents that cause a disease that is transmissible through food; or is affected with a boil, an infected wound, or acute respiratory infection, by:

- (A) Securing a confidential medical history of the food employee or conditional employee suspected of transmitting disease or making other investigations as deemed appropriate; and,
- (B) Requiring appropriate medical examinations, including collection of specimens for laboratory analysis, of a suspected food employee or conditional employee.

8-501.20 Restriction or Exclusion of Food Employee, or Summary Suspension of Permit.

Based on the findings of an investigation related to a food employee or conditional employee who is suspected of being infected or diseased, the regulatory authority may issue an order to the suspected food employee, or conditional employee or permit holder instituting one or more of the following control measures:

- (A) Restricting the food employee or conditional employee;
- (B) Excluding the food employee or conditional employee; or
- (C) Closing the food establishment by summarily suspending a permit to operate in accordance with law.

8-501.30 Restriction or Exclusion Order: Warning or Hearing Not Required, Information Required in Order.

Based on the findings of the investigation as specified in § 8-501.10 and to control disease transmission, the regulatory authority may issue an order of restriction or exclusion to a suspected food employee or the permit holder without prior warning, notice of a hearing, or a hearing if the order:

- (A) States the reasons for the restriction or exclusion that is ordered;
- (B) States the evidence that the food employee or permit holder shall provide in order to demonstrate that the reasons for the restriction or exclusion are eliminated;
- (C) States that the suspected food employee or the permit holder may request an appeal hearing by submitting a timely request as provided in law; and
- (D) Provides the name and address of the regulatory authority representative to whom a request for an appeal hearing may be made.

8-501.40 Removal of Exclusions and Restrictions.

The regulatory authority shall release a food employee, or conditional employee from restriction or exclusion according to law and the conditions specified under § 2-201.13.

81-2,273 Permit Holder; duties; disciplinary action; effect; hearing; reinstatement of permit

- (1) A holder of a permit issued under the Nebraska Pure Food Act shall comply with the act, the rules and regulations adopted pursuant thereto, and any order of the director issued pursuant thereto. The permitholder shall not interfere with the department in the performance of its duties.
- (2) A permitholder may be put on probation requiring such person to comply with the conditions set out in an order of probation issued by the director after: (a) The director determines the permitholder has not complied with subsection (1) of this section; (b) the permitholder is given written notice to comply and written notice of the right to a hearing to show cause why an order of probation should not be issued; and (c) the director finds that issuing an order of probation is appropriate based on the hearing record or on the available information if the hearing is waived by the permitholder.
- (3) A permit may be suspended after: (a) The director determines the permitholder has not complied with subsection (1) of this section; (b) the permitholder is given written notice to comply and written notice of the right to a hearing to show cause why the permit should not be suspended; and (c) the director finds that issuing an order suspending the permit is appropriate based on the hearing record or on the available information if the hearing is waived by the permitholder.
- (4) A permit may be immediately suspended and the director may order the permitholder's food establishment, food processing plant, or salvage operation closed prior to hearing when: (a) The director determines an immediate danger to the public health, safety, or welfare exists in or is caused by the permitholder's food establishment, food processing plant, or salvage operation; and (b) the permitholder receives the written notice to comply and written notice of the right to a hearing to show cause why the suspension should not be sustained. Within fifteen days after the suspension, the permitholder may request, in writing, a date for a hearing and the director shall consider the interests of the permitholder when the director establishes the date and time of the hearing, except that no hearing shall be held sooner than is reasonable under the circumstances. When a permitholder does not request a hearing date within such fifteen-day period, the director shall establish a hearing date and shall notify the permitholder of the date and time of such hearing.
- (5) A permit may be revoked after: (a) The director determines the permitholder has committed serious, repeated, or multiple violations of any of the requirements of subsection (1) of this section; (b) the permitholder is given written notice to comply and written notice of the right to a hearing to show cause why the permit should not be revoked; and (c) the director finds that issuing an order revoking the permit is appropriate based on the hearing record or on the available information if the hearing is waived by the permitholder.
- (6) Any food establishment, food processing plant, or salvage operation for which the permit has been suspended shall close and remain closed until the permit is reinstated. Any food establishment, food processing plant, or salvage operation for which the permit has been revoked shall close and remain closed until a new permit is issued.
- (7) The director may terminate proceedings to suspend or revoke a permit or to subject a permitholder to an order of probation at any time if the reasons for such proceedings no longer exist. A permit which has been suspended may be reinstated, a person with a revoked permit may be issued a new permit, or a permitholder may no longer be subject to an order of probation if the director determines the conditions which prompted the suspension, revocation, or probation no longer exist.
- (8) Proceedings for suspension, revocation, or probation shall not preclude the department from pursuing other civil or criminal actions.

- a_w, definition,2
- Access,
 allowed after due notice, 100
- Accreditation 1
- Accuracy..... 57
- Acidity. *See pH*
- Additives, food and color
 definition, 1
 food upon receipt,30
 unapproved, protection from,35
- Adulterated,
 definition, 1
 food condition,28
- Air-drying
 equipment and utensils,69
 wiping cloths, locations,70
- Air filtration.....81
- Air gap
 See Backflow Prevention Device
- Air temperature,.....57
 See also Ambient temperature measuring devices
- Aisles in work spaces. *See Spacing*
- Alkalinity. *See pH*
- Ambient temperature measuring devices,.....57, 59-60
- Animal foods, raw
 consumer self-service, limitations,40
 cooking requirements,41-42
 separation from other foods, 38
- Animal foods, raw or undercooked, consumer
 advisory,51
- Animals
 commercially raised for food,.....29
 exotic species, limitations as food source,.....30
 handling by employees, prohibition and
 exception,28
 live, prohibition and exceptions,93
- Anti-slip floor coverings,..... 87
- Approved, definition, 1
- Area
 adjacent to easily moveable equipment,4
 behind kickplates,.....56
 consumer eating and drinking,..... 88, 93
 consumer shopping,63, 83, 93-94
 designated for eating, drinking, and tobacco
 use,27, 91
 dining..... 74, 92
 distressed merchandise,91
 dressing,92
 driving,86, 89
 dry storage,.....87-88
 exposed,.....86
 food preparation,87, 90, 93-94
 handwashing sink, 77-78, 87-88
 indoor, construction material,.....86-87
 light intensity by,.....90
 living,.....89
 outdoor, construction materials,86-87
 outside fenced,.....93
 poisonous or toxic materials,94, 97
 prohibited food storage,.....39
 protected, for tank vent,.....80
 refuse,84-86
 requiring drip-free ventilation,57
 self-service,.....18
 separate, for raw foods,34
 servicing,86, 89
 shellfish harvesting,.....32-34
 sleeping,.....89
 storage,84, 85, 94
 underneath fingernails, cleaning,.....27
 vending machine,.....17, 89
 walking,86, 89
 warewashing,86, 87
 where unnecessary persons are not allowed,17
- Artificial color or flavor, declaration,.....50
- Asymptomatic carrier,23
- Attachments, wall and ceilings, cleanability,87
- Automatic shutoff, vending machines,59
- Backflow prevention, plumbing system
 air gap,77
 sewage systems,82
- Backflow prevention device, plumbing system
 carbonator,78
 copper, use limitation,54
 design standard,77
 location,78
 numbers and capacity,78
 operation and maintenance,78
- Back siphonage. *See Backflow*
- Bacon, slab, storage,.....35
- Bacteria. *See Disease outbreaks caused by*
- Baffles, internal, for warewashing machine,60
- Bags. *See Single-service articles*
- Bait
 fish,.....92
 station,96
- Bakery products,51
- Basket, for warewashing equipment,60, 70
- Bearings and gear boxes, leakproof,.....58
- Bed and Breakfast. *See Food Establishment definition*
- Beef
 consumer self-service,39-40
 cooking requirement,40-42
 minimum holding times for cooking,40-41
 oven parameters for cooking,40-41
 rare or raw, consumer advisory,51
 raw, storage,34-35
 use of clean equipment,66-69
 use of laundered gloves,72
- Beef roasts, cooking requirements,41

- Beverage
 containers, consumer-owned, refilling, 71
 definition,2
 tubing, separation from stored ice,58
 vending machines, liquid waste disposal,61
- Birds, dead or trapped, removal,93
- Boil. *See Lesion, containing pus*
- Boiler water additives, criteria,95
- Bottled drinking water,2
 source,75
- Botulism. *See Clostridium botulinum*
- Bowls. *See Hollowware*
- Bread wrappers. *See Single-use articles*
- Buffets, monitoring by food employees,40
- Buildings. *See Physical facilities*
- Bulk food, dispensing methods,39
 display protection,39
 labeling requirements,51
 liquid,61
 raw animal food, prohibition,39
 unpackaged, labeling exemptions,51
- Bulk milk container dispensing tube,67
- Cabinets
 storage,63, 74
- Calibration, temperature measuring devices,67
- Can openers
 design and construction,56
 maintenance and operation,64
 on vending machines, design and
 construction,59
- Cans, number 10. *See Single-use articles*
- Canthaxanthin,50
- Carbonator,78
- Cardboard for recycling, outside storage,84
- Carpeting, floor, restrictions and installation,87
- Carrier, disease. *See Asymptomatic carrier*
- Carry-out utensils. *See Single-service articles*
- Case lot handling equipment, moveability,61
- Casing, definition,2
 date marking,46-47
- Cast iron utensils and equipment food-contact
 surfaces,53
 use limitation,53
- Catering operation. *See Food establishment*
- Ceilings, ceiling coverings, and coatings,
 cleanability,87
- Ceramic utensils, lead limitation,48
- Certification number, definition,2
- CFR, definition,2
- Cheese
 Datemarking47
- Chemicals
 preservatives, declaration,50
 sanitization of equipment food-contact
 surfaces and utensils,72
 sanitizers, criteria,95
 washing fruits and vegetables, criteria,95
 working containers,94
- Chicken, raw, immersion in ice or water,36
- China utensils, lead limitation,54
- Chlorine solutions, chemical sanitization,66-67
- CIP
 definition,2
 equipment, design and construction,56
- Clams, lightly cooked or raw, consumer advisory, .51
See also Molluscan shellfish
- Cleanability
 carpeting,87
 ceilings,87
 floor and wall junctures,86
 floors,86
 food-contact surfaces,55-56
 mats and duckboards,87
 nonfood-contact surfaces,56
 studs, joists, and rafters,87
 utility lines,86
 wall and ceiling attachments,87
 wall and ceiling coverings and coatings,87
 walls,87
- Cleanable fixtures, plumbing system,77
- Cleaned in place. *See CIP*
- Cleaners. *See Poisonous or toxic materials*
- Cleaning agents
 handwashing,90
 warewashing equipment,65
- Cleaning and sanitizing
 equipment and supplies for refuse,
 recyclables, and returnables,84-85
 equipment and utensils to prevent food cross
 contamination,68-69
 maintenance tools, preventing contamination, .92
 physical facilities, frequency and restrictions, .91
 procedure for employees' hands and arms,25
 ventilation systems, nuisance and discharge
 prohibition,92
- Cleaning of equipment and utensils
 criteria,68
 frequency,69
 methods,68-69
- Cleanliness, personal, of employees
 fingernails,27
 hands and arms,24-27
 jewelry, prohibition,27
 outer clothing,27
- Clostridium botulinum*, nongrowth in reduced
 atmosphere packaging, variance,49
See also Potentially hazardous food definition
- Clothes washers and dryers
 availability,62
 location for contamination prevention,63
- Clothing, outer, of employees, clean condition,27
- Cloths
 for use with raw foods of animal origin,
 treatment,38
 for wiping food spills, criteria,37

Code	
conformance with, history, role in frequency	
of inspections,	98-100
Code of Federal Regulations, definition,	2
Cold holding of potentially hazardous food,	46
Cold-plate beverage cooling devices, separation	
from stored ice, design, and construction,	58
Color additives.....	1
Commingle, definition,	2
Comminuted, definition,	2
cooking fish and meats,	41
Commissary. <i>See Food establishment</i> , definition	
Common name,	35, 50
Communicable. <i>See Infectious agent</i>	
Community or individual facility for disposal of	
refuse,	85
recyclables, and returnables,	84
Compactors, on-site,	83
Compliance with Code, responsibility of permit	
holder,	103
Condenser unit, separation from food and food	
storage space,	58
Condiments, protection from contamination by	
consumers,	39
Conditional employee	
definition	1
responsibilities.....	18
Conditioning device, plumbing system	
design,	77
location,	78
Confirmed disease outbreak, definition,	3
Construction	
food establishment, plans and specifications,	
requirement,	98
inspection and approval,	100
mobile water tank and mobile food	
establishment water tank,	80-82
plumbing system,	75-78
Consumer	
advisory for raw or undercooked animal foods,51	
definition,	3
food on display, protection from	
contamination by,	39
information requirements,	50-51
self-service, clean tableware for refills,	38
self-service operations, protection from	
contamination,	38
Consumer-owned container, refilling,	38, 72
Consumers at risk, advisory for fully cooked	
animal foods,	51
Contact time, chemical sanitization of equipment	
food-contact surfaces and utensils,	72
Container prohibitions for poisonous or	
toxic materials,	95
Containers	
food storage, identification of food,	35
poisonous or toxic materials labeling and	
identification,	94
use prohibition,	95
working, common name identification,	94
<i>See also Single-service articles</i>	
Contaminated food, disposition,	51
Contamination of food after receiving,	
prevention,	34-35
Contamination prevention, location of equipment,	
clothes washers/dryers, and storage	
cabinets,	63
Control of foodborne disease transmission by	
employees,	102
Controlled atmosphere packaging. <i>See Reduced</i>	
<i>oxygen packaging</i>	
Conversion of food establishment, plans and	
specifications, requirement,	98
Cooking	
equipment, cleaning frequency,	70
destroying organisms of public health	
concern,	40-42
requirements for raw animal foods,	
variance,	42
utensils. <i>See Kitchenware</i>	
Cooling	
capacity, food equipment,	62
methods to limit growth of organisms of	
public health concern,	45
potentially hazardous cooked food,	46
Copper and copper alloys, use limitation in food	
contact and fittings,	54
Corned beef roasts	
minimum holding times for cooking,	41
oven parameters for cooking,	41
Correction of critical violation	
time frame,	101
timeliness,	101
verification and documentation,	101
Corrosion-resistant material, definition,	3
Cosmetics. <i>See Personal care items</i>	
Counter guards. <i>See Food display</i>	
Counter-mounted equipment	
definition	3
elevation	64
Critical control points	
definition,	3
flow diagram,	99
knowledge demonstration by person in	
charge,	17
standard operating procedures,	99
Critical item, definition,.....	3
Critical limit	
definition,	3
nonconformance documentation,	100
violations, timely corrections,	100
Cross connection, water supply system,	
prohibition,	79
Cross contamination of food, protection by	
separation and segregation,	34-35
Crustacea shells, use limitation,	67
Crystal utensils, lead limitation,	54
Cups, refilling in consumer self-service,	38

- See also Hollowware*
- Cut, infected. *See Lesion, containing pus*
- Cutting surfaces
 materials,53, 54
 resurfacing,64
- Data plate, warewashing machine,60
- Date marking of ready-to-eat, potentially
 hazardous food,46-47
- Dealer's tag/label for molluscan shellstock,
 requirements,32-33
- Deli tissue, use to avoid contaminating food,34
- Design, construction, and installation
 equipment and utensils
 acceptability,62
 accuracy,57
 cleanability,55-56
 durability and strength,55
 functionality,57
 physical facilities
 cleanability,86-87
 functionality,87-88
 mobile water tank and mobile food
 establishment water tank,80-81
 plumbing system,75-76
 sewage system,82
- Design standard, backflow prevention device,77
- Detergents. *See Cleaning agents*
- Detergent-sanitizers
 for warewashing equipment,67
 rinsing procedures,71
- Deviations from Code
 documentation,100
 See also Modifications, Waivers, Variance
- Devices. *See Physical facilities*
- Diarrhea, employee symptom,18
- Dipper wells. *See Utensils, in-use storage*
- Disease of employee,18-24
- Disease or medical condition, reporting
 responsibility,20
- Disease outbreaks caused by *S. typhi*,
 Shigella spp., Enterohemorrhagic or Shiga
 producing *E. coli*, or hepatitis A virus,19
- Dish baskets. *See Baskets*
- Dishes. *See Menu items, Tableware*
- Dishwashing. *See Warewashing*
- Disinfection
 drinking water system,75
 mobile water tank and mobile food
 establishment water tank,81
- Dispensing equipment, design and construction
 for protection of equipment and food,557-58
- Dispensing tube, bulk milk container,67
- Display. *See Food display*
- Disposable towels, waste receptacle,83
- Disposal facilities
 refuse, recyclables, and returnables,83-85
 sewage, other liquid wastes, and
 rainwater,82-83
- Disposition of ready-to-eat, potentially
 hazardous food,48
- Distressed merchandise, segregation, and
 location,91
- Documentation
 correction of critical violation,101
 inspection report,100
 variances,97
- Dogs in food establishments
 patrol and sentry,93
 pets,94
 service,93
- Dollies. *See Case lot handling equipment*
- Doors
 common dining area,94
 equipment maintenance,64
 physical facility,88
 refuse receptacle,85
 toilet room,92
 vending machine,58, 61
- Drain plugs for equipment and receptacles for
 refuse, recyclables, and returnables,85
- Drainage of equipment compartments,61
- Drainage system, food establishment, design
 and installation,82
- Drainboards
 capacity,62
 cleaning frequency,65
 cleanability,55-56
 warewashing, self-draining,61
- Drains, indirect,82
- Dressing areas
 designation,90-91
 use by employees,92
- Dried eggs, condition at receipt,31
- Drinking by employees, food contamination
 prevention,27
- Drinking water
 bottled, source,75
 definition,4
- Drinking water systems
 approved,75
 flushing and disinfection,75
- Drip prevention, design and construction of
 ventilation hood systems,57
- Driving surfaces. *See Surface characteristics, outdoor*
- Dry cleaning methods, equipment and utensils,69
- Dry eggs,31
- Dry milk,31
- Dry storage area, definition,4
- Drying agents, criteria,95-96

- Duckboards, cleanability, 87
Dustless methods of cleaning floors, 92
- E. Coli. See Escherichia coli***
- Easily cleanable, definition, 4
Easily movable, definition, 4
Eating by employees, food contamination
prevention, 27
- Egg
boiled, *See Potentially hazardous food*
definition, 11-12
cooking requirements, 40-42
definition, 5
lightly cooked or raw, consumer advisory, 51
liquid, frozen, and dry, condition at receipt, 31
pasteurized, substitute for shell eggs, 35, 52
pooling, 52-53
potentially hazardous food, 11-12
restricted definition, 15
service to highly susceptible
populations, 42, 52-53
- Egg product, definition 5
- Eggs, raw, shell
condition at receipt, 31
cooling, 45
labeling, 28
temperature at receipt, 31
- Elderly. *See Highly susceptible population, 52-53*
- Emergency occurrence. *See Imminent health hazard*
- Employee
accommodations, location, 91
definition, 5
disease or medical condition, 18-20
dressing areas, number, 92
eating, drinking, and tobacco use,
designated areas, 27
food contaminated by, disposition, 51
hygiene, 24-25
ill, exclusions and restrictions, 20-21
practices, supervision of, 17-18
prevention of food contamination, 34
responsibility to report illness, 18-20
serving high-risk populations, exclusions
and restrictions, 20-21
See also Food employee; Permit holder; Person in charge
- Enclosures for refuse, recyclables, and
returnables, operation and maintenance, 85
- Enterohemorrhagic *Escherichia coli*
definition 5
- EPA, definition, 5
- Equipment
air-drying, 73
case lot handling, 61
cleaning criteria, 67-68
cleaning frequency,
food-contact surfaces, utensils, 68-69
nonfood-contact surfaces, 68, 70
warewashing, 65
compartments, drainage, 61
cooling, heating, and holding capacities, 62
definition 5
design and construction, durability and
strength, 55
fixed, elevation or sealing, installation, 64
fixed, spacing or sealing, installation, 64
HACCP plan, 98-99
location for contamination prevention, 63
maintenance, 64
plans, 98
reassembly after cleaning, 74
repair and adjustment, 67
storage, 93
storage prohibitions, 74
- Equipment certification and classification, 62
- Equipment and utensils, dry cleaning methods, 70
precleaning, 70
rinsing procedures, 71
- Equipment for refuse, recyclables, and returnables,
cleanable, 83
cleaning, 85
covering, 84-85
drain plugs, 85
location, 84
- Equipment openings, closures and deflectors, design
and construction, 57
- Equipment, utensils, and linens
cleaning, 67-70
design and construction, 53-55
laundering linens, 72-73
location and installation, 63-64
maintenance and operation, 65
materials for construction and repair, 53-55
numbers and capacities, 62
protection of clean items, 74-75
sanitization of equipment and utensils, 72
See also Physical facilities
- Escherichia coli* O157:H7**
cause of disease outbreak, 19
cause of employee illness, 19
employee exclusion and restriction, 20-21
reporting responsibility of person in charge, ... 19
infection, conditions for release of employee
from restriction or exclusion, 102
positive culture, 19
- Exclude, definition, 5
- Exclusion of employee
illness, 20-21
infection or disease, 20-21
release, 21-24, 102
removal, 12-24, 102
- Exclusion order
for infected or diseased employee, 102

- Expiration time for potentially hazardous food, 46-47
- Facilities
- disposal, recycling, and refilling of waste, 85
 - on-premises for refuse, recyclables, and returnables,83-85
- Facility plans and specifications, submission and approval, 93
- Faucet, handwashing,77
- Fever, employee symptom, 18
- Filter, compressed air, for drinking water system, ..81
- Filtering equipment, hot oil, design and construction,56
- Fingernails of employees, artificial prohibition,27 maintenance,27
- First aid supplies in food establishments, storage, *See also Personal care items*
- Fish
- consumer self-service,39-40
 - cooking requirements,40-42
 - definition, 6
 - frozen by supplier, freezing records, 43
 - other than molluscan shellfish, 29, 42
 - raw, storage,34-35
 - use of clean equipment, 68
 - use of laundered gloves, 72
- Fish, lightly cooked or raw, consumer advisory,51
- immersion in ice or water,36
 - marinated, or partially cooked, ready-to-eat, records of freezing,43
 - restriction on reduced oxygen packaging, ..49-50
- Fitting or tubing, copper and copper alloys, use limitation, 54
- Fixtures. *See Physical facilities*
- Flatware. *See Tableware*
- Floor drains, cleanability,86
- Floor-mounted equipment, clearance,63-64
- Floors
- absorbent materials, use limitation,92
 - and floor coverings, cleanability, and 86-87
 - dustless cleaning methods,92
- Flow pressure valve, warewashing machine,60-61
- Flushing
- drinking water system,75-76
 - mobile water tank and mobile food establishment water tank, 81
 - waste retention tanks, 82
- Flux, use limitation for food-contact surfaces,54
- Fogging devices, cleaning the water reservoir, 79
- Food
- additives, 1, 26, 31, 35, 50, 95
 - characteristics,28
 - contact with equipment and utensils,36
 - contaminated,51
 - cooked, potentially hazardous, cooling,45
 - damaged, spoiled, or recalled, storage,35
 - definition,6
 - destruction of organisms of public health concern,40-43
 - frozen, potentially hazardous,30, 44
 - hermetically sealed, source,29
 - honest presentation, 1, 50
 - identity, presentation, and on-premises labeling,28, 50-51
 - in contact with water or ice, storage or display,36
 - limitation of growth of organisms of public health concern,44-49
 - packaged and unpackaged, separation and segregation,34-35
 - packaged, labeling,28, 50-51
 - protection from contamination,34-40
 - specialized preparation methods, variance requirement, 43, 59, 98
 - standards of identity,50
 - temperature and time control, limiting growth of organisms of public health concern, ...44-49
 - vended, potentially hazardous, original container,39
- Food, potentially hazardous
- HACCP plan,98-99
 - hot and cold holding,46
 - temperature at receipt,30-31
 - time as public health control,48-49
- Food, ready-to-eat, potentially hazardous
- date marking,46-47
 - disposition,48
- Food additive, definition, 1
- Food Code
- intent, 1
 - scope, statement, 1
 - standards, 1
 - title, 1
- Food contact, copper and copper alloys, use limitation, 54
- Food-contact surfaces
- cast iron equipment, use limitation,53
 - construction materials,53-55
 - cleaning criteria,67-68
 - cleaning frequency of equipment,68-70
 - definition, 6
 - design and construction, cleanability,55-56
 - galvanized metal equipment, use limitation, ...54
 - lead and pewter alloys, use limitation, 54
 - lead in solder and flux, use limitation, 54
 - linens and napkins, use limitation,37
 - lubricating, 74
 - sanitization criteria, 72
 - sanitization frequency, 72
 - sanitization methods for equipment, 72
 - "V" threads, use limitation, 56

- wet cleaning methods for equipment, 70
- wood, use limitation,54-55
- Food containers
 - placement in cooling or cold holding equipment, 45
- Food contamination
 - by persons, discarding, 51
 - by unclean utensils and equipment, 36
 - prevention after receiving,34-40
 - prevention by employees, 34
- Food display, preventing contamination
 - by consumers,39-40
- Food employee
 - definition, 5
 - responsibility to report illness, 18
- Food establishment
 - definition,6-7
 - inspection, frequency,99-100
 - plans and specifications for construction,
 - conversion, or remodeling, 98
 - temporary, inspection frequency, 99
- Food guards. *See Food display*
- Food management, plans, 98
- Food package integrity, 31
- Food processing plant, definition, 7
- Food reheated in microwave oven, requirements, .. 43
- Food safety
 - control measures, HACCP plan,98-99
 - intent of Food Code, 1
- Food service establishment. *See Food establishment*
- Food sources,
 - compliance with food law, 28
 - original containers and records, 33
- Food specifications, for receiving,31-33
 - temperature,30-31
- Food-specific container for beverages, refilling, 71
- Food storage
 - containers, identification of food, 35
 - preventing contamination from premises, ..38-40
 - prohibited areas, 39
- Food temperature measuring devices
 - accessibility, 63
 - design and construction, 55
- Food vending location/areas
 - outdoor, overhead protection,88-89
 - See also Food establishment*
- Foodborne disease
 - outbreak, definition, 6
 - prevention, knowledge, 17
- Foodborne illness
 - frequency of inspections, 99
 - transmission by employees, prevention, 102
- Foot candles. *See Lighting*
- Fork lifts. *See Case lot handling equipment*
- Forks. *See Tableware*
- Freezing to destroy organisms of public health
 - concern, 42
- Frozen eggs, condition at receipt, 31
- Frozen food, limiting growth of organisms of
 - public health concern, 44
 - maintain frozen, 44
- shipped frozen, received frozen, 31
- Fruits, raw
 - cooking, 42
 - washing, 36
 - whole or cut, immersion in ice or water, 36
 - whole, uncut, storage, 35
- Galvanized metal, use limitation for utensils
 - and food-contact surfaces of equipment, 54
- Game animal
 - commercially raised for food,29-30
 - cooking requirements,40-41
 - definition, 7
 - limitations as food source,29-30
 - wild, field-dressed, limitations as food source, 30, 40
- Gauge cock. *See Flow pressure valve*
- Garbage. *See Refuse*
- Garlic. *See Potentially hazardous food definition*
- Gastrointestinal illness, symptoms of employee, 20-21
- General use pesticide, definition, 7
- Glasses, refilling in consumer self-service, 38
- Gloves
 - cloth, laundering frequency, 72
 - handwashing before donning, 26
 - single-use, 38
 - slash resistant, 38
- Grease traps, in food establishment drainage
 - systems, 82
- Ground beef. *See Comminuted definition*
 - cooking, 35
- Guard dog. *See Support animal*
- Guide dog. *See Support animal*
- HACCP plan
 - compliance, responsibility of permit holder, ...98
 - contents,98-99
 - criteria, reduced oxygen packaging,49-50
 - definition, 7
 - knowledge by person in charge, 17
- Hair restraints for employees, effectiveness, 28
- Hamburger. *See comminuted definition*
 - cooking, 41
- Hand drying provision, 89
- Hand, antiseptics, 26
- Hand antiseptics for employees, 26
- Handling
 - kitchenware, 74-75
 - single-service and single-use articles, 74-75
 - tableware, 74-75
- Hands and arms of employees
 - clean condition, 24
 - cleaning procedure, 25
 - hand antiseptics, 26
 - special handwash procedures, 25
 - when to wash, 25

- where to wash,25
- Hands, employees, avoiding contact with food,26
- Handwashing
 - cleanser, availability,89
 - food employees,34
- Handwashing sinks
 - automatic25
 - cleanability,77
 - definition7
 - design and construction,77
 - location and placement,72, 91
 - maintaining and using,92
 - numbers and capacities,77-78, 89
 - operation and maintenance,79
 - use required,25-26
 - water temperature,77
- Harvester's tag/label for molluscan shellstock,
 - requirements,32-34
- Hazard Analysis Critical Control Point. *See HACCP*
- Hazard, definition,7
- Health practitioner, definition8
- Health status of employee, required reporting, ..18-20
- Heat lamp, shield,87-88
- Heater, for manual warewashing equipment,60
- Heating capacity, food equipment,62
- Hepatitis A virus
 - cause of disease outbreak,19
 - cause of employee illness,19
 - conditions for release of employee from
 - restriction or exclusion,102
 - virus-free employee, removal of restriction, 21-24
- Hermetically sealed
 - container, definition,8
 - food, source,29
 - food containers, cleaning,35
 - reheating, food taken from a container,343
- High-risk conditions of employee illness,18-19
- High-risk population. *See Highly susceptible population*
- Highly susceptible population
 - consumer advisory,51
 - definition,8
 - exclusions and restrictions of ill employees, 20-21
 - frequency of inspection,99-100
 - special requirements,52-53
- Holding capacity, food equipment,62
- Holding tank. *See Sewage, holding tank*
- Holding time, minimum
 - comminuted meats,40-41
 - cooking, roast beef and corned beef,40-42
- Hollowware. *See Tableware*
- Homes and living/sleeping quarters, private, use
 - prohibition,89
- Honest presentation, intent of Food Code,1
- Hooks, slab bacon,35
- Hood. *See Ventilation systems*
- Hot holding of potentially hazardous food,46
- Hot water
 - quantity and availability,76
 - sanitization of equipment food-contact
 - surfaces and utensils,72
- Hygienic practices of employees
 - food contamination prevention,24-26
 - hair restraints,28
 - handling animals, prohibition,28
- Ice
 - as food,31
 - exterior cooling, prohibition as ingredient,36
 - source,31
 - storage or display of food in contact with,36
- Ice units, separation of drains, design and
 - construction,58
- Identity standards for food,50
- Illness of employee, investigation,102
- Illness prevention, intent of Food Code,1
- Imminent health hazard
 - definition,8
- Immunocompromised persons. *See Highly susceptible population*
- In-place cleaning. *See CIP definition*
- Incinerators for solid waste,85
- Individual sewage disposal system, disposal through
 - approved system,82
- Indoor areas, materials,85-86
- Infection, employee, symptom,18
- Infectious agent, employee freedom from,
 - removal of restriction,21-24
- Ingredients, HACCP plan,98-99
- Injected, definition,8
- Insect control
 - devices, design, and installation,88
 - food establishments, poisonous or toxic
 - materials,96
 - maintenance,94
 - outer openings protected,88-89
 - See also Pest control*
- Insects, dead or trapped, removal,93
- Inspection, frequency
 - establishing,99
 - performance- and risk-based,100
- Inspection port, enclosed water system,80
- Inspection report
 - acknowledgment of receipt,101
 - documentation,100-101
 - issuance,101
 - receipt, refusal to sign acknowledgment,101
- Installation,
 - equipment,63-64
 - plumbing system,76
- Institutional food service. *See Food establishment, highly susceptible population*

- Interstate Certified Shellfish Shippers List, sources
of molluscan shellfish,29
- Intestinal illness of employee,18
- Iodine solutions, chemical sanitization,66-67
- Jars. *See Single-use articles*
- Jaundiced employee
exclusions and restrictions,20-21
symptom,18
- Jaundice-free employees, removal of
exclusions and restrictions,20-21
- Jewelry, employees, prohibition exception,27
medical alert,27
- Juice
definition,8
HACCP system,33
packaged,33
prohibition,52
service to highly susceptible populations,52
treated,33
warning label,44
- Junctures, floor and wall, covered and enclosed
or sealed, cleanability,86
- Justification, variances,97-98
- Ketchup bottles. *See Single-use articles*
- Kick plates, removable, design and construction, ...56
- Kitchenware
definition,8
handling,74
- Knives. *See Tableware*
- Label, common name on food container,35
- Labeling
packaged food,50-51
compliance with law,50
poisonous or toxic materials and personal care
items,94-96
- Lamb
consumer self-service,39-40
rare or raw, consumer advisory,51
raw, storage,34
use of clean equipment,68
use of laundered gloves,72
- Landfills for solid waste,85
- Laundering linens
criteria,72-73
frequency,72-73
mechanical washing,73
methods,73
- Laundry facilities, use limitations,73
- Lavatories. *See Handwashing lavatories*
- Law, definition,8
- Layout, proposed, plans,98
- Lead limitation in ceramic, china, crystal, and
decorative utensils,54
- Lesion, containing pus,21
- Light bulbs, protective shielding,87-88
- Lighting, intensity,90
- Linens and napkins, use limitation for food-contact
surfaces,37
- Linens
definition,9
laundering criteria,72-73
laundering frequency,72-73
laundering methods,73
mechanical washing methods,73
soiled, storage methods,73
storage after cleaning,73
storage prohibitions,74
- Liquid eggs, condition at receipt,31
- Liquid food or ice, dispensing equipment, design and
construction,57-58
- Liquid food vending machines, waste receptacle, ..61
- Liquid waste
drain lines, design and construction,.....58
other than sewage, disposal facility,.....83
products from vending machines,.....61
See also Sewage
- Litter, removal,93
- Living/sleeping quarters, separation,89
- Loading soiled items, warewashing machines,.....70
- Location, grease trap,.....82
- Lockers
designation,.....90
location,.....91
using,92
- Lubricants, incidental food contact, criteria,96
- Lubricating food-contact surfaces,74
- Maintenance
equipment, storage,93
refuse areas and enclosures,84
tools, cleaning,92
See also Operation and maintenance
- Major food allergen, definition.....9
- Management and personnel
employee health,18-24
hygienic practices,24-27
personal cleanliness,24-37
supervision,17-18
- Manual warewashing. *See Warewashing*
- Manufacturers' dating information,46-47
- Materials
construction and repair, surface
characteristics,86
mobile water tank and mobile food establishment
water tank,80
See also Physical facilities
- Mats, floor, cleanability,.....87
- Meats
cooking requirements,40-42

customer self-service,	39-40	cooling,	45
definition,	9	identification specifications,	32-33
rare or raw, consumer advisory,	51	temperature at receipt,	30-31
raw, storage,	34-35	Mops, drying,	92
use of clean equipment,	68	Mouthwash. <i>See Personal care items</i>	
use of laundered gloves,	72	Moveability, case lot handling equipment,	61
Mechanical warewashing. <i>See Warewashing</i>		Multiuse utensils and food-contact surfaces,	
Medical condition of employee,	18	construction materials, characteristics,	53
Medical history of ill employee,	102	Mushrooms	
Medicines, employee, in food establishments,		cultivated wild species, source	29
restriction and storage,	96-97	wild source	29
<i>See also Personal care items</i>		Mussels, lightly cooked or raw, consumer	
Melons, cut. <i>See Potentially hazardous food</i>		advisory,	51
<i>definition</i>		<i>See also Molluscan shellfish</i>	
Menu items, consumer advisory,	51	Napkins, cloth, laundering frequency,	72-73
Meringue.....	35, 52	<i>See also Linens</i>	
mg/L, definition,	9	National Shellfish Sanitation Program	
Microwave ovens		certification number,	32
cooking,	42	Manual of Operations,	32
reheating food, requirements,	43	Nonconformance with Code, documentation,	100
safety standards,	64	Noncritical violation, time frame for correction, ..	101
Milk and milk products, dry, fluid, and frozen,		Nondrinking water, quality,	75
pasteurized at receipt,	31	Nonfood-contact surfaces	
Milk, fluid, and milk products		cleaning criteria,	68, 70
cooling,	45	cleaning frequency,	770
raw, consumer advisory,	51	construction materials, characteristics,	55
source,	29	design and construction,	56
temperature at receipt,	25	Norovirus	
Mixing valve, handwashing lavatory,	77	employee illness	18-20
Mobile food establishment		reporting	20
sewage holding tank, capacity and		restrictions/exclusions	20-21
drainage,	81-82	Nutrition labeling,	50
water tank, inlet,	80	Nuts in shell, storage,	39
waste removal,	82	Odors	
Mobile water tank and mobile food establishment		mechanical ventilation,	90
water tank	80	multiuse equipment materials,	53
design and construction,	80	refuse removal frequency,	85
flushing and disinfection,	81	single-service/use article materials,	55
materials,	79-80	Oil equipment	
numbers and capacities,	81	“V” threads,	56
operation and maintenance,	81	filtering,	56
Modifications		Off-premise	
Code application,	97	cleaning services for refuse, recyclables, and	
conformance with approved procedures,	98	returnables,	85
Mollusk shells, use limitation,	67	On-site cleaning of returnables,	71-72
Molluscan shellfish		Openings, to outdoors, protection against insects	
definition,	9	and rodents,	88-89
lightly cooked or raw, consumer advisory,	51	Openings, vending machines, design and	
original container, requirements,	32-33	construction,	61-62
packaging and identification,	32-33	Operating plans and specifications, submission and	
shellfish, source,	29	approval,	98
shucked, original container, labeling,	33	Operation and maintenance mobile water tank and	
tanks, use limitations,	59	mobile food establishment water tank,	81
variance,	59	physical facilities,	91
Molluscan shellstock			
condition on receipt,	33		

plumbing system,	81	illness,	18-20
sewage system,	82	responsibility to report certain employee	
Organisms of public health concern		illness,	18-20
destruction,	40-43	responsibilities, rights, and authorities,	
growth limitation,	46-47	explanation,	18-20
Outdoor areas, materials,	86	<i>See also Employee</i>	
Outdoor refuse areas, curbed and graded to		Personal care items	
drain,	89	definition,	10
Outdoor walking and driving surfaces, graded to		first aid supplies, storage,	97
drain,	89	in food establishments, storage,	97
Outside receptacles for refuse, recyclables, and		medicines, restriction and storage,	96-97
returnables, design and construction,	83	operational supplies and applications,	97
Outside storage of refuse, recyclables, and		stock and retail sale,	97
returnables, prohibitions,	84	Personal cleanliness,	21-22
Oven		Personal medications. <i>See Medicines</i>	
cooking temperature,	40-42	Personnel, supervision,	17-18
microwave,	42	Pest control,	93
Overhead protection for outdoor food vending and		outer openings protected,	88-89
servicing areas,	89	<i>See also Insect control; Rodent control</i>	
Overwraps, colored, for food, limitations,	50	Pesticides in food establishments	
Oysters, lightly cooked or raw, consumer		application,	96
advisory,	51	bait stations,	96
<i>See also Molluscan shellfish</i>		restricted use pesticide, conditions of use,	96
Package integrity,	31	restricted use pesticide, criteria,	96
Packaged, definition,	9	tracking powders,	96
Packaged food		<i>See also Poisonous or toxic materials</i>	
labeling,	50-51	Pests, dead or trapped, removal,	93
labels, compliance with law,	50-51	Pets in group residence dining areas,	93-94
separation and segregation from		restrictions,	93-94
unpackaged food,	34-35	Pewter, use limitation for food-contact	
Packaging and identification of shucked molluscan		surfaces,	54
shellfish,	32	pH	
Packaging, reduced oxygen		definition,	10
conditions requiring a variance,	50	Physical facilities	
definition,	14	cleaning floors, dustless methods,	92
Pallets. <i>See Case lot handling equipment</i>		frequency and restrictions,	91
Parasite destruction in fish by freezing,	42-43	maintenance tools, preventing	
Parts per million. <i>See mg/L</i>		contamination,	92
Patrol dogs,	25, 93	ventilation systems, nuisance and	
Performance-based frequency of inspection,	100	discharge prohibition,	92
Permit, definition,	9	controlling pests,	93
Permit holder		definition,	10
definition,	9	design, construction, and installation,	85-87
Permit suspension		dressing rooms and lockers, using,	92
conditions warranting,	103	drying mops,	92
reinstatement,	103	handwashing laboratories, maintaining and	
warning or hearing not required,	103	using,	91
(See Nebraska Pure Food Act)		location and placement,	91
Person, definition,	9	maintaining premises,	93
Person in charge		materials for construction and repair,	85-87
assignment,	17	minimizing attractants and contaminants on	
definition,	10	floors,	86-87
demonstration of knowledge,	17	operation and maintenance,	91
duties,	17-18	pests, dead or trapped, removal,	93
employee responsibility for reporting		prohibiting animals,	93
		repairing,	91

- storage, of maintenance equipment,93
- toilet room doors, closing,88
- Pickle barrels. *See Single-use articles*
- Pinning. *See Injected, definition*
- Plans and specifications for food establishment
 - contents,98
 - facility and operating, requirement,98
- Plastic tubs, buckets. *See Single-use articles*
- Plates. *See Tableware*
- Plumbing fixture, definition,10
- Plumbing system
 - air gap,77
 - backflow prevention,77
 - conditioning device, design,77
 - construction,77
 - definition,10
 - design,77
 - device, water system, inspection and
 - service,79
 - handwashing lavatory, design and
 - construction,77
 - installation,77
 - location and placement,78
 - materials,77
 - numbers and capacities,77-78
 - operation and maintenance,81
- Poisonous or toxic materials
 - bait stations,96
 - boiler water additives, criteria,95
 - chemical sanitizers, criteria,95
 - chemicals for washing fruits and vegetables,
 - criteria,95
 - containers, prohibition for food use,95
 - definition,10
 - drying agents, criteria,95
 - in food establishments, use conditions,95
 - knowledge by person in charge,17
 - lubricants, incidental food contact, criteria,96
 - pesticides, application,96
 - restriction of presence and use in food
 - establishments,94
 - storage, separation,94
 - tracking powders,96
- See also Personal care items*
- Pork
 - cooking requirements,40-42
 - consumer self-service,39-40
 - rare or raw, consumer advisory,51
 - raw, storage,34-35
 - use of clean equipment,68-69
 - use of laundered gloves,72
- Potable water. *See Drinking water*
- Potentially hazardous food, definition,11-12
- Poultry
 - cooking requirements,40-42
 - customer self-service,39-40
 - definition,12
 - rare or raw, consumer advisory,51
 - raw, storage,34-35
 - use of clean equipment,68-69
 - use of laundered gloves,72
- Precleaning equipment and utensils,70
- Premises
 - definition,12
 - gaining access,100
 - maintenance,91
 - See also Physical facilities*
- Presentation of food,50
- Preset tableware, handling,75
- Pressure, water,76
- Pressure spray, wet cleaning,70
- Primal cut, definition12
 - storage on hooks or racks,34-35
- Private home, unapproved food source,28
 - food operations prohibited,89
- Probe-type price and identification tags,
 - (*See Utensil*)14
- Public sewage treatment plant, disposal through
 - approved facility,82
- Public water system, definition,12
- Pushcart. *See Food establishment, definition, mobile*
- Quaternary ammonium compounds, chemical
 - sanitization,66-67
- Racks
 - case lot handling,61
 - meat storage,34-35
 - warewasher,65
- Rainwater, disposal facility,83
 - See also Sewage*
- Rapid
 - cooling,45
 - growth. *See Potentially hazardous food, definition*
 - reheating,43-44
- Ratites
 - cooking40
 - definition13
 - game animal definition7
 - poultry definition12
- Ready-to-eat food, definition,13
- Ready-to-eat foods, consumer self-service,39-40
 - utensils and dispensers,39-40
- Ready-to-eat potentially hazardous food
 - date marking,46-47
 - disposition,48
- Reassembly of equipment after cleaning,74
- Receptacles for refuse, recyclables, and returnables
 - capacity and availability,83
 - cleaning,85
 - covering,84-85
 - design and construction,83

drain plugs,	85	Remodeling of food establishment, plans and specifications, requirement,	98
equipment and storage,	84	Reporting, disease and medical condition	
location,	84	by food employee,	18-20
maintenance,	85	by person in charge,	18-20
Receptacles for removal of refuse, recyclables, and returnables,	85	Reservice of unopened packaged food and unused food, prohibition,	40
Records		Responsibilities	
fish, freezing raw,	43	rights and authorities, person in charge,	17-18
HACCP,	7, 98-99	Restaurant. <i>See Food establishment</i>	
HACCP plan conformance, failure to demonstrate,	98	Restrict, definition	14
Molluscan shellstock,	33	Restricted use pesticide, definition,	15
water system service schedule,	79	Restriction	
Recyclables. <i>See Refuse</i>		employee, release,	102
Recycling facilities,	83	infected or diseased employee,	102
Redeeming machines, location,	84	Restriction order	
Reduced oxygen packaging		for infected or diseased employee,	102
conditions requiring variance,	49-50	Restrictions	
definition,	14	employees, removal,	21-24
HACCP plan and variance criteria,	98-99	ill employees,	20-21
Refilling facilities,	38	Retail food store. <i>See Food establishment</i>	
Refilling returnables,	38	Retention tank. <i>See Sewage, holding tank</i>	
Refills in consumer self-service, using		Retirement home. <i>See Group residence</i>	
clean tableware,	38	Returnables	
Refrigeration, cooling and cold holding,	45-46	on-site cleaning and refilling,	71-72
Refusal of access,	100	refilling	38
Refusal to sign acknowledgment of inspection		<i>See also Refuse</i>	
report receipt,	101	Reuse of shells	67
Refuse areas and enclosures, maintenance,	85	Review of plans. <i>See Facility plans and specifications</i>	
Refuse, definition,	14	Rhea <i>See ratites</i>	
Refuse, recyclables, and returnables		Rinsing procedures, equipment and utensils,	71
cleaning equipment and supplies,	84	Risk-based frequency of inspection,	100
design and construction,	83	Roast beef	
facilities, on the premises,	83	minimum holding times for cooking,	41
facilities for disposal, recycling, and refilling,	85	oven parameters for cooking,	41
indoor storage area, design,	83	Roast corned beef	
location,	84	minimum holding times for cooking,	41
outdoor enclosure, construction,	83	oven parameters for cooking,	41
outdoor storage areas, construction materials,	83	Rodent control,	
outdoor storage surface, design and construction,	83	in food establishments, poisonous or toxic materials,	96
removal,	85	outer openings protected,	88-89
storage, operation, and maintenance,	84	<i>See also Pest control</i>	
storage areas equipment, and receptacles, location,	84	Rodents, dead or trapped, removal,	93
rooms, and receptacles, capacity and availability,	83	Roe <i>See fish</i>	
storage prohibitions,	84	Roofs, protective barrier,	89
toilet room receptacle, covered,	84	Rooms. <i>See Physical facilities</i>	
Regulatory authority		Safe material, definition,	15
definition,	14	Salad bars, monitoring by food employees,	39-40
Reheating		Salmonella typhi	
hot holding, temperature requirements,	43-44	cause of disease outbreak and employee illness,	19
ready-to-eat food, requirements,	43-44	cause of employee illness, reporting responsibility of person in charge.....	18-20
Reinstatement			
excluded or restricted employee,	21, 102		

infection, conditions for release of employee	
from restriction or exclusion,	21-24
Salmonella typhi -free employee, removal of	
Restriction or exclusion,	21, 102
Salmonella typhi -possible specimen culture	20
Sample report, private water system,	76
Sampling, water, nonpublic system,	76
Sanitization	
chemical, of warewashing equipment,	66-67
definition,	15
equipment and utensils,	72
hot water temperatures, for warewashing	
equipment,	72
pressure, mechanical warewashing	
equipment,	66
sanitizers, chemical, determining	
concentration,	67
<i>See also Poisonous or toxic materials</i>	
Sanitizing solutions, equipment and utensil	
rinsing procedures,	71
testing devices, availability,	63
Sanitizing solutions, hand,	26
Scallops. <i>See Molluscan shellfish</i>	
Screening	
backflow prevention device,	77
outer openings protected,	88
tank vent,	80
vending machines,	61
water filter,	77
Seafood. <i>See Fish</i>	
Sealed, definition,	15
Seeing Eye dog. <i>See Support animal</i>	
Self-draining warewashing sinks and	
drainboards,	61
Self-service	
clean tableware for refills,	38
consumer, protection from contamination,	39
handling of single-service and single-use	
articles,	74
utensil availability,	63
Sentry dogs. <i>See Patrol dogs</i>	
Service animal	
care and handling,	25
definition,	15
handwashing after handling,	25
presence in dining and sales area,	93-94
Service sinks	
availability,	91
plumbing system, numbers and capacity,	78
use limitation,	26
Servicing area	
definition,	15
outdoor, overhead protection,	89
Serving dishes. <i>See Hollowware</i>	
Sewage	
definition,	15
disposal, conveying,	82
disposal system, approved, design and	
construction,	82
holding tank, mobile,	81-92
Sewage, other liquid wastes, and rainwater	
backflow prevention,	82
conveying,	82
disposal facility,	82
drainage,	83
establishment drainage system, design and	
installation,	82
mobile holding tank,	82
removal from mobile food establishments,	82
retention,	82
Shellfish, molluscan. <i>See Molluscan shellfish</i>	
Shellfish control authority, definition,	15
Shells, use limitation,	67
Shellstock	
definition,	15
maintaining identification,	32-33
Shielding, light,	87-88
Shigella spp.	
cause of employee illness and disease	
outbreak,	18-20
employee illness, reporting.....	18-20
infection, conditions for release of employee	
from restriction or exclusion,	24
Shigella spp-free employee, removal of	
restriction.....	21-24, 102
Shigella spp.-positive specimen culture,	18-20,102
Shucked shellfish, definition,	15
Shutoff device, vending machine, water or	
liquid food,	59
Single-service and single-use articles	
construction materials, characteristics,	55
definition,	16
handling,	75
prohibitions,	74
required use,	67
reuse limitation,	67
storage after cleaning,	68-69
Sink compartment requirements, manual	
warewashing,	62
Sink, handwashing. <i>See handwashing facilities</i>	
Sinks, warewashing	
cleaning agents,	65
self-draining,	61
use limitations,	65
Slacking	
definition,	16
potentially hazardous frozen food,	
conditions,	44
Slash-resistant gloves	38
Sleeping quarters. <i>See Living/sleeping quarters</i>	
Smoking. <i>See Tobacco use by employees</i>	

- Smooth, definition, 16
- Sneeze guards. *See Food display*
- Sneezing, coughing, or runny nose by employees,
food contamination prevention, 27
- Soap. *See Cleaning agents*
- Soiled tableware, handling, 75
- Solder, use limitation for food-contact surfaces, 54
- Source, approved
drinking water, 75
food, 28
shellfish, 28-29
- Spacing
carpet installation, 87
equipment installation, 63-64
toxic material separation, 94, 97
- Spatulas, use to avoid contaminating food, 34
- Specifications. *See Plans*
- Specimen analysis, employee transmission
of foodborne disease, 102
- Specimen cultures of employee infected with
Salmonella typhi, 102
- Sponges, use limitation, 54
- Spoons. *See Tableware*
- Spot cleaning. *See Floors, dustless cleaning methods*
- Sprouts, seed. *See Potentially hazardous food definition*
- Stainless steel. *See Cleanability; Easily cleanable*
- Standards of Identity, 50
- Steak tartare, consumer advisory, 51
- Steam
cleaning equipment, 84
mixing valves, 77
tables, temperature measurement, 59-60
ventilation, 90
- Stitch pumping. *See Injected*
- Stirrers. *See Single-service articles*
- Stock and retail sale of poisonous or toxic
materials and personal care items,
storage and display, 97
- Storage
clean equipment, utensils, linens, and
single-service and single-use articles, 74
first aid supplies in food establishments, 97
food in contact with water or ice, 36
maintenance equipment, 93
medicines in food establishments, 97-97
methods for soiled linens, 73
poisonous or toxic materials, separation, 94
refuse, recyclables, and returnables,
operation and maintenance, 84
- Storage and display of items for stock and
retail sale, separation, 97
- Storage areas for refuse, recyclables, and returnables
capacity and availability, 83
designated, 91
location, 84
- Storage cabinets, location for contamination
prevention, 63
- Storing food to prevent cross contamination, 34-35
- Straws. *See Single-service articles*
- Studs, joists, and rafters, cleanability, 87
- Stuffing, cooking, 40-42
- Supervision of personnel
demonstration of knowledge, 17
person in charge, 17
- Surface characteristics
indoor areas, 85-86
outdoor areas, 86, 89
- Sweeping compounds. *See Floors, dustless cleaning methods*
- Table-mounted equipment
definition, 14
elevation, 64
- Tablecloths. *See Linens*
- Tableware
clean, consumer use in self-service area,
supervisor responsibility, 17
definition, 16
handling, 74-75
preset, handling, 75
soiled and clean, handling, 75
See also Single-service articles
- Tag/label, for molluscan shellstock
record keeping, 32-33
requirements, 32-33
- Take-home food containers, refilling, limitations, .. 38
- Temperature - Food
cold and hot food holding, 46
cooking, 40-42
cooling, 45
plant food, 42
receiving, 30-31
reheating, 43-44
roast beef and corned beef, 40-42
thawing, 44-45
- Temperature - Warewashing
wash water, manual, 65
wash water, mechanical, 65-66
sanitization, manual, 66
sanitization, mechanical, 66
- Temperature measurement devices accuracy, 57
calibration, 67
definition, 16
design and construction, 55
food, accessibility, 63
food storage unit air, 57
manual warewashing, accessibility, 63
warewashing machines, 60
- Tempered water, handwashing lavatory, 77
- Temporary facility, water availability, 76
- Temporary food establishment

construction materials,85-86	Unnecessary
definition, 16	items,93
Testing devices for sanitizing solutions,	ledges, projections and crevices,56
availability, 63	persons,17
Thawing potentially hazardous frozen food,	"Use by" date. <i>See Date marking</i>
conditions,44-45	Utensils
Thermistor, thermocouple, thermometer.	air-drying,73
<i>See Temperature measuring device</i>	cast iron, use limitation,53
Threads, "V" type56	ceramic, china, crystal, and decorative, lead
Three compartment sink. <i>See Sink compartment</i>	limitation,54
<i>requirements</i>	cleaning criteria,67
Time as public health control for potentially	cleaning frequency,68-69
hazardous food,48-49	consumer self-service, availability,63
Time frame	contact with food,36
correction of critical violation, 101	definition,16
noncritical violation, 101	design and construction, durability and
Time as public health control for potentially	strength,55
hazardous food48	galvanized metal, use limitation,54
Tobacco use by employees, food contamination	in-use storage,36-37
prevention,27	maintenance and operation,67
Tofu, immersion in ice or water,36	multiuse, construction materials,53-55
Toilet rooms	racks, capacity,62
convenience and accessibility,76, 91	sanitization,72
doors, closing,88	serving, for consumer self-service
enclosed, design and installation,88	operations,39
numbers,76	storage after cleaning,74
receptacle for sanitary napkins,84	storage between use,36-37
Toilet tissue, availability,90	wet cleaning methods,70
Toiletries. <i>See Personal care items</i>	Utility lines, cleanability,86
Toilets and urinals, number,76	"V" threads, use limitation for food-contact surfaces,
Tongs, use to avoid contaminating food,34	Vacuum packaging. <i>See Reduced oxygen packaging</i>
Toothpaste. <i>See Personal care items</i>	Variance
Toothpicks. <i>See Single-service articles</i>	cooking raw animal foods,42
Towelettes, chemically treated, for handwashing,	conformance with approved procedures98
conditions,77-78	definition,16
Towels	documentation and justification,98
availability,89-90	HACCP plan,99
disposable, waste receptacle,90	modifications and waivers, Code application, .97
Toxic. <i>See Poisonous or toxic materials</i>	molluscan shellfish tanks,59
Tracking powder. <i>See Pesticides in food</i>	rationale,97-98
<i>establishments</i>	Vegetables, raw
Training plan, food safety, for employees and	cooking for hot holding,42
supervisors, HACCP plan,49-50	washing,36
Transport	whole or cut, immersion in ice or water,36
case lot moving,61	whole, uncut, raw, storage,34
game animals,29-30	Vehicles for removal of refuse, recyclables,
insulated containers,60	and returnables,85
refuse vehicles,85	Vending machines
sewage vehicles,81	automatic shutoff,59
soiled linens,73	can openers, design and construction,59
Trash. <i>See Refuse</i>	condiments, packaging to prevent
Tumblers. <i>See Hollowware</i>	contamination,39
Two compartment sink. <i>See Sink compartment</i>	definition16
<i>requirements</i>	design and construction of vending stage
	closure,58

- doors and openings, design and
 - construction,61-62
- liquid waste products,61
- location, definition,17
- potentially hazardous food, original
 - container,39
 - refuse receptacles in,83
 - temperature,59
- Ventilation, mechanical,90
- Ventilation systems
 - capacity,90
 - cleaning, nuisance and discharge
 - prohibition,92
 - exhaust vents, design and construction,88
 - hood, adequacy,62
 - drip prevention, design and construction,57
- Verification of correction of critical violation,101
- Vermin. *See Insect control, Pest control, Rodent control*
- Violations, critical
 - documentation and verification of correction, 101
 - documentation of findings,100-101
 - history of, role in frequency of inspections,99
 - inspection and correction,99-102
 - noncritical, time frame for correction,101-102
 - timely correction,101
- Virus. *See Disease outbreaks caused by*
- Vomiting, employee symptom,18
- Waivers
 - Code requirements,97
 - conformance with approved procedures,98
- Walk-in refrigerator, construction materials,87
- Walking surfaces. *See Surface characteristics*
- Walls and wall coverings and coatings,
 - cleanability,89
- Walls, exterior, protective barrier,89
- Warewashing
 - definition,17
 - manual, sink compartment requirements,62
 - manual, temperature measuring devices,
 - accessibility,63
- Warewashing equipment
 - chemical sanitizer concentration,
 - determining,67
 - clean solutions,65
 - manual
 - alternative,70-71
 - chemical sanitization,66-67
 - detergent-sanitizers for chemical
 - sanitization,66-67
 - cleaning agents,65
 - heaters and baskets,60
 - hot water sanitization temperatures,66
 - wash solution temperature,65-66
 - mechanical chemical sanitization,66-67
 - hot water sanitization temperatures,66
 - sanitization pressure,66
 - wash solution temperature,65-66
- Warewashing machines
 - data plate operating specifications,60
 - drain connection,82
 - flow pressure valve,60-61
 - internal baffles,60
 - loading of soiled items,70
 - manufacturers' operating instructions,65
 - temperature measuring devices,60
- Warewashing sinks
 - alternative uses,65
 - and drainboards, self-draining,61
- Wash solution temperature, warewashing
 - equipment,65-66
- Washers/dryers, clothes, availability,62-63
- Washing
 - mechanical methods, linens,73
 - procedures, equipment food-contact surfaces
 - and utensils,70
 - raw fruits and vegetables,36
 - times for employees,25
- Waste
 - liquid. *See Sewage*
 - solid. *See Refuse*
- Waste receptacle for disposable towels,90
- Waste retention tank, flushing,82
- Water
 - distribution, delivery, and retention,76
 - hot, quantity and availability,76
 - inlet/outlet, protective device,81
 - nondrinking,76
 - pressure,76
 - quality,75
 - sample report,76
 - sampling,76
 - standards,75
 - quantity and availability,76
 - source
 - approved system,75
 - bottled drinking,75
 - capacity,76
 - disinfection,75
 - system flushing,75
 - storage or display of food in contact with,36
- Water activity, definition,2
- Water conditioning device,77
- Water reservoir of fogging devices, cleaning,79
- Water supply
 - system, prohibition of cross connection,78
- Water system, compressed air filter,81
- Water system device, inspection and service,79
- Water systems, private and public,75
- Water tank

hose, construction and identification,80-81
 inlet/outlet and hose fitting, protection, 81
 sloped to drain,80
 use limitation of "V" type threads, 80
 pump, and hoses, dedicated use, 81
 vent, protected, 80
 Watertight joint, equipment openings,57
 Water treatment device, 79
 Wet cleaning methods, equipment and utensils, 70
 Wet storage. *See Storage, food in contact with water and ice; Molluscan shellfish, tanks*
 Wetting agents, 70
 Windows, tight-fitting, 88
 Wiping cloths
 air-drying locations, 73
 laundering, 73
 stored in sanitizer,37
 use for one purpose, 37
 Wood, use limitation for food-contact
 surfaces,54-55
 Work clothes. *See Clothing, outer*
 Wound, infected. *See Lesion, containing pus*
 Wrapped food
 honestly presented, 50
 preventing contamination, 36
 See also Packaged, definition
 Wrapped tableware, handling, 75